



PEOPLE'S REPUBLIC OF CHINA

TELEGRAPHIC ADDRESS

AFS: ZBBBYNYX

SITA: BJSYNCA

COMM: CIVIL AIR BEIJING

FAX: 86-10-67337224

AERONAUTICAL INFORMATION SERVICE

AIR TRAFFIC MANAGEMENT BUREAU

CIVIL AVIATION ADMINISTRATION OF CHINA

P.O.BOX2272 CHAOYANG DISTRICT BEIJING CHINA

Summary

NOTAM

Series A

JUL 25, 2019

The following NOTAM were still in force on 2019-07-25 05:18. NOTAM not included have either been canceled, time expired or superseded by AIP supplement, or incorporated into the AIP CHINA.

A 0050/12 A) ZJSA

NOTAMR B) 2012/01/30/0253 C) PERM

A 4567/07 E) 75KM(40NM) LONGITUDINAL SEPARATION SHALL BE APPLIED TO TRAFFIC ON ATS ROUTE A202 AND A1 WHEN RADAR SURVEILLANCE IS AVAILABLE IN SANYA AOR.

ALL ASSIGNED SSR CODES SHALL BE VERIFIED BY THE TRANSFERRING ACC AND THE RECEIVING ACC SHALL BE INFORMED OF CASES OF:

(A)AIRBORNE TRANSPONDER FAILURE,

(B)WRONG CODE IF UNABLE TO CORRECT, AND

(C)NON-AVAILABILITY OF SSR EQUIPMENT TO VERIFY ASSIGNED CODES.

A 1554/16 A) ZPKM

NOTAMN B) 2016/06/30/1715 C) PERM

D) 1715-1915 2315-0115 1115-1315 DLY

E) ASCENT OF WHITE MET BALLOONS WILL TAKE PLACE AT PSN:

N250000E1023900,N265100E1001300,N232600E1031900,N224700E1005800,N245900E0983000.

DIAMETER:1.5M,RATE OF ASCENT:400M/MIN, CEILING:

36,000M(AGL),FLOATING TIME: 120MIN.

F) GND G) 36000M AGL

A 1173/17 A) ZPKM

NOTAMN B) 2017/05/25/0716 C) PERM

E) 1.BEFORE ALL ACFT DEVIATING AND ENTERING INTO KUNMING CONTROL

AREA, ATC DEPARTMENT OF THE STATES WHICH PROVIDE CONTROL SERVICES

FOR THOSE ACFT SHALL APPLY PERMISSION FROM KUNMING ACC AND REPORT

ACFT INFORMATION. ALL ACFT ARE FORBIDDEN TO FLY INTO KUNMING CONTROL AREA WITHOUT PERMISSION.

2.BEFORE FLYING INTO KUNMING CONTROL AREA, ALL ACFT SHALL CONTACT KUNMING ACC POSITIVELY.

A 1251/18 A) ZPKM

NOTAMN B) 2018/04/18/1800 C) PERM

D) 1800-2000 DLY

E) ASCENT OF BALLOONS WILL TAKE PLACE AT PSN: N293800E0910300,
 WEIGHT:0.75KG, RATE OF ASCENT:400M/MIN, DIAMETER:2M. COLOR: WHITE.
 CEILING: 26,000-32,000M. FLOATING TIME: 70MIN.
 F) GND G) 32,000M AMSL

A 1689/19 A) ZBPE
 NOTAMN B) 2019/04/19/0400 C) PERM
 E) TAIYUAN CONTROL AR02 FREQUENCY CHANGED FROM 128.75MHZ TO 127.1MHZ

A 1833/19 A) ZSHA
 NOTAMR B) 2019/04/25/0218 C) PERM
 A 4992/18 E) 1. FOR FLIGHT EASTBOUND VIA IKEKA, A591AGAVO FROM SHANGHAI FIR TO
 Y644RILRO BEYOND IN INCHEON FIR, AIRCRAFT SHALL ESTABLISH A LATERAL
 OFFSET AT A DISTANCE OF 6NM TO THE RIGHT SIDE OF A591 WHILE OPERATING
 FROM IKEKA TO AGAVO, THEN MAINTAIN OFF SETTING AND FOLLOW THE
 INSTRUCTIONS OF ATC TO RESUME OWN NAVIGATION.
 2. FOR FLIGHT EASTBOUND VIA DONVO, G597AGAVO FROM SHANGHAI FIR TO
 Y644RILRO BEYOND IN INCHEON FIR, AIRCRAFT SHALL BE RADAR VECTERED
 FROM DONVO DIRECT TO RILRO, THEN RESUME OWN NAVIGATION.

A 2301/19 A) ZPKM
 NOTAMR B) 2019/05/20/0314 C) PERM
 A 2267/19 E) YIBIN VOR/DME 'YBN' 116.5MHZ/CH112X LIMITED TO USE:
 1.VOR U/S ON RADIAL 048-058DEG CLOCKWISE FOR INITIAL APPROACH
 PROCEDURE.
 2.VOR U/S ON RADIAL 189DEG BEYOND 20NM.
 3.DME U/S ON RADIAL 346-058DEG CLOCKWISE(EXCEPT 351DEG AND 006DEG),DME
 U/S ON RADIAL 160-218DEG CLOCKWISE(EXCEPT 189DEG)
 4.DME ON RADIAL 351DEG BEYOND 11NM.
 5.DME ON RADIAL 006DEG BEYOND 13NM.
 6.DME ON RADIAL 189DEG BEYOND 12NM.

A 2911/19 A) ZLHW
 NOTAMN B) 2019/06/19/1600 C) PERM
 E) ON REQUEST REPORTING POINTS ESTABLISHED, COORDS:
 ATNOK: N3916.1E09650.7, IGDON: N3928.0E09702.0,
 KIDIV: N3837.2E09224.1

A 2912/19 A) ZLHW
 NOTAMN B) 2019/06/19/1600 C) PERM
 E) SEGMENT OMGUP-TODOD OF ATS ROUTE B215 ADJUSTED TO
 OMGUP-IGDON-TODOD, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
OMGUP-IGDON	298/	57	5,856
IGDON-TODOD	298/	40	6,015

A 2913/19 A) ZLHW
 NOTAMN B) 2019/06/19/1600 C) PERM
 E) SEGMENT VIKUP-MULRU OF ATS ROUTE W191 ADJUSTED TO

VIKUP-ATNOK-MULRU, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
VIKUP-ATNOK	118/	72	6,015
ATNOK-MULRU	118/	80	5,880

A 2914/19

A) ZLHW

NOTAMN

B) 2019/06/19/1600 C) PERM

E) SEGMENT TUSLI-DUMIN OF ATS ROUTE W192 ADJUSTED TO
TUSLI-KIDIV-DUMIN, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
TUSLI-KIDIV	170/350	52	4,604
KIDIV-DUMIN	170/350	51	3,944

A 2920/19

A) ZLHW

NOTAMN

B) 2019/06/19/1600 C) PERM

E) SECTORS ZLLAR01/02/04/07/08 ADJUSTED, ZLLAR05/06/11/12 ESTABLISHED,
DETAILS AS FLW:

1. ZLLAR01:

LATERAL LIMITS:

N380000E1012156-N371148E1040442-N363651E1055136-N361549E1065318-N352924E1062
000-N345330E1065100-N351204E1055559-N351538E1054511-N354633E1040907-N354656E
1031215-N363142E1020154-N371140E1000000-N373713E1010017-N380000E1012156.

VERTICAL LIMITS: GND-7,800M.

2. ZLLAR02:

LATERAL LIMITS:

N395111E1074718-N393218E1070014-N384406E1050519-N375917E1052156-N375124E1052
506-N363651E1055136-N361549E1065318-N371841E1074044-N390648E1090234-N395111E
1074718.

VERTICAL LIMITS: GND-8,900M.

3. ZLLAR04:

LATERAL LIMITS:

N384510E0904548-N382100E0901300-N362500E0872300-N360200E0890100-N325200E0915
500-N314900E0983500-N325500E1014200-N333500E1035300-N353901E1004846-N364730E
0990500-N381539E0955309-N383413E0925731-N383714E0922406-N384510E0904548.

VERTICAL LIMITS: GND-12,500M.

4. ZLLAR05:

LATERAL LIMITS:

N371140E1000000-N363142E1020154-N354656E1031215-N354633E1040907-N351538E1054
511-N351204E1055559-N345330E1065100-N342900E1063956-N322700E1054900-N333500E
1035300-N353901E1004846-N364730E0990500-N371140E1000000.

VERTICAL LIMITS: GND-7,800M.

5. ZLLAR06:

LATERAL LIMITS:

N371140E1000000-N363142E1020154-N354656E1031215-N354633E1040907-N351538E1054
511-N351204E1055559-N345330E1065100-N342900E1063956-N322700E1054900-N333500E
1035300-N353901E1004846-N364730E0990500-N371140E1000000.

VERTICAL LIMITS: 7,800M(EXCLUSIVE)-8,900M.

6. ZLLAR07:

LATERAL LIMITS:

N394310E0971707-N392801E0970200-N391608E0965039-N385800E0963249-N381539E0955309-N364730E0990500-N371140E1000000-N373713E1010017-N380000E1012156-N385435E0991308-N394310E0971707.

VERTICAL LIMITS: GND-12,500M.

7. ZLLAR08:

LATERAL LIMITS:

N380000E1012156-N371148E1040442-N363651E1055136-N361549E1065318-N352924E1062000-N345330E1065100-N351204E1055559-N351538E1054511-N354633E1040907-N354656E1031215-N363142E1020154-N371140E1000000-N373713E1010017-N380000E1012156.

VERTICAL LIMITS: 7,800M(EXCLUSIVE)-8,900M.

8. ZLLAR11:

LATERAL LIMITS:

N380000E1012156-N414451E1051345-N404300E1055500-N401842E1070012-N395111E1074718-N393218E1070014-N384406E1050519-N375917E1052156-N375124E1052506-N363651E1055136-N371148E1040442-N380000E1012156.

VERTICAL LIMITS: GND-8,900M.

9. ZLLAR12:

LATERAL LIMITS:

N412331E0943103-N384510E0904548-N383714E0922406-N383413E0925731-N381539E0955309-N385800E0963249-N391608E0965039-N392801E0970200-N394310E0971707-N401830E0960518-N410141E0950155-N412331E0943103.

VERTICAL LIMITS: GND-12,500M.

CALL SIGN: LANZHOU CONTROL.

FREQUENCY:

ZLLAR01: 123.75(126.175)MHZ;

ZLLAR02: 118.9(126.175)MHZ;

ZLLAR04: 132.8(132.2) MHZ;

ZLLAR05: 125.775(126.175)MHZ;

ZLLAR06: NIL(126.175) MHZ;

ZLLAR07: 119.35(132.2) MHZ;

ZLLAR08: 124.525(126.175) MHZ;

ZLLAR11: 128.725(126.175) MHZ;

ZLLAR12: 120.525(132.2) MHZ.

HOURS OF SERVICE:

ZLLAR05/11/12: BY ATC;

ZLLAR06: BY ATC, CONTACT ZLLAR05 WHEN ZLLAR06 U/S.

OTHERS REMAIN UNCHANGED.

A 3025/19 A) ZPKM

NOTAMN B) 2019/07/17/1600 C) PERM

E) COMPULSORY REPORTING POINTS 'TOSEM', 'URGAV' ESTABLISHED, COORDS:
TOSEM:N24 28.0E099 15.9, URGAV:N24 33.0E100 25.8.

A 3026/19 A) ZPKM

NOTAMN B) 2019/07/17/1600 C) PERM

E) ATS ROUTE W632 ESTABLISHED, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
MANGSHI VOR'LUM'- TOSEM	087/267	74	3,601

	TOSEM-URGAV	087/	118	3,793
	URGAV-GULOT	087/	115	3,853
	RNP4 IMPLEMENTED.			
A 3027/19	A) ZPKM			
NOTAMN	B) 2019/07/17/1600 C) PERM			
	E) ATS ROUTE W633 ESTABLISHED, DETAILS AS FLW:			
	SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
	TOSEM-GENGMA VOR'GMA'	173/353	105	3,597
	RNP4 IMPLEMENTED.			
A 3028/19	A) ZPKM			
NOTAMN	B) 2019/07/17/1600 C) PERM			
	E) SEGMENT MAKUL-DONEN OF ATS ROUTE L888 ADJUSTED TO MAKUL-URGAV-DONEN, DETAILS AS FLW:			
	SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
	MAKUL-URGAV	346/166	49	3,853M
	URGAV-DONEN	346/166	57	3,815M
A 3029/19	A) ZSHA			
NOTAMN	B) 2019/07/17/1600 C) PERM			
	E) COMPULSORY REPORTING POINTS 'LILMO', 'OMLIB', 'UGOMO' STABLISHED, COORDS:			
	LILMO: N36 40.8E123 35.5, OMLIB: N36 24.7E123 22.0, UGOMO: N35 41.6E121 20.9.			
A 3030/19	A) ZSHA			
NOTAMN	B) 2019/07/17/1600 C) PERM			
	E) ATS ROUTE V112 ESTABLISHED, DETAILS AS FLW:			
	SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
	IKEKA-GUSEV	244/064	176	600
	GUSEV-NOBOB	244/064	31	600
	NOBOB-LATUX	244/064	68	600
	RNAV2 IMPLEMENTED.			
A 3031/19	A) ZSHA			
NOTAMN	B) 2019/07/17/1600 C) PERM			
	E) ATS ROUTE W209 ESTABLISHED, DETAILS AS FLW:			
	SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
	XUEJIADAO VOR 'XDX'-ABVER	147/327	38	1,325
	ABVER-LATUX	147/327	33	1,325
	LATUX-UGOMO	072/252	56	600
	UGOMO-OMLIB	072/252	198	600
	OMLIB-LILMO	041/221	36	600
	LILMO-AGAVO	041/221	65	600
	RNAV2 IMPLEMENTED.			
A 3032/19	A) ZSHA			
NOTAMN	B) 2019/07/17/1600 C) PERM			
	E) SEGMENTS XUEJIADAO VOR			

'XDX'-ABVER-LATUX-NOBOB-GUSEV-IKEKA-AGAVO OF ATS ROUTE A591
ADJUSTED TO IKEKA-AGAVO, SEGMENT DETAILS REMAIN UNCHANGED.

A 3033/19 A) ZSHA
NOTAMN B) 2019/07/17/1600 C) PERM
E) SEGMENT IKEKA-DOPNO OF ATS ROUTE A326 ADJUSTED TO
IKEKA-OMLIB-DOPNO, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
IKEKA-OMLIB	185/005	47	600
OMLIB-DOPNO	185/005	157	600

A 3034/19 A) ZGZU
NOTAMN B) 2019/07/17/1600 C) PERM
E) COMPULSORY REPORTING POINT 'DOPNI' ESTABLISHED,
COORDS:N2839.6E11110.3.

A 3035/19 A) ZGZU
NOTAMN B) 2019/07/17/1600 C) PERM
E) SEGMENT ZHANGJIAJIE VOR'DYG'-LAOLIANGCANG VOR'LLC' OF ATS ROUTE
W138 ADJUSTED TO ZHANGJIAJIE VOR'DYG'-DOPNI-LAOLIANGCANG VOR'LLC',
DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
ZHANGJIAJIE VOR'DYG'- DOPNI	126/306	89	2,129
DOPNI- LAOLIANGCANG VOR'LLC'	126/306	121	1,956

A 3036/19 A) ZGZU
NOTAMN B) 2019/07/17/1600 C) PERM
E) SECTOR ZGHAAR01 ADJUSTED, ZGHAAR05/06 ESTABLISHED, DETAILS AS FLW:

1. ZGHAAR01:
LATERAL LIMITS:
N292500E1121000-N280106E1125748-N263212E1125048-N253342E1122130-N251636E1112
024-N261600E1094833-N270900E1103700-N274219E1104255-N282717E1104101-N285048E
1113712-N292500E1121000.
VERTICAL LIMITS: 6,600M(EXCLUSIVE)-7,800M.

2. ZGHAAR05:
LATERAL LIMITS:
N292500E1121000-N280106E1125748-N263212E1125048-N253342E1122130-N251636E1112
024-N261600E1094833-N270900E1103700-N274219E1104255-N282717E1104101-N285048E
1113712-N292500E1121000.
VERTICAL LIMITS: GND-6,600M.

3. ZGHAAR06:
LATERAL LIMITS: N263500E1091900- N275348E1092123- N282717E1104101-
N274219E1104255- N270900E1103700- N261600E1094833- N263500E1091900.
VERTICAL LIMITS: GND-7,800M.
CALL SIGN: CHANGSHA CONTROL.
FREQUENCY:
ZGHAAR05: 127.15 (123.725) MHZ.
ZGHAAR06: 128.55 (123.725) MHZ.
HOURS OF SERVICE:
ZGHAAR01: H24;
ZGHAAR05/06: 0030-1400

OTHERS REMAIN UNCHANGED.

A 3037/19 A) ZWUQ
NOTAMN B) 2019/07/17/1600 C) PERM
E) ON REQUEST REPORTING POINT 'OMKEN' ESTABLISHED, COORD:
N4450.0E08648.0.

A 3160/19 A) ZWUQ
NOTAMN B) 2019/07/17/1600 C) PERM
E) SEGMENT IKARA-SALMO OF ATS ROUTE A368 ADJUSTED TO
IKARA-OMKEN-SALMO, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
IKARA-OMKEN	304/124	20	1,072
OMKEN-SALMO	304/124	157	1,502

A 3419/19 A) ZYSH
NOTAMN B) 2019/07/05/0730 C) PERM
E) SECTORS OF DALIAN APP CONTROL AREA ADJUSTED AS FLW:

1. ZYTLAP01
LATERAL LIMITS:
N393431E1211911-N392645E1203839-N390902E1202610-N383854E1203512-N38
2800E1203100-N381500E1203500-N381501E1221256-N382429E1222440-N39160
6E1223706-N393113E1220313-N385610E1215420-N383543E1213707-N384052E1
210614-N393431E1211911.
VERTICAL LIMITS: 6,000M (QNE) AND BELOW..

2. ZYTLAP03
LATERAL LIMITS:
N383543E1213707-N384052E1210614-N393431E1211911-N393924E1214448-N39
3113E1220313-N385610E1215420-N383543E1213707
VERTICAL LIMITS: 6,000M (QNE) AND BELOW, EXCLUDE ZYTLAP02.
CALL SIGN: DALIAN APPROACH.
FREQ AND HOURS OF SERVICE:
ZYTLAP03: 121.05(127.95)MHZ/BY ATC,
OTHERS REMAIN UNCHANGED.

A 3540/19 A) ZPKM
NOTAMN B) 2019/07/17/1600 C) PERM
E) SECTORS ZUUUAR02/03/05/08/12/15/17/18/21/22/23 ADJUSTED, DETAILS AS FLW:

1. ZUUUAR02:
LATERAL LIMITS:
N301706E1050106-N300701E1044030-N300000E1042636-N295546E1041814-N295748E1032
853-N273343E1032940-N274500E1035300-N273600E1052500-N275100E1061300-N283506E
1054130-N294206E1054400-N301706E1050106.
VERTICAL LIMITS: GND-8,100M.

2. ZUUUAR03:
LATERAL LIMITS:
N325500E1014200-N300932E1013144-N294338E1011709-N275048E1001133-N282942E0985
430-N283100E0973500-N310900E0971030-N320600E0970000-N314900E0983500-N325500E
1014200.
VERTICAL LIMITS: GND-12,500M.

3. ZUUUAR05:

LATERAL LIMITS:

N305435E1045823-N303939E1045652-N301706E1050106-N294206E1054400-N310407E1063740-N312422E1065102-N311221E1060549-N310425E1045837-N310011E1045140-N305435E1045823.

VERTICAL LIMITS: GND-12,500M.

4. ZUUUAR08:

LATERAL LIMITS:

N300000E1042636-N295546E1041814-N295748E1032853-N273343E1032940-N274500E1035300-N273952E1044532-N280235E1051147-N300000E1042636.

VERTICAL LIMITS: 8,100M(EXCLUSIVE)-12,500M.

5. ZUUUAR12:

LATERAL LIMITS:

N310000E1033700-N331056E1023410-N325500E1014200-N300932E1013144-N294338E1011709-N295900E1030000-N310000E1033700.

VERTICAL LIMITS: GND-12,500M.

6. ZUUUAR15:

LATERAL LIMITS:

N321738E1065724-N310425E1045837-N311221E1060549-N312422E1065102-N321400E1072400-N321738E1065724.

VERTICAL LIMITS: GND-12,500M.

7. ZUUUAR17:

LATERAL LIMITS:

N295748E1032853-N295900E1030000-N294338E1011709-N275048E1001133-N265312E1020630-N273343E1032940-N295748E1032853.

VERTICAL LIMITS: GND-12,500M.

8. ZUUUAR18:

LATERAL LIMITS:

N301706E1050106-N300701E1044030-N300000E1042636-N280235E1051147-N273952E1044532-N273600E1052500-N275100E1061300-N283506E1054130-N294206E1054400-N301706E1050106.

VERTICAL LIMITS: 8,100M(EXCLUSIVE)-12,500M.

9. ZUUUAR21:

LATERAL LIMITS:

N284700E1092300-N263500E1091900-N261801E1084652-N264836E1070730-N281246E1072638-N284700E1092300.

VERTICAL LIMITS: 7,800M(EXCLUSIVE)-12,500M.

10. ZUUUAR22:

LATERAL LIMITS:

N265700E1044900-N273600E1052500-N275100E1061300-N281246E1072638-N264836E1070730-N263854E1063621-N262852E1050107-N265700E1044900.

VERTICAL LIMITS: 7,800M(EXCLUSIVE)-12,500M.

11. ZUUUAR23:

LATERAL LIMITS:

N262852E1050107-N263854E1063621-N264836E1070730-N261801E1084652-N254200E1073900-N250645E1063650-N243900E1054800-N262852E1050107.

VERTICAL LIMITS: 7,800M(EXCLUSIVE)-12,500M.

CALL SIGN: CHENGDU CONTROL.
HOURS OF SERVICE:
ZUUUAR08: 2330-1700(NEXT DAY).
ZUUUAR12: 0000-1600.
ZUUUAR15: BY ATC.
OTHERS REMAIN UNCHANGED.

A 3712/19 A) ZSHA
NOTAMN B) 2019/08/14/1600 C) PERM
E) SECTORS ZSSSAR31/32/34/35 ESTABLISHED, ZSSSAR01/02/14/18/19/20/21/28
ADJUSTED, DETAILS AS FLW:
1.ZSSSAR01:
LATERAL LIMITS:
N294030E1185740-N293050E1185655-N292505E1190115-N291920E1190540-N290700E1192
310-N292400E1193810-N291534E1200725-N293700E1201400-N295307E1201431-N295715E
1194712-N300046E1192656-N294030E1185740.
VERTICAL LIMITS: 6,000M(EXCLUSIVE)-12,500M.
2. ZSSSAR02:
LATERAL LIMITS:
N282700E1195359-N291534E1200725-N293700E1201400-N295307E1201431-N293554E1204
854-N290120E1213600-N283730E1212648-N282700E1204300-N282700E1195359.
VERTICAL LIMITS: GND-12,500M.
3. ZSSSAR14:
LATERAL LIMITS:
N324021E1183441-N324000E1175254-N314300E1180618-N313910E1180600-N313412E1184
200-N312414E1184252-N312126E1193835-N313800E1192200-N314738E1192200-N321017E
1192943-N324755E1185316-N324021E1183441.
VERTICAL LIMITS: GND-7,800M.
4. ZSSSAR19:
N292400E1193810-N281700E1184000-N282233E1180210-N281700E1180800-N275512E1183
154-N272748E1193006-N272500E1193700-N291534E1200725-N292400E1193810.
VERTICAL LIMITS: 6,000M(EXCLUSIVE)-12,500M.
5. ZSSSAR20:
LATERAL LIMITS:
N263006E1154230-N260618E1160154-N265000E1162900-N271200E1165800-N275640E1161
043-N263959E1152809-N263006E1154230.
VERTICAL LIMITS: 7,800M(EXCLUSIVE)-12,500M.
6. ZSSSAR21:
LATERAL LIMITS:
N284758E1174716-N292055E1185253-N292505E1190115-N293050E1185655-N294030E1185
740-N300046E1192656-N301126E1182618-N294412E1181512-N295118E1173023-N292840E1
172700-N284758E1174716.
VERTICAL LIMITS: 6,000M(EXCLUSIVE)-12,500M.
7. ZSSSAR31:
LATERAL LIMITS:
N292505E1190115-N291920E1190540-N290700E1192310-N281700E1184000-N282233E1180
210-N282642E1175748-N284758E1174716-N292055E1185253-N292505E1190115.

VERTICAL LIMITS: 6,000M(EXCLUSIVE)-12,500M.

8. ZSSSAR32:

LATERAL LIMITS:

N295307E1201431-N302247E1205633-N301518E1211311-N301500E1221200-N300211E122000-N290120E1213600-N293554E1204854-N295307E1201431.

VERTICAL LIMITS: GND-12,500M.

9. ZSSSAR34:

LATERAL LIMITS:

N324021E1183441-N324000E1175254-N314300E1180618-N313910E1180600-N313412E1184200-N312414E1184252-N312126E1193835-N313800E1192200-N314738E1192200-N321017E1192943-N324755E1185316-N324021E1183441.

VERTICAL LIMITS: 7,800M(EXCLUSIVE)-12,500M.

10. ZSSSAR35:

LATERAL LIMITS:

N271200E1165800-N274042E1175918-N275512E1183154-N281700E1180800-N282233E1180210-N282642E1175748-N284758E1174716-N275640E1161043-N271200E1165800.

VERTICAL LIMITS: 7,800M(EXCLUSIVE)-12,500M.

CALL SIGN: SHANGHAI CONTROL.

FREQUENCY:

ZSSSAR02: 128.75(133.7)MHZ;

ZSSSAR18: 132.625(132.275)MHZ;

ZSSSAR28: 123.775(132.275)MHZ;

ZSSSAR31: 118.975(119.3) MHZ;

ZSSSAR32: 133.875(133.7)MHZ;

ZSSSAR34: 128.125(123.7) MHZ;

ZSSSAR35: 135.05(133.325) MHZ;

HOURS OF SERVICE:

ZSSSAR02/14/20/21/31: H24;

ZSSSAR32/34/35: BY ATC.

OTHERS REMAIN UNCHANGED.

A 3713/19 A) ZBPE ZLHW

NOTAMN B) 2019/08/14/1600 C) PERM

E) COMPULSORY REPORTING POINTS ESTABLISHED, NAMES AND COORDS:

AGVEN:N3857.4E10702.6,ALGAK:N3630.2E10716.1,

BELIP:N3759.3E10522.2,DOMVA:N3721.9E10645.1,

DOXED:N3856.9E10727.2,ENBOP:N3906.8E10719.7,

ESMEX:N3710.8E10202.3,GOTBO:N3824.3E10639.5,

IDGOB:N3724.4E10659.1,IVTEV:N3745.4E10630.4,

LELUX:N3726.3E10202.1,LEVGI:N3712.9E10436.7,

LUVKO:N3749.1E10531.6,MOPMA:N3627.4E10702.6,

MUDAP:N3651.0E10405.8,MULIV:N3641.6E10713.1,

NIRUV:N3826.1E10606.8,ODISA:N3551.9E10716.8,

OLDAB:N3859.7E10756.6,SADBU:N3515.1E10731.4,

TUTGO:N3910.2E10726.0,UPKUN:N3905.3E10739.8,

VEDLU:N3842.2E10843.3.

A 3714/19 A) ZLHW

NOTAMN B) 2019/08/14/1600 C) PERM
E) ZHONGWEI VOR/DME'ZWX'/117.5MHZ/CH122X PUT INTO USE, COORD:
N3734.4E10507.5.

A 3715/19 A) ZLHW
NOTAMN B) 2019/08/14/1600 C) PERM
E) GUYUAN VOR/DME'GUY'/112.6MHZ/CH73X PUT INTO USE, COORD:
N3604.8E10612.9.

A 3716/19 A) ZLHW
NOTAMN B) 2019/08/14/1600 C) PERM
E) SEGMENTS FROM YINCHUAN VOR'YHD'-LAXEV OF ATS ROUTE B215 ADJUSTED
TO YINCHUAN VOR'YHD'-NIRUV-BELIP-JINGTAI VOR'JTA'-ANDIM-LELUX-LAXEV,
DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
YINCHUAN VOR'YHD'-NIRUV	294/114	28	3,376
NIRUV-BELIP	235/055	82	3,741
BELIP-JINGTAI VOR'JTA'	235/055	144	3,454
JINGTAI VOR'JTA'-ANDIM	279/	146	4,971
ANDIM-LELUX	286/	37	5,390
LELUX-LAXEV	286/	32	5,537

SEGMENTS BETWEEN YINCHUAN VOR'YHD' AND LUVES, EN-ROUTE ALTITUDE
9,500M OR ABOVE.

A 3717/19 A) ZLHW
NOTAMN B) 2019/08/14/1600 C) PERM
E) SEGMENT JINGTAI VOR'JTA'-SUNUV OF ATS ROUTE B330 ADJUSTED TO JINGTAI
VOR'JTA'-MUDAP-SUNUV, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
JINGTAI VOR'JTA'-MUDAP	180/360	38	3,812
MUDAP-SUNUV	180/360	36	3,000

A 3718/19 A) ZLHW
NOTAMN B) 2019/08/14/1600 C) PERM
E) ATS ROUTE V115 ESTABLISHED, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
BESMI-LANZHOU VOR'DNC'	333/	97	4,207

A 3719/19 A) ZLHW
NOTAMN B) 2019/08/14/1600 C) PERM
E) SEGMENT NODID-AVBUD OF ATS ROUTE W191 ADJUSTED TO
NODID-ESMEX-AVBUD, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
NODID-ESMEX	108/	47	5,083
ESMEX-AVBUD	108/	26	4,971

A 3720/19 A) ZLHW
NOTAMN B) 2019/08/14/1600 C) PERM
E) SEGMENTS FROM PANRA TO CHANGWU NDB'HO' OF ATS ROUTE W198
ADJUSTED TO PANRA-JINGTAI VOR'JTA', DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
---------	------------	----------	--------

	PANRA-BUKPU	070/250	36	4,407
	BUKPU-JINGTAI VOR'JTA'	070/250	76	4,465
A 3721/19	A) ZLHW			
NOTAMN	B) 2019/08/14/1600 C) PERM			
	E) SEGMENT YINCHUAN VOR'YHD'-OPULI OF ATS ROUTE W199 ADJUSTED TO YINCHUAN VOR'YHD'-NIRUV-OPULI, DETAILS AS FLW:			
	SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
	YINCHUAN VOR'YHD'-NIRUV	294/114	28	3,376
	NIRUV-OPULI	294/114	95	3,798
A 3722/19	A) ZLHW			
NOTAMN	B) 2019/08/14/1600 C) PERM			
	E) ATS ROUTE W211 ESTABLISHED, DETAILS AS FLW:			
	SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
	LANZHOU VOR'DNC'-MUDAP	053/	55	3,126
	MUDAP-LEVGI	051/	61	3,556
	LEVGI-ZHONGWEI VOR'ZWX'	051/	60	3,556
A 3723/19	A) ZLHW			
NOTAMN	B) 2019/08/14/1600 C) PERM			
	E) ATS ROUTE W212 ESTABLISHED, DETAILS AS FLW:			
	SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
	PANRA-MUDAP	090/	105	4,394
A 3724/19	A) ZLHW			
NOTAMN	B) 2019/08/14/1600 C) PERM			
	E) ATS ROUTE W213 ESTABLISHED, DETAILS AS FLW:			
	SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
	QINGYANG VOR'QIY'-ODISA	287/107	30	2,200
	ODISA-GUYUAN VOR'GUY'	287/107	98	3,272
	GUYUAN VOR'GUY'-OVTIB	287/	137	3,490
	OVTIB-SUNUV	287/	58	2,989
	SUNUV- LANZHOU VOR'DNC'	274/	44	2,918
	RNAV2 IMPLEMENTED.			
A 3725/19	A) ZLHW			
NOTAMN	B) 2019/08/14/1600 C) PERM			
	E) ATS ROUTE W214 ESTABLISHED, DETAILS AS FLW:			
	SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
	XIXAN-IRSUM	123/303	56	3,094
	IRSUM-JINGNING VOR'JIG'	123/303	110	3,000
	JINGNING VOR'JIG'-VISIN	104/284	61	3,542
	VISIN-SADBU	104/284	105	3,473
	SADBU-CHANGWU NDB'HO'	104/284	23	2,016
	RNAV2 IMPLEMENTED.			
A 3726/19	A) ZLHW			
NOTAMN	B) 2019/08/14/1600 C) PERM			

E) ATS ROUTE W215 ESTABLISHED, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
YINCHUAN VOR'YHD'-WUZHONG VOR'DWZ'	190/	48	2,226
WUZHONG VOR'DWZ'-IVTEV	145/	23	2,238
IVTEV-DOMVA	157/	49	2,505
DOMVA-MOPMA	169/	104	2,633
MOPMA-ODISA	165/	69	2,428
ODISA-SADBU	165/	72	2,200

A 3727/19 A) ZLHW

NOTAMN B) 2019/08/14/1600 C) PERM

E) ATS ROUTE W216 ESTABLISHED, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
QINGYANG VOR'QIY'-ALGAK	342/	84	2,300
ALGAK-MULIV	351/	21	2,321
MULIV-IDGOB	349/	82	2,535
IDGOB-YINCHUAN VOR'YHD'	338/	116	2,535

A 3728/19 A) ZLHW

NOTAMN B) 2019/08/14/1600 C) PERM

E) ATS ROUTE W217 ESTABLISHED, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
YINCHUAN VOR'YHD'-GOTBO	077/	22	2,143
GOTBO-DOXED	053/	92	2,143
DOXED-UPKUN	053/	24	2,128
UPKUN-VIKON	053/	76	2,128

A 3729/19 A) ZLHW

NOTAMN B) 2019/08/14/1600 C) PERM

E) ATS ROUTE W218 ESTABLISHED, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
TUTGO-UPKUN	119/299	22	2,128
UPKUN-OLDAB	119/299	26	2,146
OLDAB-VEDLU	119/299	75	2,197
VEDLU-YULIN VOR'YLX'	119/299	83	2,080
YULIN VOR'YLX'-APOGO	122/302	106	1,989

RNAV2 IMPLEMENTED BETWEEN SEGMENT YULIN VOR'YLX'-APOGO,
SEGMENTS BETWEEN YULIN VOR'YLX' AND OLDAB, EN-ROUTE ALTITUDE 6,000M
OR ABOVE.

A 3730/19 A) ZLHW

NOTAMN B) 2019/08/14/1600 C) PERM

E) ATS ROUTE W219 ESTABLISHED, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
ZHONGWEI VOR'ZWX'-LUVKO	055/	45	2,500
LUVKO- YINCHUAN VOR'YHD'	055/	97	2,503

A 3731/19 A) ZLHW

NOTAMN B) 2019/08/14/1600 C) PERM

E) ATS ROUTE W220 ESTABLISHED, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
NIRUV-AGVEN	059/239	99	3,376
AGVEN-ENBOP	059/239	30	2,028
ENBOP-TUTGO	059/239	11	2,080
TUTGO-SANID	059/239	83	2,122
SANID-BAOTOU VOR'BAV'	059/239	185	2,350

RNAV2 IMPLEMENTED.

A 3732/19 A) ZLHW

NOTAMN B) 2019/08/14/1600 C) PERM

E) ATS ROUTE W499 ESTABLISHED, DETAILS AS FLW:

SEGMENT	TRACK(MAG)	DIST(KM)	MFA(M)
BAOTOU VOR'BAV' -VIKON	236/056	181	2,350

RNAV2 IMPLEMENTED.

--- END OF SUMMARY ---