

ENR 3. ATS ROUTES

ENR 3.1 LOWER ATS ROUTES

3.1.1 INTERNATIONAL ATS ROUTES

Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG↑/↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification	Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
				Odd	Even	
1	2	3	4	5		6
A582						
▲ ANYANG VORTAC(SEL) 372449N 1265542E	174° 354°	UNL 4 500 (3 400)	10	↓		Daegu ACC FREQ: 132.80 MHz 118.925 MHz 132.20 MHz ¹⁾ 1) Common frequency
▲ POLEG 371249N 1265935E	174° 354°	Class A, D, G				Airspace Classification Class A : ABOVE FL 200 – FL 600 Class D : MEA – FL 200 Class G : ABOVE FL 600 - UNL
▲ SONGTAN VORTAC(SOT) 370540N 1270154E	7.4					
△ OSPOT 365018N 1272055E	144° 324° 21.6	UNL 8 000 (3 300)				Daegu ACC FREQ: 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ²⁾ 2) Common frequency
△ VASLI 364252N 1273003E	144° 324° 10.4	Class A, D, G				Airspace Classification Class A : ABOVE FL 200 – FL 600 Class D : MEA – FL 200 Class G : ABOVE FL 600 - UNL
△ MAKDU 362712N 1274909E	144° 324° 21.9	UNL 8 000 (4 300)				
	144° 324°	Class A, D, G				
△ BITUX 361645N 1280148E	144° 324° 14.6	UNL 8 000 (4 400)				
	144° 324°	Class A, D, G				
▲ DALSEONG VORTAC(TGU) 354835N 1283527E	39.2	UNL 10 000 (5 200)				
	162° 342°	Class A, D, G				
△ KALOD 353012N 1284626E	20.4	UNL 6 000 (5 400)				
	162° 342°	Class A, D, G				
▲ BUSAN VORTAC(PSN) 350721N 1285958E	25.4	UNL 4 000 (3 000)				
	162° 342°	Class A, D, G				
▲ APELA(FIR BDRY) 344323N 1291400E 344312N 1291408E ³⁾	26.6				↑	
INCHEON FIR	3) BESSEL datum					
FUKUOKA FIR						

Change : Information of controlling unit(Incheon ACC → Daegu ACC).

Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG ↑ / ↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification		Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address		
					Odd	Even			
1	2	3		4	5		6		
A586 ▲ TENAS 373820N 1313427E △ AGSUS 364521N 1304044E △ DABIK 361743N 1301143E △ BULGA 355609N 1294924E △ BEDOM 352513N 1291754E ▲ BUSAN VORTAC(PSN) 350721N 1285958E △ OMOTU 350033N 1285022E ▲ TOPAX 344555N 1282952E △ GOSBO 341517N 1274734E ▲ MAKET 335452N 1271953E △ ATINA 334320N 1270423E ▲ JEJU VORTAC(CJU) 332305N 1263727E △ TOSAN 330012N 1264619E ▲ RUGMA 323012N 1265753E 323000N 1265800E ⁴⁾ INCHEON FIR FUKUOKA FIR									
	<u>227°</u> 047° 68.1		<u>UNL</u> FL 310(4 600) Class A, G	10		↓		Daegu ACC FREQ : 122.25 MHz 134.175 MHz 120.575 MHz 125.925 MHz 122.75 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1	
	<u>228°</u> 048° 36.2		<u>UNL</u> FL 310(1 500) Class A, G						
	<u>228°</u> 048° 28.1								
	<u>228°</u> 048° 40.2		<u>UNL</u> FL 310(2 900) Class A, G						
	<u>228°</u> 047° 23.1		<u>UNL</u> FL 310(4 000) Class A, G						
	<u>237°</u> 057° 10.4	(79/78)	<u>UNL</u> 8 000(3 500) Class A, D, G					Daegu ACC FREQ : 125.375 MHz 122.75 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1	
	<u>237°</u> 057° 22.3		<u>UNL</u> 8 000(3 200) Class A, D, G						
	<u>237°</u> 057° 46.4		<u>UNL</u> 8 000(2 800) Class A, D, G						
	<u>237°</u> 056° 30.7		<u>UNL</u> 9 000(2 000) Class A, D, G						
	<u>236°</u> 056° 17.3		<u>UNL</u> 9 000(1 500) Class A, D, G					Incheon ACC FREQ : 128.175 MHz 124.575 MHz 132.20 MHz ³⁾ 3) Common frequency Incheon ACC FREQ : 132.425 MHz 132.20 MHz ⁴⁾ 4) Common frequency Airspace Classification refer to ENR 3.1-1 ※ The cruising levels from CJU to RUGMA are even levels due to operational reasons ※ The cruising level from RUGMA to CJU are odd levels due to operational reasons	
	<u>236°</u> 055° 30.3		<u>UNL</u> 9 000(8 700) Class A, D, G						
	<u>169°</u> 349° 24.0		<u>UNL</u> 9 000(8 700) Class A, D, G						
	<u>169°</u> 349° 31.5		<u>UNL</u> 9 000(1 500) Class A, D, G			↑			
	4) BESSEL datum								

TENAS-PSN CDR1 Operational hour(UTC) - Weekdays : 1100-2200 - SAT: 2200 on the preceding until 2400 on the Saturday - SUN : 0000-2200 - Holiday: 1400 on the preceding until 2200 on the holiday. Rest of A586-PERM. See ENR 1.1-1.2.

Change : Information of controlling unit and Withdrawal of frequencies.

Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG↑/↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification	Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
				Odd	Even	
1	2	3	4	5		6
FUKUOKA FIR						
INCHEON FIR						
A593 ▲ ONIKU(FIR BDRY) 321142N 1263917E	263° 082°	UNL FL 240 (1 500) Class A, G	50		↓	Incheon ACC FREQ : 124.525 MHz ¹⁾ 123.725 MHz 128.375 MHz 132.20 MHz ²⁾ 1) For not going via BEDAR 2) Common frequency Airspace Classification refer to ENR 3.1-1 ※ Eastbound from SADLI to ONIKU is only for Non-approval of RNAV 2.
△ NIRAT 320354N 1260329E	31.4					
△ PONIK 320021N 1254659E	263° 083°					
▲ SADLI 314948N 1250000E	14.5 262° 082°					
▲ LAMEN(FIR BDRY) 313636N 1240000E	41.4 263° 082°				↓	
	52.8			↑		
	2) BESSEL datum					
INCHEON FIR						
SHANHAI FIR						
1. Delegation The responsibility of Air Traffic Services in the scope below within Incheon FIR is delegated to Shanghai ACC. - Horizontal scope : 320229N 1240000E - 321540N 1250000E - 312356N 1250000E - 311043N 1240000E - Vertical scope : FL 240 through FL 410 inclusive 2. Flight Level Allocation Scheme (FLAS) (1) The west of SADLI - Eastbound : FL 250, FL 270, FL 290, FL 310, FL 330, FL 350, FL 370, FL 390, FL 410 - Westbound : FL 240, FL 260, FL 280, FL 300, FL 320, FL 340, FL 360, FL 380, FL 400 (2) The east of SADLI - Eastbound(From Shanghai FIR To Fukuoka FIR) : FL 250, FL 290, FL 310, FL 390 - Westbound(From Fukuoka FIR To Shanghai FIR) : FL 240, FL 280, FL 300, FL 400						
A595 ▲ JEJU VORTAC(CJU) 332305N 1263727E	089° 269°	UNL 9 000 (8 700) Class A, D, G	8	↓		Incheon ACC FREQ : 132.425 MHz 132.20 MHz ³⁾ 3) Common frequency Airspace Classification refer to ENR 3.1-1
△ TAMNA 332815N 1271953E	35.9					
▲ SAMDO(FIR BDRY) 333503N 1281857E 333451N 1281905E ⁵⁾	089° 270°	UNL 9 000 (1 500) Class A, D, G			↑	Incheon ACC FREQ : 128.175 MHz 124.575 MHz 132.20 MHz ⁴⁾ 4) Common frequency Airspace Classification refer to ENR 3.1-1
	49.8					
	5) BESSEL datum					
INCHEON FIR						
FUKUOKA FIR						

Change : Information of A593, controlling unit, frequencies and notice.

Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG↑/↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification	Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
				Odd	Even	
1	2	3	4	5		6
PYONGYANG FIR						
INCHEON FIR						
B332 ▲ KANSU(FIR BDRY) 383800N 1322830E	180° 360°	UNL FL 200 (1 500) Class A, G	50	↓		Daegu ACC FREQ : 122.25 MHz 125.925 MHz 122.75 MHz ¹⁾ <i>1) Common frequency</i> Airspace Classification refer to ENR 3.1-1
△ PALDU 375813N 1323625E	40.2 180° 360°					
▲ SABET 373829N 1324019E	19.9 180° 360°					
▲ IGRAS(FIR BDRY) 371846N 1324411E	19.9					
INCHEON FIR						
FUKUOKA FIR						
B467 ▲ GANGWON VORTAC(KAE) 374203N 1284514E	100° 280°	UNL 8 000 (7 100) Class A, D, G	10	↓		Daegu ACC FREQ : 122.25 MHz 134.175 MHz 125.925 MHz 122.75 MHz ²⁾ <i>2) Common frequency</i> Airspace Classification refer to ENR 3.1-1
△ NOMEX 374112N 1294441E	47.2					
△ BUSKO 374033N 1301610E	100° 280°	UNL 8 000 (1 500) Class A, D, G				
▲ TENAS 373820N 1313427E	25.0 100° 281°	UNL 8 000 (4 600) Class A, D, G				
△ MALSO 375440N 1314904E	62.2 044° 224°	UNL FL 200 (1 500) Class A, G	50			
▲ KANSU(FIR BDRY) 383800N 1322830E	20.0 044° 225°					
INCHEON FIR						
PYONGYANG FIR						

Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG↑/↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL		Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
		Airspace classification			Odd	Even	
1	2	3		4	5		6
B576* ▲ ANYANG VORTAC(SEL) 372449N 1265542E ▲ POLEG 371249N 1265935E ▲ SONGTAN VORTAC(SOT) 370540N 1270154E △ OLMEN 364413N 1265928E △ ENTEL 362311N 1265705E △ RINBO 355352N 1265349E △ LINTA 353116N 1265119E △ GWANGJU VOR(KWA) 350734N 1264844E △ IPDAS 341515N 1264301E ▲ JEJU VORTAC(CJU) 332305N 1263727E △ SOSDO 330012N 1262735E △ SAMLO 323223N 1261536E △ NIRAT 320354N 1260329E △ ELGEP 314653N 1255617E △ TESIM 313526N 1255128E ▲ ATOTI(FIR BDRY) 300013N 1251154E 300000N 1251200E ²⁾	174° 354° 12.4 174° 354° 7.4 194° 014° 21.5 194° 014° 21.1 194° 013° 29.4 193° 013° 22.7 193° 013° 23.8 193° 012° 52.5 193° 012° 52.3 207° 027° 24.3 207° 027° 29.5 207° 027° 30.2 207° 027° 18.1 207° 027° 12.1 207° 027° 100.9 (59/59) (52/52) <						

Change : Establishment of significant point(ELGEP) and Information of track MAG, DIST, controlling unit and frequencies.


Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG↑/↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification	Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
				Odd	Even	
1	2	3	4	5		6
G339 ▲ BUSAN VORTAC(PSN) 350721N 1285958E ▲ INVOK(FIR BDRY) 344719N 1291923E 344708N 1291931E ²⁾ INCHEON FIR FUKUOKA FIR						
	$\frac{149^\circ}{330^\circ}$ 25.6	<u>UNL</u> 10 000 (3 400) Class A, D, G	8	↓		Daegu ACC FREQ : 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ¹⁾ 1) <i>Common frequency</i>
	2) <i>BESSEL datum</i>					Airspace Classification refer to ENR 3.1-1

Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG↑/↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification		Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
					Odd	Even	
1	2	3	4	5	6		
G585							Incheon ACC
▲ ANYANG VORTAC(SEL) 372449N 1265542E	133° 313° 10.7	UNL 8 000 (3 400) Class A, D, G	8	↓			FREQ: 132.80 MHz 128.7 MHz 118.925 MHz 120.525 MHz 132.20 MHz ¹⁾ 1) Common frequency Only flying westbound from KPO to SEL on G585 is authorized except ACFT departing from RKTU or RKTU. Aircraft flying eastbound from SEL to KPO at or above 11 000 ft on G585 shall get PPR 24 hours before from Daegu ACC. No PPR is needed at or below 10 000 ft. Airspace Classification refer to ENR 3.1-1
▲ KALMA 371845N 1270645E	133° 313° 19.3						
△ KAKSO 370745N 1272637E	133° 313° 11.5	UNL 8 000 (3 600) Class A, D, G					Daegu ACC FREQ: 120.575 MHz 119.357 MHz 134.375 MHz 122.75 MHz ²⁾ 2) Common frequency Only flying westbound from KPO to SEL on G585 is authorized except ACFT departing from RKTU or RKTU. Aircraft flying eastbound from SEL to KPO at or above 11 000 ft on G585 shall get PPR 24 hours before from Incheon/Daegu ACC. No PPR is needed at or below 10 000 ft. Airspace Classification refer to ENR 3.1-1
△ GUKDO 370111N 1273823E	133° 313° 9.2	UNL 8 000 (3 700) Class A, D, G					
△ ENSAL 365554N 1274747E	133° 314° 9.2	UNL 8 000 (4 000) Class A, D, G					
△ BASEM 365037N 1275710E	134° 314° 12.5	UNL 8 000 (5 000) Class A, D, G					
▲ BIGOB 364325N 1280952E	134° 314° 9.5	UNL 8 000 (4 900) Class A, D, G					
△ YECHEON VOR(CUN) 363755N 1281931E	133° 313° 30.8	UNL 8 000 (3 900) Class A, D, G					
△ ELAPI 362014N 1285051E	133° 314° 37.3	UNL 8 000 (5 000) Class A, D, G					
▲ POHANG VORTAC(KPO) 355838N 1292828E	107° 287° 17.2	UNL 8 000 (3 500) Class A, D, G					
△ BULGA 355609N 1294924E	107° 287° 44.4	UNL 8 000 (1 500) Class A, D, G					
▲ SAPRA(FIR BDRY) 354926N 1304325E 354915N 1304334E ³⁾						↑	
INCHEON FIR FUKUOKA FIR	3) BESSEL datum						


Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG ↑ / ↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification	Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
				Odd	Even	
1	2	3	4	5		6
SHANGHAI FIR						
INCHEON FIR						
G597						Incheon ACC FREQ : 128.70 MHz 132.80 MHz 132.20 MHz ¹⁾
▲ AGAVO(FIR BDRY) 371010N 1235953E 371000N 1240000E ⁵⁾	096° 276°	UNL FL 150 (1 500) Class A, D, G	10			1) Common frequency
▲ GONAV 371048N 1242453E	20.0					Westbound(SEL-AGAVO) FL 400, FL 380, FL 360, FL 340, FL 320, FL 300, FL 280, FL 260, FL 240, FL 220, FL 200.
△ DANTI 371806N 1243929E	066° 246°					Note G597 is only for Non-RNAV aircraft. Any aircraft approved for RNAV operations should use Y697.
△ ANSIM 372323N 1245009E	13.8 066° 247°					Only flying westbound from SEL to AGAVO on G597 is authorized. (unless otherwise assigned by ATC, flying eastbound in this airway shall not be used)
△ BINIL 372349N 1251359E	10.0 097° 277°					Aircraft flying eastbound from AGAVO to SEL on G597 shall get PPR 24-hours before from Incheon ACC.
△ NOPIK 372412N 1253905E	19.0 097° 278°	UNL 8 000 (2 200) Class A, D, G				REF. ENR 3.1-9 for the detailed Altitude conversion procedures.
△ GOGET 372442N 1263036E	20.0					
▲ ANYANG VORTAC(SEL) 372449N 1265542E	098° 278°	UNL 8 000 (3 400) Class A, D, G				
△ EGOBA 372915N 1272246E	20.0	UNL 7 500 (3 500) Class A, D, G		↓		Incheon ACC FREQ : 132.80 MHz 118.925 MHz 132.20 MHz ²⁾
△ KARBU 373159N 1273952E	087° 267°	UNL 7 500 (5 100) Class A, D, G				2) Common frequency
△ TORUS 373625N 1280807E	13.9	UNL 7 500 (5 600) Class A, D, G				Daegu ACC FREQ : 134.175 MHz 123.65 MHz 122.75 MHz ³⁾
△ BIKSI 374032N 1283504E	087° 268°	UNL 7 500 (7 500) Class A, D, G				3) Common frequency
▲ GANGWON VORTAC(KAE) 374203N 1284514E	22.9	UNL 7 500 (7 100) Class A, D, G				Airspace Classification refer to ENR 3.1-1
▲ PILIT 372631N 1291731E	087° 268°	UNL 8 000 (7 100) Class A, D, G				Daegu ACC FREQ : 134.175 MHz 123.65 MHz 122.75 MHz ⁴⁾
△ NIMUS 371210N 1294656E	21.8	UNL 9 000 (3 100) Class A, D, G				4) Common frequency
△ AGSUS 364521N 1304044E	27.5	UNL 9 000 (1 500) Class A, D and G				Only flying westbound from LANAT to KAE on G597 shall get 24HRs PPR from Daegu ACC.
▲ LANAT(FIR BDRY) 362224N 1312542E 362213N 1312551E ⁵⁾	50.8					Airspace Classification refer to ENR 3.1-1
INCHEON FIR	42.9					
FUKUOKA FIR	5) BESSEL datum					

Change : Information of TORUS coordinates(373159N 1273952E → 373625N 1280807E).

ALTITUDE CONVERSION FROM INCHEON CTA TO DALIAN CTA (RVSM)



FROM DALIAN CTA TO INCHEON CTA



Change : Information of altitude conversion.



INTENTIONALLY

LEFT

BLANK

3.1.2 DOMESTIC ATS ROUTES

Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG ↑/↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification	Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
				Odd	Even	
1	2	3	4	5		6
V11						
▲ PILIT 372631N 1291731E	183° 003°	UNL 9 000 (7 000) Class A, D, G	8		↓	Daegu ACC FREQ : 134.175 MHz 120.575 MHz 123.65 MHz 119.375 MHz 122.75 MHz ¹⁾ 1) Common frequency 1. 11 000 ft to FL 240, at or above FL 280 will be blocked. 2. At or above 11 000 ft, required 15 days PPR from Air Traffic Management Office 3. Airspace Classification refer to ENR 3.1-1
KAE R128/30 DME KPO R001/88 DME						
△ NOBUT 370715N 1291957E	19.3					
△ LOSTO 362016N 1292548E	183° 003°	UNL 9 000 (6 400) Class A, D, G				
▲ POHANG VORTAC(KPO) 355838N 1292828E	47.2					
	183° 003°	UNL 9 000 (3 300) Class A, D, G				
	213° 032°	UNL 9 000 (4 200) Class A, D, G				
△ APARU 352442N 1290932	37.2					
	213° 032°	UNL 9 000 (4 400) Class A, D, G				
▲ BUSAN VORTAC(PSN) 350721N 1285958E	19.0			↑		

Change : Information of track MAG bearing and Amended format.

Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG ↑ / ↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification		Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
					Odd	Even	
1	2	3		4	5		6
V543 △ DALSU 350731N 1264206E △ GWANGJU VOR(KWA) 350734N 1264844E △ SAMUL 350736N 1265154E △ TEDAN 350744N 1271852E △ ANUBA 350746N 1273523E △ SAPDI 350737N 1282952E △ SARAM 350736N 1283147E △ ANKUS 350730N 1284616E ▲ BUSAN VORTAC(PSN) 350721N 1285958E	 097° 277° 5.4 097° 278° 2.6 098° 278° 22.1 098° 278° 13.5 098° 279° 44.7 098° 278° 1.6 099° 279° 11.9 099° 279° 11.2	 					

Change : Information of significant point, track MAG bearing and Amended format.

Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG ↑/↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification	Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
				Odd	Even	
1	2	3	4	5		6
V549						
▲ GUNSAN VORTAC(KUZ) 355437N 1263641E	101° 281°	10 000 7 000 (1 800) Class D	10	↓		Incheon ACC FREQ : 132.15 MHz 126.175 MHz 123.55 MHz 134.375 MHz 132.20 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1
△ ELPOS 355410N 1264707E	8.5 101° 281°					
△ RINBO 355352N 1265349E	5.5 101° 282°					
△ MELES 355251N 1271542E	17.8 102° 282°					
▲ OPEDA 355149N 1273652E	17.2 102° 282°					
▲ DALSEONG VORTAC(TGU) 354835N 1283527E	47.7 085° 265°	10 000 7 000 (5 000) Class D				Daegu ACC FREQ : 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1 TGU is used Between TGU and KPO
△ LAPAL 355413N 1290452E	24.6 085° 265°					
▲ POHANG VORTAC(KPO) 355838N 1292828E	19.7					
W45						
▲ GWANGJU TACAN(KWJ) 350713N 1264802E	097° 278°	UNL 8 000 (8 000) Class A, D, G	10	↓		Incheon ACC FREQ : 123.725 MHz 124.50 MHz 132.20 MHz ³⁾ 3) Common frequency Between PIPOL and BOKUM 11 000 ft AMSL to FL 190 VMC-IMC use for training purpose. Airspace Classification refer to ENR 3.1-1
△ PIPOL 350730N 1273456E	38.5 098° 278°					
△ BOKUM 350731N 1282952E	45.1 098° 279°					
▲ BUSAN VORTAC(PSN) 350721N 1285958E	24.7	UNL 8 000 (4 000) Class A, D, G				Daegu ACC FREQ : 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ⁴⁾ 4) Common frequency Between PIPOL and BOKUM 11 000 ft AMSL to FL 190 VMC-IMC use for training purpose. Airspace Classification refer to ENR 3.1-1

Change : Information of coordinates, track MAG bearing and Amended format.

Route designator (RNP/RNAV) Name of significant points Coordinates	Track MAG ↑/↓ VOR RDL DIST (COP)	Upper limits Lower limits or Minimum altitude(MOCA) ft AMSL or FL Airspace classification	Lateral limits NM	Direction of cruising levels		Remarks Controlling unit channel Logon address
				Odd	Even	
1	2	3	4	5		6
W61						
▲ SONGTAN VORTAC(SOT) 370540N 1270154E	316° 136°	UNL 8 000 (2 400)	10		↓	Incheon ACC FREQ : 128.70 MHz 132.80 MHz 132.20 MHz ¹⁾ 1) Common frequency
△ MONSI 371247N 1265015E	11.7	Class A, D, G				
△ GOGET 372442N 1263036E	316° 136°	UNL 8 000 (3 200)		↑		Airspace Classification refer to ENR 3.1-1
	19.7	Class A, D, G				
W62						
▲ SONGTAN VORTAC(SOT) 370540N 1270154E	044° 224°	UNL FL 140 (4 600)	10	↓		Incheon ACC FREQ : 128.70MHz 132.80MHz 132.20 MHz ²⁾ 2) Common frequency
△ EGOBA 372915N 1272246E	28.8	Class A, D, G			↑	
						Airspace Classification refer to ENR 3.1-1
W69						
▲ DALSEONG VORTAC(TGU) 354835N 1283527E	192° 012°	UNL 5 000 (4 900)	10		↓	Daegu ACC FREQ : 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ³⁾ 3) Common frequency
△ MASTA 352847N 1283340E	19.8	Class A, D, G				
△ SARAM 350736N 1283147E	192° 012°	UNL 5 000 (3 800)				Airspace Classification refer to ENR 3.1-1
▲ TOPAX 344555N 1282952E	21.2	Class A, D, G				
	192° 012°	UNL 5 000 (3 200)		↑		
	21.7	Class A, D, G				

Change : Information of track MAG bearing and Amended format.

ENR 3.2 UPPER ATS ROUTES

NIL

INTENTIONALLY

LEFT

BLANK

ENR 3.3 AREA NAVIGATION (RNAV) ROUTES

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency
				Lower limits or (MOCA) ft AMSL or FL Airspace classification		Odd	
1	2	3	4	5	6		7
L512 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] ▲ TENAS 373820N 1313427E ▲ SABET 373829N 1324019E ▲ ANDOL(FIR BDRY) 373958N 1330000E							Daegu ACC FREQ : 122.25 MHz 125.925 MHz 122.75 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1 * L512 OPS HR between TENAS and ANDOL - EASTBOUND : H24 - WESTBOUND : H24 **After ANDOL, MEA is FL 290, see AIP JAPAN ***Extended DME DOC volume service is 220 NM
	N/A	098 279	52.3	UNL	↓		
		093 274	15.7	FL 270(1 500) Class A, G			
INCHEON FIR							
FUKUOKA FIR							
1. Critical DME : KAE<TENAS/SABET>, KPO<TENAS/SABET> 2. DME GAP : SABET/ANDOL, GNSS or DME/DME/IRU required.							
Y233 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] △ BUSKO 374033N 1301610E △ SELPA 375515N 1304911E △ ONATA 382832N 1320602E ▲ KANSU(FIR BDRY) 383800N 1322830E							Daegu ACC FREQ : 122.25 MHz 125.925 MHz 122.75 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1
	N/A	069 250	30.0	UNL	↓		
		070 251	69.1	FL 200(1 500) Class A, D, G			
			071 251	20.0			
INCHEON FIR							
PYONGYANG FIR							
1. Critical DME : KAE<BUSKO/SELPA>, KPO<BUSKO/SELPA>, KAE<SELPA/ONATA>, KPO<SELPA/ONATA> 2. DME GAP : ONATA/KANSU, GNSS or DME/DME/IRU required.							

* RNAV2 represents a navigation accuracy of ±2NM on a 95% containment basis.

ENR 3.3 AREA NAVIGATION (RNAV) ROUTES

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency
				Lower limits or (MOCA) ft AMSL or FL Airspace classification		Odd	
1	2	3	4	5	6		7
L512 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] ▲ TENAS 373820N 1313427E ▲ SABET 373829N 1324019E ▲ ANDOL(FIR BDRY) 373958N 1330000E							Daegu ACC FREQ : 122.25 MHz 125.925 MHz 122.75 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1 * L512 OPS HR between TENAS and ANDOL - EASTBOUND : H24 - WESTBOUND : H24 **After ANDOL, MEA is FL 290, see AIP JAPAN ***Extended DME DOC volume service is 220 NM
	N/A	098 279	52.3	UNL	↓		
		093 274	15.7	FL 270(1 500) Class A, G			
INCHEON FIR							
FUKUOKA FIR							
1. Critical DME : KAE<TENAS/SABET>, KPO<TENAS/SABET> 2. DME GAP : SABET/ANDOL, GNSS or DME/DME/IRU required.							
Y233 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] △ BUSKO 374033N 1301610E △ SELPA 375515N 1304911E △ ONATA 382832N 1320602E ▲ KANSU(FIR BDRY) 383800N 1322830E							Daegu ACC FREQ : 122.25 MHz 125.925 MHz 122.75 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1
	N/A	069 250	30.0	UNL	↓		
		070 251	69.1	FL 200(1 500) Class A, D, G			
			071 251	20.0			
INCHEON FIR							
PYONGYANG FIR							
1. Critical DME : KAE<BUSKO/SELPA>, KPO<BUSKO/SELPA>, KAE<SELPA/ONATA>, KPO<SELPA/ONATA> 2. DME GAP : ONATA/KANSU, GNSS or DME/DME/IRU required.							

* RNAV2 represents a navigation accuracy of ±2NM on a 95% containment basis.

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency	
				Lower limits (MOCA) ft AMSL or FL Airspace classification	Odd	Even		
1	2	3	4	5	6		7	
Y253 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] △ DALSU 350731N 1264206E △ GWANGJU VOR(KWA) 350734N 1264844E △ SAMUL 350736N 1265154E △ TEDAN 350744N 1271852E △ ANUBA 350746N 1273523E △ SAPDI 350737N 1282952E △ SARAM 350736N 1283147E △ ANKUS 350730N 1284616E ▲ BUSAN VORTAC(PSN) 350721N 1285958E	N/A						Incheon ACC FREQ : 124.50 MHz 132.20 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1	
		<u>097</u> 277	5.4	<u>UNL</u> 8 000(2 400) Class A, D, G	↓			
		<u>097</u> 278	2.6	<u>UNL</u> 8 000(2 000) Class A, D, G				
		<u>097</u> 278	22.1	<u>UNL</u> 8 000(5 200) Class A, D, G				
		<u>098</u> 278	13.5	<u>UNL</u> 8 000(5 400) Class A, D, G				
		<u>098</u> 278	44.7	<u>UNL</u> 8 000(5 400) Class A, D, G				
		<u>098</u> 278	1.6	<u>UNL</u> 8 000(2 400) Class A, D, G				
		<u>098</u> 279	11.9	<u>UNL</u> 8 000(4 000) Class A, D, G				
		<u>099</u> 279	11.2	<u>UNL</u> 8 000(3 500) Class A, D, G		↑		
		1. Critical DME : PSN<SAPDI/SARAM>, CJU<SAPDI/SARAM>, PSN<SARAM/KANBO>, CJU<SARAM/KANBO>, PSN<KANBO/PSN>, CJU<KANBO/PSN>						

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Withdrawal of frequency.

OFFICE OF CIVIL AVIATION

AIRAC AIP AMDT 2/21
Effective : 1600UTC 24 MAR 2021

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits Lower limits (MOCA) ft AMSL or FL Airspace classification	Direction of cruising levels		Remarks Controlling unit Frequency
					Odd	Even	
1	2	3	4	5	6		7
Y437 (RNAV2) [GNSS,DME/DME, DME/DME/IRU]							Daegu ACC
▲ GANGWON VORTAC(KAE) 374203N 1284514E	N/A						FREQ : 122.25 MHz 125.925 MHz 122.75 MHz ¹⁾ 1) Common frequency
△ NOMEX 374112N 1294441E		$\frac{100}{280}$	47.2	UNL 8 000(6 400) Class A, D, G	↓		Airspace Classification refer to ENR 3.1-1
△ BUSKO 374033N 1301610E		$\frac{100}{281}$	25.0	UNL 8 000(1 500) Class A, D, G			
▲ TENAS 373820N 1313427E		$\frac{101}{281}$	62.2				
△ MALSO 375440N 1314904E		$\frac{044}{224}$	20.0	UNL FL 200(1 500) Class A, D, G			
▲ KANSU(FIR BDRY) 383800N 1322830E		$\frac{044}{225}$	53.3			↑	
INCHEON FIR							
PYONGYANG FIR							
1. Critical DME : KAE<KAE/NOMEX>, KPO<KAE/NOMEX>, KAE<NOMEX/BUSKO>, KPO<NOMEX/BUSKO>, KAE<BUSKO/TENAS>, KPO<BUSKO/TENAS>, KAE<TENAS/MALSO>, KPO<TENAS/MALSO> 2. DME GAP : MALSO/KANSU GNSS or DME/DME/IRU required.							

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits Lower limits (MOCA) ft AMSL or FL Airspace classification	Direction of cruising levels		Remarks Controlling unit Frequency
					Odd	Even	
1	2	3	4	5	6		7
Y579 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] ▲ TENAS 373820N 1313427E △ AGSUS 364521N 1304044E ▲ DABIK 361743N 1301143E △ BULGA 355609N 1294924E ▲ BEDOM 352513N 1291754E ▲ BUSAN VORTAC(PSN) 350721N 1285958E △ OMOTU 350033N 1285022E ▲ TOPAX 344555N 1282952E △ GOSBO 341517N 1274734E ▲ MAKET 335452N 1271953E △ ATINA 334320N 1270423E ▲ JEJU VORTAC(CJU) 332305N 1263727E △ TOSAN 330012N 1264619E ▲ RUGMA(FIR BDRY) 323012N 1265753E	N/A						Daegu ACC FREQ: 122.25 MHz 134.375 MHz 120.575 MHz 125.925 MHz 122.75 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1
		228 047	68.1	UNL FL 140(1 500) Class A, D, G			
		229 049	36.2				
		229 048	28.1				Incheon ACC FREQ: 128.175 MHz 124.575 MHz 132.20 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1
		228 048	40.2	UNL FL 140(2 700) Class A, D, G			
		228 047	23.1	UNL FL 140(3 800) Class A, D, G			
		237 057	10.4	UNL 8 000(3 000) Class A, D, G			Incheon ACC FREQ: 132.425 MHz 132.20 MHz ³⁾ 3) Common frequency Airspace Classification refer to ENR 3.1-1 ※ The cruising levels from CJU to RUGMA are even levels due to operational reasons ※ The cruising levels from RUGMA to CJU are odd levels due to operational reasons
		237 057	22.3	UNL 8 000(2 500) Class A, D, G			
		237 056	46.4				
		236 056	30.7	UNL 9 000(1 500) Class A, D, G			
		236 056	17.3				
		236 055	30.3	UNL 9 000(8 700) Class A, D, G			
		169 349	24.0				
		169 349	31.5	UNL 9 000(1 500) Class A, D, G			
INCHEON FIR							
FUKUOKA FIR							

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of controlling unit and frequencies

OFFICE OF CIVIL AVIATION

AIRAC AIP AMDT 2/21
Effective : 1600UTC 24 MAR 2021

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency		
				Lower limits (MOCA) ft AMSL or FL	Odd	Even			
				Airspace classification					
1	2	3	4	5	6		7		
Y644 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Daegu ACC FREQ : 128.70 MHz 132.80 MHz 132.20 MHz ¹⁾		
SANGHAI FIR									
INCHEON FIR									
▲ AGAVO(FIR BDRY) 371010N 1235953E	N/A							1) Common frequency	
△ RILRO 371033N 1241442E		<u>096</u> 276	11.8	UNL FL 150(1 500) Class A, D, G	↓		Eastbound (AGAVO-EGOBA) FL 410, FL 390, FL 370, FL 350, FL 330, FL 310, FL 290, FL 270, FL 250, FL 230. REF. ENR 3.1-10 for the detailed altitude conversion procedures. Airspace Classification refer to ENR 3.1-1		
▲ GONAV 371048N 1242453E		<u>096</u> 276	8.1						
△ BODOL 371122N 1244954E		<u>096</u> 277	20.0						
△ REBIT 371203N 1252913E		<u>097</u> 277	31.4						
△ BELTU 371218N 1254759E		<u>097</u> 278	15.0						
△ BOGAN 371241N 1262812E		<u>098</u> 278	32.1	UNL 8 000(2 400) Class A, D, G					
△ MONSI 371247N 1265015E		<u>098</u> 278	17.6	UNL 8 000(3 200) Class A, D, G					
▲ POLEG 371249N 1265935E		<u>098</u> 278	7.5	UNL 8 000(2 400) Class A, D, G					
△ EGOBA 372915N 1272246E		<u>057</u> 237	24.7	UNL FL 140(3 300) Class A, D, G					

1. Critical DME : SEL<AGAVO/RILRO>, KUZ<AGAVO/RILRO>, SEL<RILRO/GONAV>, KUZ<RILRO/GONAV>, SEL<MONSI/POLEG>, SOT<MONSI/POLEG>, SEL<POLEG/EGOBA>, SOT<POLEG/EGOBA>

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of controlling unit(Incheon ACC → Daegu ACC).

OFFICE OF CIVIL AVIATION

AIRAC AIP AMDT 2/21
Effective : 1600UTC 24 MAR 2021

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency			
				Lower limits (MOCA) ft AMSL or FL Airspace classification	Odd	Even				
1	2	3	4	5	6		7			
Y655 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] ▲ GONAV 371048N 1242453E △ DALPO 365835N 1242453E △ NONOS 364046N 1242453E △ DANPA 353036N 1242453E △ PALSA 340131N 1242453E △ TOLIS 335030N 1242453E △ LIMDI 333313N 1254953E △ REMOS 332605N 1262329E ▲ JEJU VORTAC(CJU) 332305N 1263727E							Daegu ACC FREQ : 132.80 MHz 128.70 MHz 122.75 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1			
	N/A	<u>188</u> 008	12.2	UNL FL 140(1 500) Class A, D, G	↓					
		<u>188</u> 008	17.8							
		<u>188</u> 008	70.1							
		<u>188</u> 007	88.9							
		<u>187</u> 007	11.0							
		<u>111</u> 291	73.0	UNL 9 000(1 500) Class A, D, G						
		<u>111</u> 292	29.0	UNL 9 000(4 100) Class A, D, G						
		<u>112</u> 292	12.1	UNL 9 000(8 700) Class A, D, G						
									↑	
									Incheon ACC FREQ : 132.80 MHz 128.70 MHz 126.17 MHz 120.725 MHz 124.525 MHz 132.20 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1	
	1. Critical DME : SEL<GONAV/DALPO>, KUZ<GONAV/DALPO>, SEL<DALPO/NONOS>, KUZ<DALPO/NONOS>, SEL<NONOS/DANPA>, KUZ<NONOS/DANPA>, KWA<LIMDI/REMOS>, CJU<LIMDI/REMOS> 2. DME GAP : DANPA/PALSA, PALSA/TOLIS, TOLIS/LIMDI, REMOS/CJU GNSS or DME/DME/IRU required									
	Y657 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] △ GWANGJU VOR(KWA) 350734N 1264844E △ IGDOK 353104N 1274907E ▲ DALSEONG VORTAC(TGU) 354835N 1283527E									Incheon ACC FREQ : 124.50 MHz 132.20 MHz ³⁾ 3) Common frequency Airspace Classification refer to ENR 3.1-1
N/A		<u>072</u> 253	54.7	<u>10 000</u> 8 000(7 100) Class D			↓			
		<u>073</u> 254	41.6	<u>10 000</u> 8 000(4 800) Class D						
								Daegu ACC FREQ : 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ⁴⁾ 4) Common frequency Airspace Classification refer to ENR 3.1-1		

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of controlling unit and frequencies.

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency
				Lower limits (MOCA) ft AMSL or FL Airspace classification	Odd	Even	
1	2	3	4	5	6		7
Y659 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] ▲ GUNSAN VORTAC(KUZ) 355437N 1263641E △ ELPOS 355410N 1264707E △ RINBO 355352N 1265349E △ MELES 355251N 1271542E ▲ OPEDA 355149N 1273652E ▲ DALSEONG VORTAC(TGU) 354835N 1283527E △ LAPAL 355413N 1290452E ▲ POHANG VORTAC(KPO) 355838N 1292828E	N/A						Incheon ACC FREQ : 132.15 MHz 126.175 MHz 123.55 MHz 134.375 MHz 132.20 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1
		<u>101</u> 281	8.5	<u>10 000</u> 7 000(1 700)	↓		
		<u>101</u> 281	5.5	Class D			
		<u>101</u> 282	17.8	<u>10 000</u> 7 000(3 700)			
		<u>102</u> 282	17.2	<u>10 000</u> 7 000(5 000)			
		<u>102</u> 282	47.7	<u>10 000</u> 7 000(6 600)			
		<u>085</u> 265	24.6	<u>UNL</u> 6 000(4 200)			
		<u>085</u> 265	19.7	<u>UNL</u> 6 000(3 300)			
				Class A, D, G			
						Daegu ACC FREQ :125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1	

1. Critical DME : PSN<CJU/TAMNA>, CJU<CJU/TAMNA>, PSN<TAMNA/SAMDO>, CJU<TAMNA/SAMDO>

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of controlling unit(Daegu ACC → Incheon ACC) and frequencies.

OFFICE OF CIVIL AVIATION

AIRAC AIP AMDT 2/21
Effective : 1600UTC 24 MAR 2021

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency
				Lower limits (MOCA) ft AMSL or FL Airspace classification	Odd	Even	
1	2	3	4	5	6		7
Y685 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Daegu ACC FREQ: 132.80 MHz 128.7 MHz 118.925 MHz 120.525 MHz 132.20 MHz ¹⁾ 1) Common frequency
▲ ANYANG VORTAC(SEL) 372449N 1265542E	N/A	<u>133</u> 313	10.7	<u>UNL</u> 8 000(3 200) Class A, D, G	↓		Only flying westbound from KPO to SEL on Y685 is authorized except ACFT departing from RKTU or RKTU.
▲ KALMA 371845N 1270645E		<u>133</u> 313	19.3	<u>UNL</u> 8 000(2 900) Class A, D, G			Aircraft flying eastbound f rom SEL to KPO at or above 11 000 ft on Y6 85 shall get PPR 24 hours before from Inc heon/Daegu ACC. No PPR is needed at or below 10 000 ft.
△ KAKSO 370745N 1272637E		<u>133</u> 313	11.5	<u>UNL</u> 8 000(3 600) Class A, D, G			Airspace Classification refer to ENR 3.1-1
△ GUKDO 370111N 1273823E		<u>133</u> 314	9.2	<u>UNL</u> 8 000(3 700) Class A, D, G			Daegu ACC FREQ: 120.575 MHz 119.375 MHz 134.375 MHz 122.75 MHz ²⁾ 2) Common frequency
△ ENSAL 365554N 1274747E		<u>134</u> 314	9.2	<u>UNL</u> 8 000(4 000) Class A, D, G			Only flying westbound from KPO to SEL on Y685 is authorized except ACFT departing from RKTU or RKTU.
△ BASEM 365037N 1275710E		<u>134</u> 314	12.5	<u>UNL</u> 8 000(5 000) Class A, D, G			Aircraft flying eastbound from SEL to KPO at or above 11 000 ft on Y685 shall get PPR 2 4 hours before from Incheon/Daegu ACC. No PPR is needed at or below 10 000 ft.
▲ BIGOB 364325N 1280952E		<u>134</u> 314	9.5	<u>UNL</u> 8 000(4 900) Class A, D, G			Airspace Classification refer to ENR 3.1-1
△ YECHEON VOR(CUN) 363755N 1281931E		<u>133</u> 314	30.8	<u>UNL</u> 8 000(3 800) Class A, D, G			
△ ELAPI 362014N 1285051E		<u>134</u> 314	37.3	<u>UNL</u> 8 000(4 700) Class A, D, G			
▲ POHANG VORTAC(KPO) 355838N 1292828E		<u>107</u> 287	17.2	<u>UNL</u> 8 000(2 100) Class A, D, G			
△ BULGA 355609N 1294924E		<u>107</u> 287	44.4	<u>UNL</u> 8 000(1 500) Class A, D, G			↑
▲ SAPRA(FIR BDRY) 354926N 1304325E							
INCHEON FIR							
FUKUOKA FIR							

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of controlling unit(Incheon ACC → Daegu ACC).

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits Lower limits (MOCA) ft AMSL or FL Airspace classification	Direction of cruising levels		Remarks Controlling unit Frequency
					Odd	Even	
1	2	3	4	5	6		7
Y697 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Daegu ACC FREQ : 128.70 MHz 132.80 MHz 132.20 MHz ¹⁾
SANGHAI FIR							1) Common frequency
INCHEON FIR							
▲ AGAVO(FIR BDRY) 371010N 1235953E	N/A	<u>066</u> 246	7.5	UNL FL 150(1 500) Class A, D, G			Westbound(SEL-AGAVO) FL 400, FL 380, FL 360, FL 340, FL 320, FL 300, FL 280, FL 260, FL 240, FL 220, FL 200. REF. ENR 3.1-9 for the detailed Altitude conversion procedures. Only flying westbound from SEL to AGAVO on Y697 is authorized.
△ OLBIM 371411N 1240751E		<u>066</u> 246	16.2				
△ NOGON 372250N 1242505E		<u>097</u> 277	20.0				
△ ANSIM 372323N 1245009E		<u>097</u> 277	19.0				
△ BINIL 372349N 1251359E		<u>097</u> 277	20.0				
△ NOPIK 372412N 1253905E		<u>097</u> 278	41.0	UNL 8 000(2 100) Class A, D, G			↑
△ GOGET 372442N 1263036E		<u>098</u> 278	20.0	UNL 7 500(3 400) Class A, D, G			
▲ ANYANG VORTAC(SEL) 372449N 1265542E		<u>087</u> 267	22.0	UNL 7 500(5 100) Class A, D, G	↓		Daegu ACC FREQ : 132.80 MHz 118.925 MHz 132.20 MHz ²⁾
△ EGOBA 372915N 1272246E		<u>087</u> 267	13.9	UNL 7 500(4 500) Class A, D, G			2) Common frequency
△ KARBU 373159N 1273952E		<u>087</u> 268	22.9	UNL 7 500(7 500) Class A, D, G			Airspace Classification refer to ENR 3.1-1
△ TORUS 373625N 1280807E		<u>088</u> 268	21.8	UNL 7 500(7 100) Class A, D, G			Daegu ACC FREQ : 134.175 MHz 123.65 MHz 122.75 MHz ³⁾
△ BIKSI 374032N 1283504E		<u>088</u> 268	8.2	UNL 8 000(7 100) Class A, D, G			3) Common frequency
▲ GANGWON VORTAC(KAE) 374203N 1284514E		<u>130</u> 310	30.0	UNL 9 000(1 500) Class A, D, G			Airspace Classification refer to ENR 3.1-1
▲ PILIT 372631N 1291731E		<u>130</u> 310	27.5	UNL 9 000(1 500) Class A, D, G			4) Common frequency
△ NIMUS 371210N 1294656E		<u>130</u> 310	50.8				
△ AGSUS 364521N 1304044E		<u>130</u> 311	42.9				
▲ LANAT(FIR BDRY) 362224N 1312542E							Only flying westbound from LANAT to KAE on G597 shall get 24HRs PPR from Daegu ACC.
INCHEON FIR							Airspace Classification refer to ENR 3.1-1
FUKUOKA FIR							

1. Critical DME : SEL<AGAVO/OLBIM>, KUZ<AGAVO/OLBIM>, SEL<OLBIM/NOGON>, KUZ<OLBIM/NOGON>, SEL<NOGON/ANSIM>, KUZ<NOGON/ANSIM>, SEL<KARBU/AAAAA>, KAE<KARBU/AAAAA>, SEL<AAAAA/BIKSI>, KAE<AAAAA/BIKSI>, SEL<BIKSI/KAE>, KAE<BIKSI/KAE>, KAE<KAE/PILIT>, KPO<KAE/PILIT>, KAE<PILIT/DADAS>, KPO<PILIT/DADAS>, KAE<DADAS/AGSUS>, KPO<DADAS/AGSUS>, KAE<AGSUS/LANAT>, KPO<AGSUS/LANAT>

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of controlling unit(Incheon ACC → Daegu ACC).

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation] 1	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna 2	MAG TRACK ° 3	Geodetic DIST NM 4	Upper limits Lower limits (MOCA) ft AMSL or FLairspace classification 5	Direction of cruising levels		Remarks Controlling unit Frequency 10
					Odd 7	Even	
Y711 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] △ MONSI 371247N 1265015E	N/A	190 010	29.4	UNL FL 140(2 900) Class A, D, G			Daegu ACC FREQ: 132.80 MHz 128.70 MHz 122.75 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1
△ BULTI 364322N 1264930E		187 007	10.0				Incheon ACC FREQ: 132.150 MHz 123.55 MHz 120.725 MHz 124.525 MHz 132.20 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1
△ MEKIL 363322N 1264953E		187 006	10.2	UNL FL 140(3 200) Class A, D, G			
△ GONAX 362311N 1265016E		193 013	14.1				
△ BEDES 360905N 1264844E		193 013	14.9	UNL FL 140(2 200) Class A, D, G			
△ ELPOS 355410N 1264707E		193 013	24.0	UNL FL 140(2 800) Class A, D, G			
△ MANGI 353011N 1264432E		193 013	22.7	UNL FL 140(3 800) Class A, D, G			
△ DALSU 350731N 1264206E		193 013	52.4	UNL FL 140(4 000) Class A, D, G			
△ DOTOL 341515N 1263637E		193 012	24.8	UNL FL 140(2 700) Class A, D, G			
△ KIDOS 335028N 1263402E		207 027	25.9	UNL FL 140(6 000) Class A, D, G			
△ REMOS 332605N 1262329E		207 027	27.4	UNL FL 140(6 300) Class A, D, G			
△ PANSI 330014N 1261225E		207 027	33.4	UNL FL 140(1 500) Class A, D, G			
△ DOMKO 322848N 1255859E		207 027	30.1				
△ PONIK 320021N 1254659E		207 027	18.2				
△ IKEDO 314314N 1253948E		207 026	12.0				
△ KANKA 313155N 1253504E		207 026	67.0				
△ BONSO 302840N 1250851E		206 026	30.2				
▲ MUGUS(FIR BDRY) 300006N 1245712E							
INCHEON FIR FUKUOKA FIR							

1. Critical DME : KWA<DOTOL/KIDOS>, CJU<DOTOL/KIDOS>

2. DME GAP : KIDOS/REMOS, REMOS/PANSI, PANSI/DOMKO, DOMKO/PONIK, PONIK/KANKA, KANKA/BONSO, BONSO/MUGUS GNSS or DME/DME/IRU required.

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Establishment of significant point(IKEDO) and Information of track MAG, DIST, controlling unit and frequencies.

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency
				Lower limits (MOCA) ft AMSL or FL Airspace classification	Odd	Even	
1	2	3	4	5	7		10
Y722 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Incheon ACC
▲ SONGTAN VORTAC(SOT) 370540N 1270154E	N/A	194 014	21.5	UNL FL 140(3 100) Class A, D, G			FREQ: 126.175 MHz 124.50 MHz 132.425 MHz 132.20 MHz ¹⁾ 1) Common frequency
△ OLMEN 364413N 1265928E		187 007	10.0	UNL FL 140(3 600) Class A, D, G			Airspace Classification refer to ENR 3.1-1
△ GUNKU 363414N 1265949E		187 007	11.0	UNL FL 140(3 300) Class A, D, G			
△ PEBRI 362311N 1270013E		193 013	29.5	UNL FL 140(2 300) Class A, D, G			
△ ATASO 355344N 1265657E		193 013	23.6	UNL FL 140(3 800) Class A, D, G			
△ MAKSA 353011N 1265422E		193 013	22.7	UNL FL 140(4 000) Class A, D, G			
△ SAMUL 350736N 1265154E		193 013	52.5	UNL FL 140(3 400) Class A, D, G			
△ KAMIT 341514N 1264618E		193 013	22.4	UNL FL 140(2 100) Class A, D, G			
△ GUKSU 335251N 1264357E		193 012	19.6	UNL FL 140(1 700) Class A, D, G			
△ LOSNI 333315N 1264153E		207 027	10.8	UNL FL 140(7 600) Class A, D, G			
▲ JEJU VORTAC(CJU) 332305N 1263727E		207 027	24.3	UNL FL 140(8 700) Class A, D, G			
△ SOSDO 330012N 1262735E		207 027	29.5	UNL FL 140(1 500) Class A, D, G			
△ SAMLO 323223N 1261536E		207 027	30.2				
△ NIRAT 320354N 1260329E		207 027	18.1				
△ ELGEP 314653N 1255617E		207 027	12.1				
△ TESIM 313526N 1255128E		207 026	100.9				
▲ ATOTI(FIR BDRY) 300013N 1251154E							
INCHEON FIR							
SANGHAI FIR							

1. Critical DME : KWA<KAMIT/GUKSU>, CJU<KAMIT/GUKSU>

2. DME GAP : GUKSU/LOSNI, LOSNI/CJU, CJU/SOSDO, SOSDO/SAMLO, SAMLO/NIRAT, NIRAT/TESIM, TESIM/ATOTI,
GNSS or DME/DME/IRU required.

* RNAV2 represents a navigation accuracy of ± 2 NM on a 95% containment basis.

Change : Establishment of significant point(ELGEP) and Information of track MAG, DIST, frequencies.

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits Lower limits (MOCA) ft AMSL or FL Airspace classification	Direction of cruising levels		Remarks Controlling unit Frequency
					Odd	Even	
1	2	3	4	5	6		7
Y744 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] ▲ PILIT 372631N 1291731E △ NOBUT 370715N 1291957E △ LOSTO 362016N 1292548E ▲ POHANG VORTAC(KPO) 355838N 1292828E △ APARU 352442N 1290932E ▲ BUSAN VORTAC(PSN) 350721N 1285958E	N/A						Daegu ACC FREQ: 134.175 MHz 120.575 MHz 123.65 MHz 119.375 MHz 122.75 MHz ¹⁾ 1) Common frequency 1. 11 000 ft to FL 240, at or above FL 280 will be blocked. 2. At or above 11 000 ft, required 15 days PPR from Air Traffic Management Office 3. Airspace Classification refer to ENR 3.1-1
		183 003	19.3	UNL 9 000(4 900) Class A, D, G		↓	
		183 003	47.2	UNL 9 000(5 600) Class A, D, G			
		183 003	21.7	UNL 9 000(2 100) Class A, D, G			
		213 033	37.2	UNL 9 000(4 400) Class A, D, G			
		213 032	19.0	UNL 9 000(4 400) Class A, D, G	↑		
Y781 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] ▲ DALSEONG VORTAC(TGU) 354835N 1283527E △ MASTA 352847N 1283340E △ ANKUS 350730N 1284616E △ OMOTU 350033N 1285022E ▲ BESNA(FIR BDRY) 343718N 1290751E	N/A						Daegu ACC FREQ: 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1
		192 012	19.8	UNL 7 000(4 900) Class A, D, G	↓		
		162 342	23.6	UNL 7 000(4 000) Class A, D, G			
		162 342	7.7	UNL 7 000(3 500) Class A, D, G			
		156 336	27.3	UNL 7 000(2 800) Class A, D, G			
INCHEON FIR							
FUKUOKA FIR							

1. Critical DME : PSN<OMOTU/BESNA>, CJU<OMOTU/BESNA>
2. DME GAP : KANBO/OMOTU, GNSS or DME/DME/IRU required.

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits Lower limits (MOCA) ft AMSL or FL Airspace classification	Direction of cruising levels		Remarks Controlling unit Frequency
					Odd	Even	
1	2	3	4	5	6		7
Y782 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Daegu ACC FREQ: 128.70 MHz 120.525 MHz 132.20 MHz ¹⁾ 1) Common frequency
▲ ANYANG VORTAC(SEL) 372449N 1265542E	N/A	174 354	12.4	UNL 4 500(3 000) Class A, D, G	↓		Airspace Classification refer to ENR 3.1-1
▲ POLEG 371249N 1265935E		174 354	7.4	UNL 4 500(2 000) Class A, D, G			
▲ SONGTAN VORTAC(SOT) 370540N 1270154E		144 324	21.6	UNL 8 000(3 300) Class A, D, G			
△ OSPOT 365018N 1272055E		144 324	10.4	UNL 8 000(4 200) Class A, D, G			
△ VASLI 364252N 1273003E		144 324	21.9	UNL 8 000(4 200) Class A, D, G			
△ MAKDU 362712N 1274909E		144 324	14.6	UNL 10 000(4 500) Class A, D, G			
△ BITUX 361645N 1280148E		162 342	20.4	UNL 8 000(4 400) Class A, D, G			
▲ DALSEONG VORTAC(TGL) 354835N 1283527E		162 342	25.4	UNL 5 000(3 600) Class A, D, G			
△ KALOD 353012N 1284626E		162 342	26.6	UNL 4 000(3 000) Class A, D, G			
▲ BUSAN VORTAC(PSN) 350721N 1285958E							
▲ APELA(FIR BDRY) 344323N 1291400E							
INCHEON FIR							
FUKUOKA FIR							
1. Critical DME : SEL<SEL/POLEG>, SOT<SEL/POLEG>, SEL<POLEG/SOT>, SOT<POLEG/SOT>							

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of controlling unit(Incheon ACC → Daegu ACC).

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits Lower limits (MOCA) ft AMSL or FL Airspace classification	Direction of cruising levels		Remarks Controlling unit Frequency
					Odd	Even	
Z50 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Daegu ACC FREQ: 128.70 MHz 126.175 MHz 134.175 MHz 132.20 MHz ¹⁾
△ EGOBA 372915N 1272246E	N/A	<u>224</u> 044	28.8	UNL FL 140(3 300) Class A, D, G		↓	1) Common frequency Airspace Classification refer to ENR 3.1-1
▲ SONGTAN VORTAC(SOT) 370540N 1270154E		<u>213</u> 032	24.4	UNL FL 140(2 900) Class A, D, G			
△ BULTI 364322N 1264930E					↑		
Z51 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Incheon ACC FREQ : 126.175 MHz 134.375 MHz 132.20 MHz ²⁾
△ BOPTA 364406N 1263658E	N/A	<u>173</u> 353	21.6	UNL FL 150(3 900) Class A, D, G		↓	2) Common frequency Airspace Classification refer to ENR 3.1-1
△ MOXID 362311N 1264359E		<u>173</u> 353	14.6	UNL FL 150(3 600) Class A, D, G			
△ BEDES 360905N 1264844E							
Z52 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Incheon ACC FREQ : 126.175 MHz 125.375 MHz 120.575 MHz 132.20 MHz ³⁾
△ OLMEN 364413N 1265928E	N/A	<u>051</u> 231	16.4	UNL 8 000(3 400) Class A, D, G	↓		3) Common frequency Airspace Classification refer to ENR 3.1-1
△ POSAN 365615N 1271316E		<u>051</u> 232	15.7	UNL 8 000(3 000) Class A, D, G		↑	
△ KAKSO 370745N 1272637E							
Z53 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Daegu ACC FREQ : 125.375 MHz 120.575 MHz 125.775 MHz 119.375 MHz 122.75 MHz ⁴⁾
△ BITUX 361645N 1280148E	N/A	<u>002</u> 182	17.0	UNL FL 160(4 000) Class A, D, G		↓	4) Common frequency Airspace Classification refer to ENR 3.1-1
△ TEBEX 363341N 1275929E		<u>002</u> 182	17.0	UNL FL 160(4 600) Class A, D, G			
△ BASEM 365037N 1275710E					↑		

* RNAV2 represents a navigation accuracy of ±2NM on a 95% containment basis.

Change : Information of controlling unit(Incheon ACC → Daegu ACC).

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency
				Lower limits (MOCA) ft AMSL or FL Airspace classification	Odd	Even	
1	2	3	4	5	6		7
Z54 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] ▲ SONGTAN VORTAC(SOT) 370540N 1270154E △ MONSI 371247N 1265015E △ GOGET 372442N 1263036E							Daegu ACC FREQ: 128.70 MHz 132.80 MHz 120.575 MHz 132.20 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1
	N/A	<u>316</u> 136	11.7	<u>UNL</u> 8 000(2 400) Class A, D, G		↓	
		<u>316</u> 136	19.7	<u>UNL</u> 8 000(2 300) Class A, D, G	↑		
Z55 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Daegu ACC FREQ : 128.70 MHz 132.80 MHz 132.20 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1
SANGHAI FIR							
INCHEON FIR							
△ AGAVO(FIR BDRY) 371010N 1235953E	N/A	<u>154</u> 334	35.5	<u>UNL</u> FL 140(1 500) Class A, D, G		↑	
△ NONOS 364046N 1242453E							
1. Critical DME : SEL<AGAVO/NONOS>, KUZ<AGAVO/NONOS>							
Z56 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Daegu ACC FREQ : 122.25 MHz 125.925 MHz 122.75 MHz ³⁾ 3) Common frequency Airspace Classification refer to ENR 3.1-1
PYONGYANG FIR							
INCHEON FIR							
▲ KANSU(FIR BDRY) 383800N 1322830E	N/A	<u>180</u> 360	40.2	<u>UNL</u> FL 200(1 500) Class A, G	↓		
△ PALDU 375813N 1323625E		<u>180</u> 360	19.9				
▲ SABET 373829N 1324019E		<u>180</u> 360	19.9				
▲ IGRAS(FIR BDRY) 371846N 1324411E						↑	
INCHEON FIR							
FUKUOKA FIR							
1. Critical DME : KAE<PALDU/SABET>, KPO<PALDU/SABET>, KAE<SABET/IGRAS>, KPO<SABET/IGRAS> 2. DME GAP : KANSU/PALDU. GNSS or DME/DME/IRU required.							

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of controlling unit(Incheon ACC → Daegu ACC).

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency
				Lower limits (MOCA) ft AMSL or FL Airspace classification	Odd	Even	
1	2	3	4	5	6		7
Z57 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] △ RILRO 371033N 1241442E △ DALPO 365835N 1242453E							Daegu ACC FREQ: 128.7 MHz 132.8 MHz 132.2 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1
	N/A	154 334	14.5	UNL FL 150(1 500) Class A, D, G	↓		
1. Critical DME : SEL<RILRO/DALPO>, KUZ<RILRO/DALPO>							
Z63 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] ▲ PILIT 372631N 1291731E △ NOMEX 374112N 1294441E							Daegu ACC FREQ : 134.175 MHz 123.65 MHz 122.75 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1
	N/A	064 245	26.1	UNL FL 250(1 500) Class A, G	↓		
						↑	
1. Critical DME : KAE<PILIT/NOMEX>, KPO<PILIT/NOMEX>							
Z81 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] △ KIDOS 335028N 1263402E ▲ JEJU VORTAC(CJU) 332305N 1263727E							Incheon ACC FREQ: 124.525 MHz 132.20 MHz ³⁾ 3) Common frequency Airspace Classification refer to ENR 3.1-1
	N/A	182 001	27.5	UNL FL 140(8 700) Class A, D, G		↓	
Z82 (RNAV2) [GNSS, DME/DME/IRU] ▲ JEJU VORTAC(CJU) 332305N 1263727E △ PANSI 330014N 1261225E							Incheon ACC FREQ: 124.525 MHz 132.20 MHz ⁴⁾ 4) Common frequency Airspace Classification refer to ENR 3.1-1
	N/A	230 050	31.0	UNL FL 140(8 700) Class A, D, G		↓	
1. DME GAP : CJU/PANSI, GNSS or DME/DME/IRU required							

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of controlling unit(Incheon ACC → Daegu ACC) and Withdrawal of frequencies.

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency
				Lower limits (MOCA) ft AMSL or FL Airspace classification	Odd	Even	
1	2	3	4	5	6		7
Z83 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] ▲ DALSEONG VORTAC(TGU) 354835N 1283527E △ MASTA 352847N 1283340E △ SARAM 350736N 1283147E ▲ TOPAX 344555N 1282952E	N/A						Daegu ACC FREQ : 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ¹⁾ 1) Common frequency Airspace Classification refer to ENR 3.1-1
		192 012	19.8	UNL 5 000(4 900) Class A, D, G		↓	
		192 012	21.2	UNL 5 000(3 800) Class A, D, G			
		192 012	21.7	UNL 5 000(3 000) Class A, D, G	↑		
1. Critical DME : PSN<TGU/MASTA>, TGU<TGU/MASTA>, PSN<MASTA/SARAM>, TGU<MASTA/SARAM>, PSN<SARAM/TOPAX>, TGU<SARAM/TOPAX>							
Z84 (RNAV2) [GNSS, DME/DME, DME/DME/IRU] △ BUSAN VORTAC(PSN) 350721N 1285958E ▲ KALEK(FIR BDRY) 351232N 1295305E	N/A	091 272	43.8	UNL 8 000(3 100) Class A, D, G	↓		Daegu ACC FREQ: 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ²⁾ 2) Common frequency Airspace Classification refer to ENR 3.1-1
INCHEON FIR							
FUKUOKA FIR							
Z85 (RNAV2) [GNSS, DME/DME/IRU] △ ATINA 334320N 1270423E ▲ RUGMA(FIR BDRY) 323012N 1265753E	N/A	192 011	73.2	UNL FL 170(1 500) Class A, D, G	↓		Incheon ACC FREQ : 124.525 MHz 128.175 MHz 132.20 MHz ³⁾ 3) Common frequency Airspace Classification refer to ENR 3.1-1
INCHEON FIR							
FUKUOKA FIR							
1. DME GAP : ATINA/RUGMA, GNSS or DME/DME/IRU required.							

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of RNAV route, navigation specification limitation(Z85) and Amended format.

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation] 1	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna 2	MAG TRACK ° 3	Geodetic DIST NM 4	Upper limits Lower limits (MOCA) ft AMSL or FL Airspace classification 5	Direction of cruising levels 6		Remarks Controlling unit Frequency 10
					Odd	Even	
Z86 (RNAV2) [GNSS, DME/DME/IRU]							Incheon ACC
△ BONSO 302840N 1250851E							FREQ: 124.525 MHz 132.20 MHz ¹⁾
▲ ATOTI(FIR BDRY) 300013N 1251154E	N/A	181 001	28.5	UNL FL 140(1 500) Class A, D, G		↓	1) Common frequency
INCHEON FIR							Airspace Classification refer to ENR 3.1-1
FUKUOKA FIR							
1. DME GAP : BONSO/ATOTI, GNSS or DME/DME/IRU required.							
Z91 (RNAV2) [GNSS, DME/DME, DME/DME/IRU]							Daegu ACC
▲ BUSAN VORTAC(PSN) 350721N 1285958E							FREQ: 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ²⁾
▲ INVOK(FIR BDRY) 344719N 1291923E	N/A	149 329	25.6	UNL 10 000(3 000) Class A, D, G	↓		2) Common frequency
INCHEON FIR							Airspace Classification refer to ENR 3.1-1
FUKUOKA FIR							

* RNAV2 represents a navigation accuracy of ±2 NM on a 95% containment basis.

Change : Information of RNAV route and navigation specification limitation(Z86) and Amended format.

Route designator (Navigation specification) Name of significant points Coordinates [Navigation Specification limitation]	Waypoint IDENT of VOR/DME BRG & DIST ELEV DME Antenna	MAG TRACK °	Geodetic DIST NM	Upper limits	Direction of cruising levels		Remarks Controlling unit Frequency
				Lower limits (MOCA) ft AMSL or FL Airspace classification	Odd	Even	
1	2	3	4	5	7		10
Y590 (RNAV2) [GNSS, DME/DME/IRU]							Incheon ACC FREQ : 124.525 MHz ¹⁾ 123.725 MHz 128.375 MHz 132.20 MHz ²⁾ 1) For not going via BEDAR 2) Common frequency Airspace Classification refer to ENR 3.1-1
FUKUOKA FIR							
INCHEON FIR							
▲ BEDAR(FIR BDRY) 315401N 1262910E	N/A	<u>263</u> 082	28.9	UNL FL 240(1 500) Class A, G			
△ ELGEP 314653N 1255617E		<u>262</u> 082	14.5				
△ IKEDO 314314N 1253948E		<u>288</u> 108	34.5				
▲ SADLI 314948N 1250000E					↑		
1. DME GAP : BEDAR/SADLI, GNSS or DME/DME/IRU required.							
2. Flight Level Allocation Scheme (FLAS) - For the eastbound over BEDAR : FL 250, FL 290, FL 310, FL 390							

Change : Establishment of route(Y590).

INTENTIONALLY

LEFT

BLANK

ENR 3.4 HELICOPTER ROUTES

To be developed

INTENTIONALLY

LEFT

BLANK

ENR 3.5 OTHER ROUTES

1. 관광비행로

이 비행로는 초경량비행장치 또는 경량항공기 비행이 많으므로 동 비행로 주변을 비행하는 항공기는 지정된 비행 경로를 회피하거나 주의하여 비행하여야 한다.

1. TOURIST ROUTES

Aircraft which want to fly around 「tourist routes」 have to beware of the published 「tourist routes」 or avoid them. Because 「tourist routes」 have a lot of traffic, Ultra light vehicle flight and light aircraft

Name 명칭	Flight routes coordinates 비행경로	Type of flight 비행방식	Remarks 비고
Danyang tourist route 단양 비행로	365623N 1281812E ↔ 365725N 1281958E ↔ 365847N 1282036E ↔ 365846N 1282219E ↔ 370018N 1282045E ↔ 370001N 1282312E ↔ 370148N 1282302E ↔ 370237N 1282450E ↔ 370337N 1282456E	VFR 시계비행	Fly at the right side of river 강을 중심으로 우측비행
Gumy tourist route 구미 비행로	360938N 1282306E ↔ 361135N 1282156E ↔ 361322N 1282140E ↔ 361456N 1282005E ↔ 361709N 1282021E		
Haman tourist route 함안 비행로	352008N 1282339E ↔ 352127N 1282302E ↔ 352140N 1282458E ↔ 352157N 1282543E ↔ 352313N 1282536E ↔ 352248N 1282822E ↔ 352347N 1283009E ↔ 352244N 1283321E		

INTENTIONALLY

LEFT

BLANK

ENR 3.6 EN-ROUTE HOLDING

Except when aircraft are in emergency, all en-route holding patterns may only be used after prior permission from Incheon ACC.

HLDG ID FIX/WPT Coordinates	INBD TR (MAG)	Direction of PTN	MAX IAS (kt)	MNM-MAX HLDG LVL	Time (MIN)	Controlling Unit and Frequency
1	2	3	4	5	6	7
MANOL 333629N 1265514E (R055 CJU/D20)	235	L	280	FL 180 - FL 260	1.5	Incheon ACC 123.725 MHz 124.50 MHz 132.20 MHz ²⁾
SAKTI 365100N 1274600E (R137 SEL/D53)	317	L	280	FL 180 - FL 200	1.5	Daegu ACC 120.575 MHz 119.375 MHz 134.375 MHz 122.75 MHz ²⁾
OROGA¹⁾ 364456N 1272718E (R143 SOT/D29)	323	R	280	FL 210 - FL 250	1.5	Daegu ACC 125.375 MHz 125.775 MHz 124.575 MHz 122.75 MHz ²⁾
BIGOB¹⁾ 364325N 1280952E (R132 SEL/D72)	312	R	280 0.83 MACH	FL 210 - FL 340 FL 340 - FL 360	1.5	Daegu ACC 120.575 MHz 119.375 MHz 134.375 MHz 122.75 MHz ²⁾
ATASO 355344N 1265657E (RNAV HOLD)	012	R	280	FL 230 - FL 260	1.5	Incheon ACC 126.175 MHz 134.375 MHz 132.20 MHz ²⁾
NONOS 364046N 1242453E (RNAV HOLD)	007	R	280	FL 200 - FL 310	1.5	Incheon ACC 128.70 MHz 120.525 MHz 132.20 MHz ²⁾
CJU 332305N 1263727E (RNAV HOLD)	026	R	280 0.83 MACH	FL 270 - FL 340 FL 350	1.5	Incheon ACC 123.725 MHz 124.50 MHz 132.20 MHz ²⁾
SAMUL 350736N 1265154E (RNAV HOLD)	012	R	280 0.83 MACH	FL 270 - FL 340 FL 350	1.5	Incheon ACC 123.725 MHz 124.50 MHz 132.20 MHz ²⁾
1) FL 210 ~ FL 250 Shall not be used at the same time at BIGOB and OROGA						
2) Common frequency						



INTENTIONALLY

LEFT

BLANK