

STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

TRANSITION ALT 14 000
TRANSITION LVL FL 140


JEJU APP 124.05
JEONGSEOK TWR 124.35

JEJU/Jeongseok(RKPD)

RWY 01

RNAV CJU 1T

RNAV TODAL 1T



GENERAL INFORMATION

1. Within JEJU TMA, maximum 250 kt IAS below 10 000 ft.
2. Maximum holding speed 210 kt IAS at YUCHE.

RNAV CJU ONE TANGO ARRIVAL : CJU - PD701 - PD702 - YUCHE

RNAV TODAL ONE TANGO ARRIVAL : TODAL - PD701 - PD702 - YUCHE

Change : Information of fix and procedure name(BARAM → TODAL).

JEJU/Jeongseok(RKPD)
RWY 01

RNAV CJU 1T RNAV TODAL 1T

AERONAUTICAL DATA TABULATION

Standard Instrument Arrival Procedure Coding Tables

RNAV CJU 1T

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ TCH	Navigation specification	Remarks
001	IF	CJU	-	-	-	-	@10 000	-	33°23'04.6"N 126°37'26.8"E	-	RNAV 1	-
002	TF	PD701	-	097(090.7)	12.4	-	@10 000	-	33°22'54.9"N 126°52'12.5"E	-	RNAV 1	-
003	TF	PD702	-	128(121.4)	6.5	-	+8 000	-	33°19'31.4"N 126°58'49.6"E	-	RNAV 1	-
004	TF	YUCHE	-	216(209.6)	6.4	-	-7 000 +6 000	-	33°13'55.3"N 126°55'02.3"E	-	RNAV 1	IAF

RNAV TODAL 1T

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ TCH	Navigation specification	Remarks
001	IF	TODAL	-	-	-	-	@10 000	-	33°29'27.6"N 126°45'53.9"E	-	RNAV 1	-
002	TF	PD701	-	148(141.0)	8.4	-	@10 000	-	33°22'54.9"N 126°52'12.5"E	-	RNAV 1	-
003	TF	PD702	-	128(121.4)	6.5	-	+8 000	-	33°19'31.4"N 126°58'49.6"E	-	RNAV 1	-
004	TF	YUCHE	-	216(209.6)	6.4	-	-7 000 +6 000	-	33°13'55.3"N 126°55'02.3"E	-	RNAV 1	IAF

Change : Information of fix and procedure name(BARAM → TODAL).


STANDARD ARRIVAL CHART INSTRUMENT (STAR) - ICAO

TRANSITION ALT 14 000
TRANSITION LVL FL 140

JEJU	APP	124.05
JEONGSEOK	TWR	124.35

JEJU/Jeongseok(RKPD)

RWY 01

GAEBI 1 A**TOTAL 1A**

GENERAL INFORMATION

1. Within JEJU TMA, maximum 250 kt IAS below 10 000 ft.
2. Maximum holding speed 210 kt IAS at YUCHE.

DESIGNATOR	FROM	ROUTE	DESCENT ALTITUDE
GAEBI ONE ALPHA (GEB 1A)	B576	GAEBI - JDG - YUCHE	Cross JDG at 10 000 ft, YUCHE at or above 6 000 ft.
TODAL ONE ALPHA (TDL 1A)	A586 Y579	TODAL - JDG - YUCHE	Cross JDG at 10 000 ft, YUCHE at or above 6 000 ft.

Change : Information of fix and procedure name(BARAM → TODAL).

INTENTIONALLY

LEFT

BLANK