


**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 48 ft
HEIGHTS RELATE TO
THR RWY 04R - ELEV 43 ft
HIGHEST ELEV TDZ 45 ft

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6

GWANGJU/Gwangju(RKJJ)
ILS/DME
RWY 04R


Note : Approach and circle to land under U.S. TERPS.



TRANSITION ALT 14 000
TRANSITION LVL FL 140

MISSED APPROACH

Climb HDG 037° to KWA 1.5D,
then climbing right turn intercept R 058 KWA
and track outbound R 058 KWA
and hold at JADOO(R 058 KWA/D27) maintain 7 000



CATEGORY	A	B	C	D
S-ILS	245/730 m 200 (200-800 m)			
S-ILS (ALS inop)	245/1 220 m 200 (200-1 200 m)			

Change : Amended ILS plan view symbol.

INTENTIONALLY

LEFT

BLANK


**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 48 ft
HEIGHTS RELATE TO
THR RWY 04R - ELEV 43 ft
HIGHEST ELEV TDZ 45 ft

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6


GWANGJU/Gwangju(RKJJ)
LOC/DME
RWY 04R

Note : Approach and circle to land under U.S. TERPS.



MISSED APPROACH

Climb HDG 037° to KWA D1.5,
then climbing right turn intercept R 058 KWA and
track outbound R 058 KWA and
hold at JADOO(R 058 KWA/D27) maintain 7 000



CATEGORY	A	B	C	D
S-LOC/DME	520/1 220 m 475(500-1 200 m)			520/1 520 m 475(500-1 600 m)
S-LOC/DME (ALS INOP)	520/1 520 m 475(500-1 600 m)		520/1 830 m 475(500-2 000 m)	520-2 400 m 475(500-2 400m)
*CIRCLING	780-1 600 m 732(800-1 600 m)	900-2 000 m 852(900-2 000 m)	940-4 400 m 892(900-4 400 m)	1080-4800m 1 032(1 100-4 800m)

Change : Amended ILS plan view symbol.

INTENTIONALLY

LEFT


BLANK

AERODROME ELEV 48 ft
HEIGHTS RELATE TO
THR RWY 04R - ELEV **43 ft**
HIGHEST ELEV TDZ **45 ft**

GWANGJU	APP	130.0
		228.9
GWANGJU	TWR	118.05
		254.6


GWANGJU/Gwangju(RKJJ)
VOR/DME
RWY 04R

Note : Approach and circle to land under U.S. TERPS.



TRANSITION ALT	14 000
TRANSITION LVL	FL 140

Climb HDG 040° to KWA D1.5,
then climbing right turn intercept R 058 KWA and
track outbound R 058 KWA and
hold at JADOO(R 058 KWA/D27) maintain 7 000



CATEGORY	A	B	C	D
S-VOR 04R	560/1 220 m 515(600-1 200 m)		560/1 520 m 515(600-1 600 m)	560/1 830 m 515(600-2 000 m)
S-VOR 04R (ALS INOP)	560-1 600 m 515(600-1 600 m)		560-2 400 m 515(600-2 400 m)	560-2 800 m 515(600-2 800 m)
*CIRCLING	780-1 600 m 732(800-1 600 m)	900-2 000 m 852(900-2 000 m)	940-4 400 m 892(900-4 400 m)	1 080-4 800 m 1 032(1 100-4 800 m)

Change : Amended coordinate and radial format.

INTENTIONALLY

LEFT


BLANK

AERODROME ELEV 48 ft
HEIGHTS RELATED TO
THR RWY 04R - ELEV 43 ft
HIGHEST ELEV TDZ 45 ft

GWANGJU APP	130.0
	228.9
GWANGJU TWR	118.05
	254.6



**GWANGJU/Gwangju(RKJJ)
PAR
RWY 04R**

Note : Approach and circle to land under U.S. TERPS.



Climb HDG 037° to 800 ft, then climbing right turn HDG 055° maintain 5 000 ft and assigned HDG for radar vector.

TRANSITION	ALT	14 000
TRANSITION	LVL	FL 140



CATEGORY	A	B	C	D	E
S-PAR 4R	245/24 200(200- $\frac{1}{2}$)				
S-PAR 4L (ALS-INOP)	245/40 200(200- $\frac{3}{4}$)				

Change : Existing procedure.

INTENTIONALLY

LEFT

BLANK

**INSTRUMENT
APPROACH
CHART**



Note : Approach and circle to land under U.S. TERPS.

AERODROME ELEV 48 ft
HEIGHTS RELATED TO
THR RWY 04R - ELEV **43 ft**
HIGHEST ELEV TDZ **45 ft**

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6

GWANGJU/Gwangju(RKJJ)
ASR
RWY 04R

ELEV, ALT IN FEET
DIST IN NM
BRG ARE MAG
VAR 8° W




NOTE
OBST 459 ft was not considered as final approach controlling OBST due to close to FAF.

NOT TO SCALE

MISSED APPROACH

Climb HDG 037° to 1 200 ft, then climbing right turn HDG 055° maintain 5 000 ft and as directed by Gwangju APP control.

TRANSITION ALT 14 000
TRANSITION LVL FL 140



* Circling not authorized for west of RWY 04-22.

Change : Existing procedure.

INTENTIONALLY

LEFT



BLANK

AERODROME ELEV 48 ft
HEIGHTS RELATE TO
THR RWY 04L - ELEV **44 ft**
HIGHEST ELEV TDZ **45 ft**

GWANGJU	APP	130.0
		228.9
GWANGJU	TWR	118.05
		254.6

GWANGJU/Gwangju(RKJJ)
VOR/DME
RWY 04L

Note : Approach and circle to land under U.S. TERPS.



CATEGORY	A	B	C	D
S-VOR 04L	560/1 220 m 515(600-1 200 m)		560/1 520 m 515(600-1 600 m)	560/1 830 m 515(600-2 000 m)
S-VOR 04L (ALS INOP)	560-1 600 m 515(600-1 600 m)		560-2 400 m 515(600-2 400 m)	560-2 800 m 515(600-2 800 m)
*CIRCLING	780-1 600 m 732(800-1 600 m)	900-2 000 m 852(900-2 000 m)	940-4 400 m 892(900-4 400 m)	1 080-4 800 m 1 032(1 100-4 800 m)

Change : Page control.

INTENTIONALLY

LEFT

BLANK


**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 48 ft
HEIGHTS RELATED TO
THR RWY 04L - ELEV **44 ft**
HIGHEST ELEV TDZ **45 ft**

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6

GWANGJU/Gwangju(RKJJ)
PAR
RWY 04L

Note : Approach and circle to land under U.S. TERPS.




MISSED APPROACH

Climb HDG 037° to 800 ft, then climbing right turn HDG 055° maintain 5 000 ft and assigned HDG for radar vector.

TRANSITION ALT 14 000
TRANSITION LVL FL 140

800 5 000
↑ ↑
037° 055°



Change : Existing procedure.

INTENTIONALLY

LEFT

BLANK


**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 48 ft
HEIGHTS RELATED TO
THR RWY 04L - ELEV **44 ft**
HIGHEST ELEV TDZ **45 ft**

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6

GWANGJU/Gwangju(RKJJ)
ASR
RWY 04L

Note : Approach and circle to land under U.S. TERPS.



1 200 ↑ 037°	5 000 ↑ 055°	TRANSITION ALT 14 000 TRANSITION LVL FL 140	MISSED APPROACH Climb HDG 037° to 1 200 ft, then climbing right turn HDG 055° maintain 5 000 ft and as directed by Gwangju APP control.				
(IF) 10 NM from ASR 2 500	(FAF) 6 NM from THR 2 000	RWY 04L	(MAPt)				
037°	037°	037°	037°	055°			
3.0 NM	5.25 NM	0.75					
CATEGORY	A	B	C	D	E		
S-ASR 4L	560/40	515(600- $\frac{3}{4}$)	560/50 515(600-1)	560/60	515(600-1 $\frac{1}{4}$)		
S-ASR 4L (ALS-INOP)	560/50	515(600-1)	560-1 $\frac{1}{2}$ 515(600-1 $\frac{1}{2}$)	560-1 $\frac{3}{4}$	515(600-1 $\frac{3}{4}$)		
CIRCLING	860-1 812(900-1)	900-1 $\frac{1}{4}$ 852(900-1 $\frac{1}{4}$)	940-2 $\frac{3}{4}$ 892(900-2 $\frac{3}{4}$)	1 080-3 1 032(1 100-3)	1 460-3 1 412(1 500-3)		

* Circling not authorized for west of RWY 04-22.

Change : Existing procedure.

INTENTIONALLY

LEFT

BLANK


**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 48 ft
HEIGHTS RELATED TO
THR RWY 22L - ELEV 46 ft
HIGHEST ELEV TDZ 48 ft

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6

GWANGJU/Gwangju(RKJJ)
LOC/DME
RWY 22L


Note : Approach and circle to land under U.S. TERPS.



MISSED APPROACH

Climb HDG 217° to 1 000 ft, then left turn HDG 210° to 4 000 ft, then right turn direct KOTTY maintain 4 000 ft and hold.

TRANSITION ALT 14 000
TRANSITION LVL FL 140



* VASIS and VDA not coincident.

CATEGORY	A	B	C	D
S-LOC 22L	560/1 220 m 512(600-1 200 m)		560/1 830 m 512(600-2 000 m)	560-2 400 m 512(600-2 400 m)
S-LOC 22L (ALS INOP)	560/1 830 m 512(600-1 600 m)		560-2 400 m 512(600-2 400 m)	560-2 800 m 512(600-2 800 m)
CIRCLING	780-1 600 m 732(800-1 600 m)	900-2 000 m 852(900-2 000 m)	940-4 400 m 892(900-4 400 m)	1 080-4 800 m 1032(1 100-4 800 m)

* Circling not authorized for west of RWY 22-04.

Change : Page control.

GWANGJU/Gwangju(RKJJ)
LOC/DME
RWY 22L

AERONAUTICAL DATA TABULATION

Fix/Point		Coordinates	
JADOO(IAF)	R 058.00°/27.00 NM KWA	35°24'37.6"N	127°14'18.8"E
D17 KWA	R 058.00°/17.00 NM KWA	35°18'19.3"N	127°04'49.2"E
ELPEX(SDF)	R 036.85°/17.00 NM KWA	35°22'21.8"N	126°59'00.3"E
D14 IMDH(IF)	BRG 217.16°/14.00 NM IMDH	35°18'53.1"N	126°56'33.2"E
D12 IMDH(SDF)	BRG 217.16°/12.00 NM IMDH	35°17'09.1"N	126°55'19.9"E
D10 IMDH(SDF)	BRG 217.16°/10.00 NM IMDH	35°15'25.0"N	126°54'06.7"E
D7.7 IMDH(FAF)	BRG 217.16°/7.70 NM IMDH	35°13'25"N	126°52'42"E
D4.5 IMDH(SDF)	BRG 217.16°/4.50 NM IMDH	35°10'38.6"N	126°50'45.6"E
D2.5 IMDH(MAPt)	BRG 217.16°/2.50 NM IMDH	35°08'54.5"N	126°49'32.5"E
THR RWY 22L	Final approach descent angle 3.30°	35°08'12.82"N	126°49'03.32"E
KWA VOR/DME		35°07'34.2"N	126°48'44.0"E
IMDH LOC/DME		35°06'44.3"N	126°48'01.3"E
KOTTY	R 260.00°/13.00 NM KWA	35°03'41.8"N	126°33'36.6"E


**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 48 ft
HEIGHTS RELATE TO
THR RWY 22L - ELEV 46 ft
HIGHEST ELEV TDZ 48 ft

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6

GWANGJU/Gwangju(RKJJ)
VOR/DME
RWY 22L


Note : Approach and circle to land under U.S. TERPS.



MISSED APPROACH

Climb HDG 210° to 4 000 ft then right turn direct KOTTY and hold maintain 4 000 ft.

TRANSITION ALT 14 000
TRANSITION LVL FL 140



CATEGORY	A	B	C	D
S-VOR/DME 22L	740-1 220 m 692(700-1 200 m)		740-2 800 m 692(700-2 800 m)	740-3 200 m 692(700-3 200 m)
S-VOR/DME 22L (ALS INOP)	740-1 520 m 692(700-1 600 m)		740-3 200 m 692(700-3 200 m)	740-3 600 m 692(700-3 600 m)
* CIRCLING	780-1 600 m 732(800-1 600 m)	900-2 000 m 852(900-2 000 m)	940-4 400 m 892(900-4 400 m)	1 080-4 800 m 1 032(1 100-4 800 m)

Change : Page control.

INTENTIONALLY

LEFT

BLANK


**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 48 ft
HEIGHTS RELATED TO
THR RWY 22L - ELEV **46 ft**
HIGHEST ELEV TDZ **48 ft**

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6

GWANGJU/Gwangju(RKJJ)
ASR
RWY 22L

Note : Approach and circle to land under U.S. TERPS.



5 000
↑
210°

MISSED APPROACH
Climb HDG 210° to 5 000 ft, then assigned HDG for radar vector.

TRANSITION ALT 14 000
TRANSITION LVL FL 140

210°

210°

VDA 3.0°
TCH 52

(MAPt) 0.75 NM from THR

(FAF) 6 NM from THR

(SDF) 9 NM from ASR

(SDF) 11 NM from ASR

(IF) 14 NM from ASR

1 040 1 360 1 680 2 000 2 700 3 300 4 000

0.75 5.25 NM 3.0 NM 2.0 NM 3.0 NM

CATEGORY	A	B	C	D	E
S-ASR 22L	860/40 812(900- $\frac{3}{4}$)	860/50 812(900-1)	860-2 $\frac{1}{4}$ 812(900-2 $\frac{1}{4}$)	860-2 $\frac{1}{2}$ 812(900-2 $\frac{1}{2}$)	860-2 $\frac{3}{4}$ 812(900-2 $\frac{3}{4}$)
S-ASR 22L (ALS-INOP)	860/50 812(900-1)	860/60 812(900-1 $\frac{1}{4}$)	860-2 $\frac{1}{2}$ 812(900-2 $\frac{1}{2}$)	860-2 $\frac{3}{4}$ 812(900-2 $\frac{3}{4}$)	860-3 812(900-3)
CIRCLING	860-1 812(900-1)	900-1 $\frac{1}{4}$ 852(900-1 $\frac{1}{4}$)	940-2 $\frac{3}{4}$ 892(900-2 $\frac{3}{4}$)	1 080-3 1 032(1 100-3)	1 460-3 1 412(1 500-3)

* Circling not authorized for west of RWY 04-22.

Change : Existing procedure.

INTENTIONALLY

LEFT

BLANK


**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 48 ft
HEIGHTS RELATE TO
THR RWY 22R - ELEV 48 ft
HIGHEST ELEV TDZ 48 ft

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6


GWANGJU/Gwangju(RKJJ)
VOR/DME
RWY 22R

Note : Approach and circle to land under U.S. TERPS.



MISSED APPROACH

Climbing HDG 210° to 4 000 ft
then right turn direct KOTTY(R 260 KWA/D13)
maintain 4 000 ft and hold.



CATEGORY	A	B	C	D
S-VOR/DME 22R	740/1 220 m 692(700-1 200 m)		740-2 800 m 692(700-2 800 m)	740-3 200 m 692(700-3 200 m)
S-VOR/DME 22R (ALS INOP)	740/1 520 m 692(700-1 600 m)		740-3 200 m 692(700-3 200 m)	740-3 600 m 692(700-3 600 m)
*CIRCLING	780-1 600 m 732(800-1 600 m)	900-2 000 m 852(900-2 000 m)	940-4 400 m 892(900-4 400 m)	1 080-4 800 m 1 032(1 100-4 800 m)

Change : Page control.

INTENTIONALLY

LEFT

BLANK



**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 48 ft
HEIGHTS RELATED TO
THR RWY 22R - ELEV **48 ft**
HIGHEST ELEV TDZ **48 ft**

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6

GWANGJU/Gwangju(RKJJ)
PAR
RWY 22R

Note : Approach and circle to land under U.S. TERPS.



Change : Information of missed APCH procedure and Amended phrase(211° → 210°).

INTENTIONALLY

LEFT

BLANK



**INSTRUMENT
APPROACH
CHART**

AERODROME ELEV 48 ft
HEIGHTS RELATED TO
THR RWY 22R - ELEV 48 ft
HIGHEST ELEV TDZ 48 ft

GWANGJU APP 130.0
228.9
GWANGJU TWR 118.05
254.6

**GWANGJU/Gwangju(RKJJ)
ASR
RWY 22R**

Note : Approach and circle to land under U.S. TERPS.



Change : Existing procedure.

INTENTIONALLY

LEFT

BLANK