

**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 14L - ELEV 38 ft


SEOUL APP 119.75
119.1
GIMPO TWR 118.1
118.05

SEOUL/Gimpo Intl(RKSS)
ILS Z or LOC Z RWY 14L

Note : Approach under ICAO Flight Procedures.

126°40' E


126°50' E



RECOMMENDED PROFILE		DME ISEL	4	3	2
Final Approach Gradient 5.24%, 318 ft/NM		ALT(HGT)	1 336 (1 298)	1 018 (980)	700 (662)

TRANSITION ALT 14 000
TRANSITION LVL FL 140

NOTE
1. Missed approach turn limited to 220 kt IAS maximum.



CATEGORY			DA(DH)/MDA(MDH)	A	B	C	D	MISSED APPROACH Climb to 4 000 ft on RWY HDG to R 142 KIP/D5 then turn right to intercept and proceed via R 311 SEL to DOKDO. Hold as published. * Timing Not authorized for defining MAPt. * Circling Not authorized.
Straight-in	CAT-I	FULL	238 (200)	RVR 550 m, VIS 800 m				
		ALS INOP		1 200 m				
	LOC	GP INOP	430 (392)	1 100 m				
		GP & ALS INOP		1 800 m				

Change : Information of radial(270° → 271°).

SEOUL/Gimpo Intl(RKSS)
ILS Z or LOC Z RWY 14L

AERONAUTICAL DATA TABULATION

ILS/LOC Z Approach to RWY 14L from DOKDO		
Fix / Point		Coordinates
DOKDO(IAF)		37°36'17.1"N 126°33'07.1"E
GU009(IF)	BRG 53.48°/6.20 NM	37°40'40.0"N 126°38'36.6"E
GU004(FAF)	BRG 143.54°/4.30 NM ISEL	37°37'07.1"N 126°43'04.8"E
D2.0 ISEL (SDF LOC ONLY)	BRG 143.54°/2.00 NM ISEL	37°35'32.2"N 126°45'04.3"E
D0.8 ISEL (MAPt LOC ONLY)	BRG 143.54°/0.80 NM ISEL	37°34'41.1"N 126°46'08.4"E
THR RWY 14L		37°34'14.55"N 126°46'41.80"E
ISEL DME		37°34'03.8"N 126°46'48.1"E
KIP VOR/DME		37°33'27.1"N 126°47'31.3"E
D5 KIP	R 142 KIP/5.00 NM	37°29'58.1"N 126°52'02.1"E
DOKDO	R 311 SEL/21.00 NM	37°36'17.1"N 126°33'07.1"E

**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 14L - ELEV 38 ft


SEOUL APP 119.75
119.1
GIMPO TWR 118.1
118.05

**SEOUL/Gimpo Intl(RKSS)
ILS Y or LOC Y RWY 14L**

Note : Approach under ICAO Flight Procedures.

126°40'E

126°50'E



RECOMMENDED PROFILE			DME ISEL	4	3	2	TRANSITION ALT 14 000 TRANSITION LVL FL 140	
Final Approach Gradient 5.24%, 318 ft/NM			ALT(HGT)	1 336 (1 298)	1 018 (980)	700 (662)		

NOTE

1. Missed approach turn limited to 220 kt IAS maximum.

The diagram illustrates the recommended descent profile for the approach to Runway 14L. It shows a solid line for the recommended profile and a dashed line for the descent arc. Key points include the Initial Approach Fix (IAF) CAVOI at 4000 ft, the Final Approach Fix (FAF) at 1400 ft, and the Missed Approach Point (MAPt) at 670 ft. The profile includes a 144° turn at the FAF. The diagram also shows the transition to the missed approach procedure, which involves a climb to 4000 ft and a turn to intercept the R 142 KIP/D5.

CATEGORY			DA(DH)/MDA(MDH)	A	B	C	D	MISSED APPROACH Climb to 4 000 ft on RWY HDG to R 142 KIP /D5 then turn right to intercept and proceed via R 301 SEL to CAVOI. Hold as published. * Timing Not authorized for defining MAPt. * Circling Not authorized.
Straight-in	CAT-I	FULL	238 (200)	RVR 550 m, VIS 800 m				
		ALS INOP		1 200 m				
	LOC	FULL	430 (392)	1 100 m				
		ALS INOP		1 800 m				

Change : Information of radial(270° → 271°).

SEOUL/Gimpo Intl(RKSS)
ILS Y or LOC Y RWY 14L

AERONAUTICAL DATA TABULATION

ILS/LOC Y Approach to RWY 14L from CAVOI		
Fix / Point		Coordinates
CAVOI(IAF)		37°32'02.0"N 126°33'37.0"E
D7.4 ISEL(IF)	SEL R 301/19.00 NM SEL	37°39'20.6"N 126°40'16.7"E
D4.3 ISEL(FAF)	BRG 143.54°/4.30 NM ISEL	37°37'07.1"N 126°43'04.8"E
D2.0 ISEL (SDF LOC ONLY)	BRG 143.54°/2.00 NM ISEL	37°35'32.2"N 126°45'04.3"E
D0.8 ISEL (MAPt LOC ONLY)	BRG 143.54°/0.80 NM ISEL	37°34'41.1"N 126°46'08.4"E
THR RWY 14L		37°34'14.55"N 126°46'41.80"E
ISEL DME		37°34'03.8"N 126°46'48.1"E
KIP VOR/DME		37°33'27.1"N 126°47'31.3"E
D5 KIP	R 142 KIP/5.00 NM	37°29'58.1"N 126°52'02.1"E
CAVOI	R 301 SEL/19.00 NM	37°32'02.0"N 126°33'37.0"E


**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 14L - ELEV 38 ft

SEOUL APP 119.75
119.1
GIMPO TWR 118.1
118.05

**SEOUL/Gimpo Intl(RKSS)
RNP RWY 14L**

Note : Approach under ICAO Flight Procedures.




TRANSITION ALT 14 000
TRANSITION LVL FL 140

MISSED APPROACH

Climb to 4 000 ft. Track to DU994, DU987 and DOKDO. Hold as published.

NOTE

1. Missed approach turn limited to 220 kt IAS maximum.



CATEGORY		MDA(H)/DA(H)	A	B	C	D		Knots	60	90	120	150	180					
LNAV	FULL	480 (442)	1 400 m				Rate of descent	V/V fpm	318	478	637	796	955					
	ALS INOP		2 100 m															
LNAV/VNAV	FULL	450 (412)	1 200 m				* Timing Not authorized for defining MAPt. * Circling Not authorized.											
	ALS INOP		1 900 m															

Change : Information of radial(270° → 271°).

AERONAUTICAL DATA TABULATION

Instrument Approach Procedure Coding Tables

RNP RWY 14L

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ TCH	Navigation specification	Remarks
001	IF	DOKDO	-	-	-	-	+4 000	-	37°36'17.1"N 126°33'07.1"E	-	RNP APCH	IAF
002	TF	GU009	-	053 (044.9)	6.2	-	+2 800	-180	37°40'40.0"N 126°38'36.6"E	-	RNP APCH	IF
003	TF	GU004	-	144 (134.9)	5.0	-	+1 400	-	37°37'07.1"N 126°43'04.8"E	-	RNP APCH	FAF
004	TF	GU002	-	144 (135.0)	1.7	-	+840	-	37°35'54.2"N 126°44'36.6"E	-	RNP APCH	SDF
005	TF	RW14L	Y	144 (135.0)	2.3	-	+480	-	37°34'14.55"N 126°46'41.80"E	-3.01/50	RNP APCH	MAPt
006	TF	DU994	-	145 (135.9)	6.0	-	-	-	37°29'54.5"N 126°51'57.6"E	-	RNP APCH	-
007	TF	DU987	-	233 (223.9)	6.6	-	-	-220	37°25'09.3"N 126°46'13.6"E	-	RNP APCH	-
008	TF	DOKDO	Y	326 (316.9)	15.2	-	+4 000	-220	37°36'17.1"N 126°33'07.1"E	-	RNP APCH	-
009	HM	DOKDO	Y	324 (314.9)	-	R	-5 000 +4 000	-200	37°36'17.1"N 126°33'07.1"E	-	RNP APCH	¹ min (Outbound timing)


**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 14R - ELEV 34 ft

SEOUL APP 119.75
119.1
GIMPO TWR 118.1
118.05

SEOUL/Gimpo Intl(RKSS)
ILS or LOC RWY 14R
CAT II & III

Note : Approach under ICAO Flight Procedures.




126°30' E 126°40' E 126°50' E

RECOMMENDED PROFILE	DME IOFR	4	3	2
Final Approach Gradient 5.24%, 318 ft/NM	ALT(HGT)	1 336 (1 302)	1 018 (984)	700 (666)

MISSED APPROACH

Climb to 4 000 ft on RWY HDG to R 144 KIP/D5 then turn right to intercept and proceed via R 311 SEL to DOKDO. Hold as published.



CATEGORY			DA(DH)/ MDA(MDH)	A	B	C	D
Straight-in	CAT-I	FULL	234 (200)	RVR 550 m, VIS 800 m			
		ALS INOP		1 200 m			
	LOC	GP INOP	420 (386)	1 100 m			
		GP & ALS INOP		1 800 m			
	CAT II		134(100)	300 m	300 m ¹ /350 m		
	CAT IIIa		-	175 m			
	CAT IIIb		-	75 m ² /125 m			

NOTE

1. Missed approach turn limited to 220 kt IAS maximum.
 - 2) For CAT D aeroplane conducting an autoland.
 - 2) Aeroplane use Fail-operational system.
- * Timing Not authorized for defining MAPt.
* Circling Not authorized.

Change : Information of radial(270° → 271°).

SEOUL/Gimpo Intl(RKSS)
ILS or LOC RWY 14R
CAT II & III

AERONAUTICAL DATA TABULATION

ILS/LOC Approach to RWY 14R from DOKDO		
Fix / Point		Coordinates
DOKDO(IAF)		37°36'17.1"N 126°33'07.1"E
DU009(IF)	BRG 53.48°/6.00 NM	37°40'31.8"N 126°38'26.2"E
DU004(FAF)	BRG 143.53°/4.20 NM IOFR	37°36'59.0"N 126°42'54.3"E
D2.0 IOFR (SDF LOC ONLY)	BRG 143.53°/2.00 NM IOFR	37°35'23.9"N 126°44'53.9"E
D0.8 IOFR (MAPt LOC ONLY)	BRG 143.53°/0.80 NM IOFR	37°34'32.9"N 126°45'58.1"E
THR RWY 14R		37°34'06.19"N 126°46'31.60"E
IOFR DME		37°34'01.9"N 126°46'44.2"E
KIP VOR/DME		37°33'27.1"N 126°47'31.3"E
D5 KIP	R 144 KIP/5.00 NM	37°29'50.7"N 126°51'52.7"E
DOKDO	R 311 SEL/21.00 NM	37°36'17.1"N 126°33'07.1"E


**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 14R - ELEV 34 ft

SEOUL APP 119.75
119.1
GIMPO TWR 118.1
118.05

**SEOUL/Gimpo Intl(RKSS)
RNP RWY 14R**

Note : Approach under ICAO Flight Procedures.




MISSED APPROACH

Climb to 4 000 ft. Track to DU994, DU987 and DOKDO. Hold as published.

NOTE

1. Missed approach turn limited to 220 kt IAS maximum.

TRANSITION ALT 14 000
TRANSITION LVL FL 140



CATEGORY		MDA(H)/DA(H)	A	B	C	D		Knots	60	90	120	150	180
LNAV	FULL	450 (416)	1 200 m				Rate of descent	V/V fpm	318	478	637	796	955
	ALS INOP		1 900 m										
LNAV/VNAV	FULL	450 (416)	1 200 m				* Timing Not authorized for defining MAPt. * Circling Not authorized.						
	ALS INOP		1 900 m										

Change : Information of radial(270° → 271°).

AERONAUTICAL DATA TABULATION

Instrument Approach Procedure Coding Tables

RNP RWY 14R


Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ TCH	Navigation specification	Remarks
001	IF	DOKDO	-	-	-	-	+4 000	-	37°36'17.1"N 126°33'07.1"E	-	RNP APCH	IAF
002	TF	DU009	-	053 (044.9)	6.0	-	+2 800	-180	37°40'31.8"N 126°38'26.2"E	-	RNP APCH	IF
003	TF	DU004	-	144 (134.9)	5.0	-	+1 400	-	37°36'59.0"N 126°42'54.3"E	-	RNP APCH	FAF
004	TF	DU002	-	144 (135.0)	1.7	-	+840	-	37°35'45.6"N 126°44'26.6"E	-	RNP APCH	SDF
005	TF	RW14R	Y	144 (135.0)	2.3	-	+450	-	37°34'06.19"N 126°46'31.60"E	-3.01/50	RNP APCH	MAPt
006	TF	DU994	-	143 (134.1)	6.0	-	-	-	37°29'54.5"N 126°51'57.6"E	-	RNP APCH	-
007	TF	DU987	-	233 (223.9)	6.6	-	-	-220	37°25'09.3"N 126°46'13.6"E	-	RNP APCH	-
008	TF	DOKDO	Y	326 (316.9)	15.2	-	+4 000	-220	37°36'17.1"N 126°33'07.1"E	-	RNP APCH	-
009	HM	DOKDO	Y	324 (314.9)	-	R	-5 000 +4 000	-200	37°36'17.1"N 126°33'07.1"E	-	RNP APCH	¹ min (Outbound timing)

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 32L - ELEV **41 ft**

SEOUL	APP	119.75
		119.1
GIMPO	TWR	118.1
		118.05


SEOUL/Gimpo Intl(RKSS)
ILS or LOC RWY 32L

Note : Approach under ICAO Flight Procedures.



TRANSITION ALT 14 000
TRANSITION LVL FL 140

NOTE
1. Missed approach turn limited to 220 kt IAS maximum.



CATEGORY			DA(DH)/MDA(MDH)	A	B	C	D	MISSED APPROACH After 500 ft, Climb on HDG 324° to R 323 KIP/D5. Continue climb to 4 000 ft. Turn left direct to CAVOL. Hold as published. * Timing Not authorized for defining MAPt. * Circling Not authorized.
Straight-in	CAT-I	FULL	241	RVR 550 m, VIS 800 m				
		ALS INOP	(200)					
	LOC	GP INOP	740	1 200 m				
		GP & ALS INOP	(699)	2 500 m				
				3 200 m				

Change : Information of fix name(SULPU → WONKO).

SEOUL/Gimpo Intl(RKSS)
ILS or LOC RWY 32L

AERONAUTICAL DATA TABULATION

ILS/LOC Approach to RWY 32L from KT023 to WONKO(IF)		
Fix / Point		Coordinates
KT023(IAF)		37°27'20.9"N 127°11'04.4"E
KT018(SDF)	BRG 259.29°/5.00 NM	37°25'41.9"N 127°05'11.1"E
WONKO(IF)	BRG 259.60°/5.10 NM	37°24'02.0"N 126°59'08.0"E
ILS/LOC Approach to RWY 32L from BUMSI to WONKO(IF)		
Fix / Point		Coordinates
BUMSI(IAF)		37°15'10.2"N 127°10'09.6"E
PUDUB(SDF)	BRG 323.86°/7.42 NM	37°20'26.5"N 127°03'36.6"E
WONKO(IF)	BRG 323.79°/5.06 NM	37°24'02.0"N 126°59'08.0"E
ILS/LOC Approach to RWY 32L from PT022 to WONKO(IF)		
Fix / Point		Coordinates
PT022(IAF)		37°17'00.6"N 126°50'21.9"E
PT017(SDF)	BRG 54.22°/5.00 NM	37°20'30.7"N 126°54'50.7"E
WONKO(IF)	BRG 52.77°/4.90 NM	37°24'02.0"N 126°59'08.0"E
ILS/LOC Approach to RWY 32L from WONKO(IF) to MAHF		
Fix / Point		Coordinates
DT009(SDF)	BRG 323.72°/9.10 NM IKMO	37°26'36.1"N 126°55'55.6"E
DT007(SDF)	BRG 323.72°/7.50 NM IKMO	37°27'44.9"N 126°54'29.5"E
DT006(FAF)	BRG 323.72°/6.10 NM IKMO	37°28'42.9"N 126°53'17.0"E
D1.0 IKMO (MAPt LOC ONLY)	BRG 323.72°/1.00 NM IKMO	37°32'17.6"N 126°48'48.0"E
THR RWY 32L		37°32'52.83"N 126°48'03.71"E
IKMO DME		37°32'57.4"N 126°47'51.3"E
KIP VOR/DME		37°33'27.1"N 126°47'31.3"E
Climb to 500 ft	HDG 324	-
D5 KIP	R 323 KIP/5.00 NM	37°36'59.7"N 126°43'04.6"E
CAVOI	BRG 223.11°/19.00 NM SEL	37°32'02.0"N 126°33'37.0"E

Change : Information of fix name(SULPU → WONKO).

**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 32L - ELEV 41 ft


SEOUL APP 119.75
119.1
GIMPO TWR 118.2
118.8

SEOUL/Gimpo Intl(RKSS)
RNP RWY 32L

Note : Approach under ICAO Flight Procedures.


126°50'E

127°10'E



MISSED APPROACH

Climb to 4 000 ft. Track to DT993 and CAVOI.
Hold as published.



Change : Information of fix name(SULPU → WONKO).

SEOUL/Gimpo Intl(RKSS)
RNP RWY 32L

AERONAUTICAL DATA TABULATION

Instrument Approach Procedure Coding Tables

RNP RWY 32L - via KT023 to WONKO(If)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/RDH	Navigation specification	Remarks
001	IF	KT023	-	-	-	-	+7 000	-	37°27'20.9"N 127°11'04.4"E	-	RNP APCH	IAF
002	TF	KT018	-	259 (250.7)	5.0	-	+5 500	-	37°25'41.9"N 127°05'11.1"E	-	RNP APCH	SDF
003	TF	WONKO	-	260 (251.0)	5.1	-	+4 000	-	37°24'02.0"N 126°59'08.0"E	-	RNP APCH	IF

RNP RWY 32L - via BUMSI to WONKO(If)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/RDH	Navigation specification	Remarks
001	IF	BUMSI	-	-	-	-	+8 000	-	37°15'10.2"N 127°10'09.6"E	-	RNP APCH	IAF
002	TF	PUDU8	-	324 (315.2)	7.4	-	+5 500	-	37°20'26.5"N 127°03'36.6"E	-	RNP APCH	SDF
003	TF	WONKO	-	324 (315.2)	5.1	-	+4 000	-	37°24'02.0"N 126°59'08.0"E	-	RNP APCH	IF

RNP RWY 32L - via PT022 to WONKO(If)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/RDH	Navigation specification	Remarks
001	IF	PT022	-	-	-	-	+7 000	-	37°17'00.6"N 126°50'21.9"E	-	RNP APCH	IAF
002	TF	PT017	-	054 (045.6)	5.0	-	+5 500	-	37°20'30.7"N 126°54'50.7"E	-	RNP APCH	SDF
003	TF	WONKO	-	053 (044.2)	4.9	-	+4 000	-	37°24'02.0"N 126°59'08.0"E	-	RNP APCH	IF

RNP RWY 32L - via WONKO(If) to MAHF

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/RDH	Navigation specification	Remarks
003	TF	WONKO	-	-	-	-	+4 000	-	37°24'02.0"N 126°59'08.0"E	-	RNP APCH	IF
004	TF	DT009	-	324 (315.1)	3.6	-	+2 800	-	37°26'36.1"N 126°55'55.6"E	-	RNP APCH	SDF
005	TF	DT007	-	324 (315.1)	1.6	-	+2 300	-	37°27'44.9"N 126°54'29.5"E	-	RNP APCH	SDF
006	TF	DT006	-	324 (315.1)	1.4	-	+2 000	-	37°28'42.9"N 126°53'17.0"E	-	RNP APCH	FAF
007	TF	RW32L	Y	324 (315.1)	5.9	-	+700	-	37°32'52.83"N 126°48'03.71"E	-3.06/50	RNP APCH	MAPt
008	TF	DT993	-	324 (315.9)	7.3	-	-	-	37°38'07.5"N 126°41'39.6"E	-	RNP APCH	-
009	TF	CAVOI	Y	235 (226.5)	8.8	-	+4 000	-	37°32'02.0"N 126°33'37.0"E	-	RNP APCH	-

HOLDING PROCEDURE

Holding Identification	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Time (min)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/RDH	Navigation specification	Remarks
RNP RWY 32L	HM	BUMSI	Y	324 (315.2)	1	R	+8 000	-230	37°15'10.2"N 127°10'09.6"E	-	RNAV 1	-
	HM	CAVOI	Y	301 (292.2)	1	R	-6 000 +4 000	-	37°32'02.0"N 126°33'37.0"E	-	RNAV 1	-

Change : Information of fix name(SULPU → WONKO).

**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 32L - ELEV 41 ft


SEOUL APP 119.75
119.1
GIMPO TWR 118.1
118.05

**SEOUL/Gimpo Intl(RKSS)
VOR RWY 32L**

Note : Approach under ICAO Flight Procedures.

126°50'E

127°10'E



RECOMMENDED PROFILE					DME KIP	6	5	4	3
Final Gradient 5.2%(316.7 ft/NM) to SDF, 5.5%(335.7 ft/NM) to THR					ALT(HGT)	1 810(1 769)	1 493(1 452)	1 177(1 136)	860(819)

MISSED APPROACH

Climb to 4 000 ft on R 323 KIP to 5 DME then turn left direct to CAVOI.
Hold as published.

NOTE

1. Missed approach turn limited to 220 kt IAS maximum.

TRANSITION ALT 14 000
TRANSITION LVL FL 140

CAVOI

R 323 KIP/D5

R 323 KIP

ELEV 41

THR RWY 32L

0 2 6 8 11 18 25

NM FROM THR RWY 32L

SDF D18.0

SDF D20.0

IF D13.2

FAF D6.6

MAPt D1.3

KIP VOR/DME

5.2% (3.0°)

5.5% (3.2°)

324°

321°

324°

321°

8 000 (7 959)

5 500 (5 459)

4 000 (3 959)

2 900 (2 859)

2 000 (1 959)

1 600

2 800

3 300

5 500

8 000

9 000

10 000

11 000

12 000

13 000

14 000

15 000

16 000

17 000

18 000

19 000

20 000

21 000

22 000

23 000

24 000

25 000

26 000

27 000

28 000

29 000

30 000

31 000

32 000

33 000

34 000

35 000

36 000

37 000

38 000

39 000

40 000

41 000

42 000

43 000

44 000

45 000

46 000

47 000

48 000

49 000

50 000

51 000

52 000

53 000

54 000

55 000

56 000

57 000

58 000

59 000

60 000

61 000

62 000

63 000

64 000

65 000

66 000

67 000

68 000

69 000

70 000

71 000

72 000

73 000

74 000

75 000

76 000

77 000

78 000

79 000

80 000

81 000

82 000

83 000

84 000

85 000

86 000

87 000

88 000

89 000

90 000

91 000

92 000

93 000

94 000

95 000

96 000

97 000

98 000

99 000

100 000

101 000

102 000

103 000

104 000

105 000

106 000

107 000

108 000

109 000

110 000

111 000

112 000

113 000

114 000

115 000

116 000

117 000

118 000

119 000

120 000

121 000

122 000

123 000

124 000

125 000

126 000

127 000

128 000

129 000

130 000

131 000

132 000

133 000

134 000

135 000

136 000

137 000

138 000

139 000

140 000

141 000

142 000

143 000

144 000

145 000

146 000

147 000

148 000

149 000

150 000

151 000

152 000

153 000

154 000

155 000

156 000

157 000

158 000

159 000

160 000

161 000

162 000

163 000

164 000

165 000

166 000

167 000

168 000

169 040

170 000

171 000

172 000

173 000

174 000

175 000

176 000

177 000

178 000

179 000

180 000

181 000

182 000

183 000

184 000

185 000

186 000

187 000

188 000

189 000

190 000

191 000

192 000

193 000

194 000

195 000

196 000

197 000

198 000

199 000

200 000

201 000

202 000

203 000

204 000

205 000

206 000

207 000

208 000

209 000

210 000

211 000

212 000

213 000

214 000

215 000

216 000

217 000

218 000

219 000

220 000

221 000

222 000

223 000

224 000

225 000

226 000

227 000

228 000

229 000

230 000

231 000

232 000

233 000

234 000

235 000

236 000

237 000

238 000

239 000

240 000

241 000

242 000

243 000

244 000

245 000

246 000

247 000

248 000

249 000

250 000

251 000

252 000

253 000

254 000

255 000

256 000

257 000

258 000

259 000

260 000

261 000

262 000

263 000

264 000

265 000

266 000

267 000

268 000

269 000

270 000

271 000

272 000

273 000

274 000

275 000

276 000

277 000

278 000

279 000

280 000

281 000

282 000

283 000

284 000

285 000

286 000

287 000

288 000

289 000

290 000

291 000

292 000

293 000

294 000

295 000

296 000

297 000

298 000

299 000

300 000

301 000

302 000

303 000

304 000

305 000

306 000

307 000

308 000

309 000

310 000

311 000

312 000

313 000

314 000

315 000

316 000

317 000

318 000

319 000

320 000

321 000

322 000

323 000

324 000

325 000

326 000

327 000

328 000

329 000

330 000

331 000

332 000

333 000

334 000

335 000

336 000

337 000

338 000

339 000

340 000

341 000

342 000

343 000

344 000

345 000

346 000

347 000

348 000

349 000

350 000

351 000

352 000

353 000

354 000

355 000

356 000

357 000

358 000

359 000

360 000

361 000

362 000

363 000

364 000

365 000

366 000

367 000

368 000

369 000

370 000

371 000

372 000

373 000

374 000

375 000

376 000

377 000

378 000

379 000

380 000

381 000

382 000

383 000

384 000

385 000

386 000

387 000

388 000

389 000

390 000

391 000

392 000

393 000

394 000

395 000

396 000

397 000

398 000

399 000

400 000

401 000

402 000

403 000

404 000

405 000

406 000

407 000

408 000

409 000

410 000

411 000

412 000

413 000

414 000

415 000

416 000

417 000

418 000

419 000

420 000

421 000

422 000

423 000

424 000

425 000

426 000

427 000

428 000

429 000

430 000

431 000

432 000

433 000

434 000

435 000

436 000

437 000

438 000

439 000

440 000

441 000

442 000

443 000

444 000

445 000

446 000

447 000

448 000

449 000

450 000

451 000

452 000

453 000

454 000

455 000

456 000

457 000

458 000

459 000

460 000

461 000

462 000

463 000

464 000

465 000

466 000

467 000

468 000

469 000

470 000

471 000

472 000

473 000

474 000

475 000

476 000

477 000

478 000

479 000

480 000

481 000

482 000

483 000

484 000

485 000

486 000

487 000

488 000

489 000

490 000

491 000

492 000

493 000

494 000

495 000

496 000

497 000

498 000

499 000

500 000

501 000

502 000

503 000

504 000

505 000

506 000

507 000

508 000

509 000

510 000

511 000

512 000

513 000

514 000

515 000

516 000

517 000

518 000

519 000

520 000

521 000

522 000

523 000

524 000

525 000

526 000

527 000

528 000

529 000

530 000

531 000

532 000

533 000

534 000

535 000

536 000

537 000

538 000

539 000

540 000

541 000

542 000

543 000

544 000

545 000

546 000

547 000

548 000

549 000

550 000

551 000

552 000

553 000

554 000

555 000

556 000

557 000

558 000

559 000

560 000

561 000

562 000

563 000

564 000

565 000

566 000

567 000

568 000

569 000

570 000

571 000

572 000

573 000

574 000

575 000

576 000

577 000

578 000

579 000

580 000

581 000

582 000

583 000

584 000

585 000

586 000

587 000

588 000

589 000

590 000

591 000

592 000

593 000

594 000

595 000

596 000

597 000

598 000

599 000

600 000

601 000

602 000

603 000

604 000

605 000

606 000

607 000

608 000

609 000

610 000

611 000

612 000

613 000

614 000

615 000

616 000

617 000

618 000

619 000

620 000

621 000

622 000

623 000

624 000

625 000

626 000

627 000

628 000

629 000

630 000

631 000

632 000

633 000

634 000

635 000

636 000

637 000

638 000

639 000

640 000

641 000

642 000

643 000

644 000

645 000

646 000

647 000

648 000

649 000

650 000

651 000

652 000

653 000

654 000

655 000

656 000

657 000

658 000

659 000

660 000

661 000

662 000

663 000

664 000

665 000

666 000

667 000

668 000

669 000

670 000

671 000

672 000

673 000

674 000

675 000

676 000

677 000

678 000

679 000

680 000

681 000

682 000

683 000

684 000

685 000

686 000

687 000

688 000

689 000

690 000

691 000

692 000

693 000

694 000

695 000

696 000

697 000

698 000

699 000

700 000

701 000

702 000

703 000

704 000

705 000

706 000

707 000

708 000

709 000

710 000

711 000

712 000

713 000

714 000

715 000

716 000

717 000

718 000

719 000

720 000

721 000

722 000

723 000

724 000

725 000

726 000

727 000

728 000

729 000

730 000

731 000

732 000

733 000

734 000

735 000

736 000

737 000

738 000

739 000

740 000

741 000

742 000

743 000

744 000

745 000

746 000

747 000

748 000

749 000

750 000

751 000

752 000

753 000

754 000

755 000

756 000

757 000

758 000

759 000

760 000

761 000

762 000

763 000

764 000

765 000

766 000

767 000

768 000

769 000

770 000

771 000

772 000

773 000

774 000

775 000

776 000

777 000

778 000

779 000

780 000

781 000

782 000

783 000

784 000

785 000

786 000

787 000

788 000

789 000

790 000

791 000

792 000

793 000

794 000

795 000

796 000

797 000

798 000

799 000

800 000

801 000

802 000

803 000

804 000

805 000

806 000

807 000

808 000

809 000

810 000

811 000

812 000

813 000

814 000

815 000

816 000

817 000

818 000

819 000

820 000

821 000

822 000

823 000

824 000

825 000

826 000

827 000

828 000

829 000

830 000

831 000

832 000

833 000

834 000

835 000

836 000

837 000

838 000

839 000

840 000

841 000

842 000

843 000

844 000

845 000

846 000

847 000

848 000

849 000

850 000

851 000

852 000

853 000

854 000

855 000

856 000

857 000

858 000

859 000

860 000

861 000

862 000

863 000

864 000

865 000

866 000

867 000

868 000

869 000

870 000

871 000

872 000

873 000

874 000

875 000

876 000

877 000

878 000

879 000

880 000

881 000

882 000

883 000

884 000

885 000

886 000

887 000

888 000

889 000

890 000

891 000

892 000

893 000

894 000

895 000

896 000

897 000

898 000

899 000

900 000

901 000

902 000

903 000

904 000

905 000

906 000

907 000

908 000

909 000

910 000

911 000

912 000

913 000

914 000

915 000

916 000

917 000

918 000

919 000

920 000

921 000

922 000

923 000

924 000

925 000

926 000

927 000

928 000

929 000

930 000

931 000

932 000

933 000

934 000

935 000

936 000

937 000

938 000

939 000

940 000

941 000

942 000

943 000

944 000

945 000

946 000

947 000

948 000

949 000

950 000

951 000

952 000

953 000

954 000

955 000

956 000

957 000

958 000

959 000

960 000

961 000

962 000

963 000

964 000

965 000

966 000

967 000

968 000

969 000

970 000

971 000

972 000

973 000

974 000

975 000

976 000

977 000

978 000

979 000

980 000

981 000

982 000

983 000

984 000

9

Change : Information of radial(270° → 271°).

SEOUL/Gimpo Intl(RKSS)
VOR RWY 32L

AERONAUTICAL DATA TABULATION

VOR Approach to RWY 32L from BUMSI		
Fix / Point		Coordinates
BUMSI(IAF)		37°15'10.2"N 127°10'09.6"E
D20 KIP(SDF)	BRG 320.65°/5.68 NM	37°19'00.4"N 127°04'54.7"E
D18 KIP(SDF)	BRG 324.48°/18.00 NM KIP	37°20'27.2"N 127°03'10.7"E
D13.2 KIP(IF)	BRG 324.48°/13.20 NM KIP	37°23'55.4"N 126°59'00.7"E
D9.6 KIP(SDF)	BRG 324.48°/9.60 NM KIP	37°26'31.4"N 126°55'52.9"E
D6.6 KIP(FAF)	BRG 324.48°/6.60 NM KIP	37°28'41.4"N 126°53'16.3"E
D3.0 KIP(SDF)	BRG 324.48°/3.00 NM KIP	37°31'17.3"N 126°50'08.2"E
D1.3 KIP(MAPt)	BRG 324.48°/1.30 NM KIP	37°32'30.8"N 126°48'39.2"E
THR RWY 32L	Final approach descent angle 2.98°(FAF - SDF)/3.16°(SDF - THR)	37°32'52.83"N 126°48'03.71"E
KIP VOR/DME		37°33'27.1"N 126°47'31.3"E
D5 KIP	R 323 KIP/5.00 NM	37°36'59.7"N 126°43'04.6"E
CAVOI	BRG 223.11°/19.00 NM SEL	37°32'02.0"N 126°33'37.0"E


**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 32R - ELEV 42 ft

SEOUL APP 119.75
119.1
GIMPO TWR 118.1
118.05

**SEOUL/Gimpo Intl(RKSS)
ILS or LOC RWY 32R**

Note : Approach under ICAO Flight Procedures.




RECOMMENDED PROFILE		DME ISKP	6	5	4	3	2
Final Approach Gradient 5.24%, 318 ft/NM		ALT(HGT)	1 968 (1 926)	1 656 (1 614)	1 330 (1 288)	1 005 (963)	682 (640)

TRANSITION ALT 14 000
TRANSITION LVL FL 140

NOTE

1. Missed approach turn limited to 220 kt IAS maximum.



CATEGORY			DA(DH)/ MDA(MDH)	A	B	C	D	MISSED APPROACH After 500 ft, Climb on HDG 323° to R 323 KIP/D5. Continue climb to 4 000 ft. Turn left direct to CAVOL. Hold as published. * Timing Not authorized for defining MAPt. * Circling Not authorized.
Straight-in	CAT-I	FULL	242 (200)	RVR 550 m, VIS 800 m				
		ALS INOP		1 200 m				
	LOC	GP INOP	600 (558)	1 800 m				
		GP & ALS INOP		2 500 m				

Change : Information of fix name(MOMGI → MOBAK).

SEOUL/Gimpo Intl(RKSS)
ILS or LOC RWY 32R

AERONAUTICAL DATA TABULATION

ILS/LOC Approach to RWY 32R from KT023 to MOBAK(IF)		
Fix / Point		Coordinates
KT023(IAF)		37°27'20.9"N 127°11'04.4"E
KT018(SDF)	BRG 259.29°/5.00 NM	37°25'41.9"N 127°05'11.1"E
MOBAK(IF)	BRG 259.23°/4.87 NM	37°24'04.7"N 126°59'25.2"E
ILS/LOC Approach to RWY 32R from BUMSI to MOBAK(IF)		
Fix / Point		Coordinates
BUMSI(IAF)		37°15'10.2"N 127°10'09.6"E
PUDUB(SDF)	BRG 323.86°/7.42 NM	37°20'26.5"N 127°03'36.6"E
MOBAK(IF)	BRG 326.03°/4.93 NM	37°24'04.7"N 126°59'25.2"E
ILS/LOC Approach to RWY 32R from PT022 to MOBAK(IF)		
Fix / Point		Coordinates
PT022(IAF)		37°17'00.6"N 126°50'21.9"E
PT017(SDF)	BRG 54.22°/5.00 NM	37°20'30.7"N 126°54'50.7"E
MOBAK(IF)	BRG 54.26°/5.10 NM	37°24'04.7"N 126°59'25.2"E
ILS/LOC Approach to RWY 32R from MOBAK(IF) to MAHF		
Fix / Point		Coordinates
GT009(SDF)	BRG 323.75°/9.00 NM ISKP	37°26'39.3"N 126°56'12.2"E
GT007(SDF)	BRG 323.75°/7.40 NM ISKP	37°27'47.4"N 126°54'47.0"E
GT006(FAF)	BRG 323.90°/6.10 NM ISKP	37°28'42.2"N 126°53'38.9"E
D1.0 ISKP (MAPt LOC ONLY)	BRG 323.90°/1.00 NM ISKP	37°32'16.7"N 126°49'09.7"E
THR RWY 32R		37°32'51.89"N 126°48'25.58"E
ISKP DME		37°32'56.3"N 126°48'12.9"E
KIP VOR/DME		37°33'27.1"N 126°47'31.3"E
Climb to 500 ft	HDG 323	-
D5 KIP	R 323 KIP/5.00 NM	37°36'59.7"N 126°43'04.6"E
CAVOI	BRG 222.76°/19.00 NM SEL	37°32'02.0"N 126°33'37.0"E

Change : Information of fix name(MOMGI → MOBAK).

**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 32R - ELEV 42 ft


SEOUL APP 119.75
119.1
GIMPO TWR 118.1
118.05

**SEOUL/Gimpo Intl(RKSS)
RNP RWY 32R**

Note : Approach under ICAO Flight Procedures.

126°50'E


127°10'E



MISSED APPROACH

Climb to 4 000 ft. Track to DT993 and CAVOI. Hold as published.

TRANSITION ALT 14 000
TRANSITION LVL FL 140



CATEGORY			MDA(H)/DA(H)	A	B	C	D		Knots	60	90	120	150	180					
STA	LNAV	FULL	670 (628)	2 200 m				Rate of descent	V/V fpm	325	487	649	812	974					
		ALS INOP		2 900 m															
	LNAV/VNAV	FULL	600 (558)	1 800 m				* Timing Not authorized for defining MAPt. * Circling Not authorized.											
		ALS INOP		2 500 m															

Change : Information of fix name(MOMGI → MOBAK).

SEOUL/Gimpo Intl(RKSS)
RNP RWY 32R

AERONAUTICAL DATA TABULATION

Instrument Approach Procedure Coding Tables

RNP RWY 32R - via KT023 to MOBAK(IF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/RDH	Navigation specification	Remarks
001	IF	KT023	-	-	-	-	+7 000	-	37°27'20.9"N 127°11'04.4"E	-	RNP APCH	IAF
002	TF	KT018	-	259 (250.7)	5.0	-	+5 500	-	37°25'41.9"N 127°05'11.1"E	-	RNP APCH	SDF
003	TF	MOBAK	-	259 (250.6)	4.9	-	+4 000	-	37°24'04.7"N 126°59'25.2"E	-	RNP APCH	IF

RNP RWY 32R - via BUMSI to MOBAK(IF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/RDH	Navigation specification	Remarks
001	IF	BUMSI	-	-	-	-	+8 000	-	37°15'10.2"N 127°10'09.6"E	-	RNP APCH	IAF
002	TF	PUDUB	-	324 (315.2)	7.4	-	+5 500	-	37°20'26.5"N 127°03'36.6"E	-	RNP APCH	SDF
003	TF	MOBAK	-	326 (317.4)	4.9	-	+4 000	-	37°24'04.7"N 126°59'25.2"E	-	RNP APCH	IF

RNP RWY 32R - via PT022 to MOBAK(IF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/RDH	Navigation specification	Remarks
001	IF	PT022	-	-	-	-	+7 000	-	37°17'00.6"N 126°50'21.9"E	-	RNP APCH	IAF
002	TF	PT017	-	054 (045.6)	5.0	-	+5 500	-	37°20'30.7"N 126°54'50.7"E	-	RNP APCH	SDF
003	TF	MOBAK	-	054 (045.6)	5.1	-	+4 000	-	37°24'04.7"N 126°59'25.2"E	-	RNP APCH	IF

RNP RWY 32R - via MOBAK(IF) to MAHF

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/RDH	Navigation specification	Remarks
003	TF	MOBAK	-	-	-	-	+4 000	-	37°24'04.7"N 126°59'25.2"E	-	RNP APCH	IF
004	TF	GT009	-	324 (315.1)	3.6	-	+2 800	-	37°26'39.3"N 126°56'12.2"E	-	RNP APCH	SDF
005	TF	GT007	-	324 (315.1)	1.6	-	+2 300	-	37°27'47.4"N 126°54'47.0"E	-	RNP APCH	SDF
006	TF	GT006	-	324 (315.3)	1.3	-	+2 000	-	37°28'42.2"N 126°53'38.9"E	-	RNP APCH	FAF
007	TF	RW32R	Y	324 (315.0)	5.9	-	+670	-	37°32'51.89"N 126°48'25.58"E	-3.06/50	RNP APCH	MAPt
008	TF	DT993	-	323 (314.4)	7.5	-	-	-	37°38'07.5"N 126°41'39.6"E	-	RNP APCH	-
009	TF	CAVOI	Y	235 (226.5)	8.8	-	+4 000	-	37°32'02.0"N 126°33'37.0"E	-	RNP APCH	-

HOLDING PROCEDURE

Holding Identification	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Time (min)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/RDH	Navigation specification	Remarks
RNP RWY 32R	HM	BUMSI	Y	324 (315.2)	1	R	+8 000	-230	37°15'10.2"N 127°10'09.6"E	-	RNAV 1	-
	HM	CAVOI	Y	301 (292.2)	1	R	-6 000 +4 000	-	37°32'02.0"N 126°33'37.0"E	-	RNAV 1	-

Change : Information of fix name(MOMGI → MOBAK).

**INSTRUMENT
APPROACH
CHART - ICAO**

AERODROME ELEV 59 ft
HEIGHTS RELATED TO
THR RWY 32R - ELEV 42 ft


SEOUL APP 119.75
119.1
GIMPO TWR 118.1
118.05

**SEOUL/Gimpo Intl(RKSS)
VOR RWY 32R**

Note : Approach under ICAO Flight Procedures.

126°50'E

127°10'E



RECOMMENDED PROFILE				DME KIP	6	5	4	3
Final Gradient 5.2%(318.8 ft/NM) to SDF, 5.7%(345.5 ft/NM) to THR				ALT(HGT)	1 779 (1 737)	1 460 (1 418)	1 141 (1 399)	809 (767)

MISSED APPROACH

Climb to 4 000 ft on R 323 KIP to 5 DME then turn left direct to CAVOI.
Hold as published.

NOTE

1. Missed approach turn limited to 220 kt IAS maximum.

TRANSITION ALT 14 000

TRANSITION LVL FL 140

The diagram illustrates the missed approach profile for a runway. It begins at the runway end (THR RWY 32R) at an elevation of 42 feet. The initial climb is on the R 323 KIP (KIP/D5) with a 5.7% gradient (3.3 degrees) to the 5 DME point, where the altitude is 740 feet (698 feet). From 5 DME, the profile continues on the R 323 KIP with a 5.2% gradient (3.0 degrees) to the 12 NM point, where the altitude is 4 000 feet (3 958 feet). The profile then turns left to the CAVOI (Climb Altitude) with a 322-degree turn. The final altitude at CAVOI is 8 000 feet (7 958 feet). The diagram also shows the SDF (Standard Descent) and IF (Intermediate Fix) points, as well as the DME (Distance Measuring Equipment) and KIP (KIP/D5) points. The profile is shown as a solid line with a dashed line indicating the initial climb. The area under the profile is shaded with diagonal lines. The diagram includes various altitude and distance markers: 740 (698) at 5 DME, 920 at 6 NM, 1 600 at 8 NM, 2 800 at 10 NM, 3 300 at 12 NM, 3 958 at 14 NM, and 4 000 at 16 NM. The final altitude at CAVOI is 8 000 (7 958). The diagram also shows the SDF (Standard Descent) and IF (Intermediate Fix) points, as well as the DME (Distance Measuring Equipment) and KIP (KIP/D5) points.

CATEGORY		MDA(MDH)	A	B	C	D	Knots						
Straight-in	FULL	740 (698)	2 500 m				Rate of descent	V/V fpm	331	486	661	827	992
	ALS INOP		3 200 m					* Timing Not authorized for defining MAPt. * Circling Not authorized.					

Change : Information of radial(270° → 271°).

SEOUL/Gimpo Intl(RKSS)
VOR RWY 32R

AERONAUTICAL DATA TABULATION

VOR Approach to RWY 32R from BUMSI			
Fix / Point		Coordinates	
BUMSI(IAF)		37°15'10.2"N	127°10'09.6"E
D20 KIP(SDF)	BRG 327.70°/5.69 NM	37°19'29.9"N	127°05'32.0"E
D18 KIP(SDF)	BRG 322.48°/18.00 NM KIP	37°20'53.8"N	127°03'44.2"E
D13.2 KIP(IF)	BRG 322.48°/13.20 NM KIP	37°24'15.2"N	126°59'25.7"E
D9.6 KIP(SDF)	BRG 322.48°/9.60 NM KIP	37°26'45.9"N	126°56'11.2"E
D6.7 KIP(FAF)	BRG 322.48°/6.70 NM KIP	37°28'47.0"N	126°53'34.1"E
D3.5 KIP(SDF)	BRG 322.48°/3.50 NM KIP	37°31'00.8"N	126°50'40.9"E
D1.3 KIP(MAPt)	BRG 322.48°/1.30 NM KIP	37°32'32.8"N	126°48'41.7"E
THR RWY 32R	Final approach descent angle 3.00°(FAF - SDF)/3.25°(SDF - THR)	37°32'51.89"N	126°48'25.58"E
KIP VOR/DME		37°33'27.1"N	126°47'31.3"E
D5 KIP	R 323 KIP/5.00 NM	37°36'59.7"N	126°43'04.6"E
CAVOI	BRG 223.11°/19.00 NM SEL	37°32'02.0"N	126°33'37.0"E