


**STANDARD ARRIVAL CHART  
INSTRUMENT(STAR) - ICAO**

TRANSITION ALT 14 000  
TRANSITION LVL FL 140

|             |         |        |
|-------------|---------|--------|
| GWANGJU APP | 120.475 | 130.0  |
|             | 228.9   | 265.5  |
| MUAN TWR    | 118.25  | 118.85 |

**MUAN/Muan Intl(RKJB)**  
RWY 01  
RNAV MANGI 2C  
RNAV MANGI 2H  
RNAV KAMIT 2C

Note : Arrival under ICAO Flight Procedures.



**NOTE**

1. RNAV 1 operation.
2. GNSS required.
3. ATS surveillance service required.

Change : Information of standard instrument arrival procedure for RWY 01.

**OFFICE OF CIVIL AVIATION**

**AIRAC AIP AMDT 11/21**  
Effective : 1600UTC 3 NOV 2021

MUAN/Muan Intl(RKJB)  
RWY 01

RNAV MANGI 2C, RNAV MANGI 2H

RNAV KAMIT 2C, HOLDING PROCEDURE

AERONAUTICAL DATA TABULATION

## Standard Instrument Arrival Procedure Coding Tables

## RNAV MANGI 2C

| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Distance (NM) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates                | VPA/RDH | Navigation specification | Remarks |
|---------------|-----------------|---------------------|----------|---------------------|---------------|----------------|---------------|------------|----------------------------|---------|--------------------------|---------|
| 001           | IF              | MANGI               | -        | -                   | -             | -              | -             | -          | 35°30'11.3"N 126°44'31.7"E | -       | RNAV 1                   | -       |
| 002           | TF              | OSROX               | -        | 193(185.0)          | 14.9          | -              | +11 000       | -          | 35°15'18.1"N 126°42'56.2"E | -       | RNAV 1                   | -       |
| 003           | TF              | JB704               | -        | 193(185.0)          | 12.4          | -              | +8 000        | -          | 35°02'56.4"N 126°41'37.3"E | -       | RNAV 1                   | -       |
| 004           | TF              | VASVA               | -        | 193(185.0)          | 8.0           | -              | -             | -          | 34°54'59.5"N 126°40'46.8"E | -       | RNAV 1                   | -       |
| 005           | TF              | PEGRO               | -        | 220(212.2)          | 10.4          | -              | +5 000        | -          | 34°46'09.0"N 126°34'02.1"E | -       | RNAV 1                   | IAF     |

## RNAV MANGI 2H

| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Distance (NM) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates                | VPA/RDH | Navigation specification | Remarks |
|---------------|-----------------|---------------------|----------|---------------------|---------------|----------------|---------------|------------|----------------------------|---------|--------------------------|---------|
| 001           | IF              | MANGI               | -        | -                   | -             | -              | -             | -          | 35°30'11.3"N 126°44'31.7"E | -       | RNAV 1                   | -       |
| 002           | TF              | OSROX               | -        | 193(185.0)          | 14.9          | -              | +11 000       | -          | 35°15'18.1"N 126°42'56.2"E | -       | RNAV 1                   | -       |
| 003           | TF              | JB703               | -        | 238(230.5)          | 7.0           | -              | -9 000        | -          | 35°10'50.6"N 126°36'20.5"E | -       | RNAV 1                   | -       |
| 004           | TF              | JB702               | -        | 238(230.5)          | 15.8          | -              | +8 000        | -          | 35°00'44.9"N 126°21'29.4"E | -       | RNAV 1                   | -       |
| 005           | TF              | JB701               | -        | 239(230.9)          | 12.0          | -              | +7 000        | -          | 34°53'09.6"N 126°10'10.3"E | -       | RNAV 1                   | -       |
| 006           | TF              | OVGEN               | -        | 177(168.8)          | 6.9           | -              | +5 000        | -          | 34°46'22.2"N 126°11'47.9"E | -       | RNAV 1                   | IAF     |

## RNAV KAMIT 2C

| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Distance (NM) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates                | VPA/RDH | Navigation specification | Remarks |
|---------------|-----------------|---------------------|----------|---------------------|---------------|----------------|---------------|------------|----------------------------|---------|--------------------------|---------|
| 001           | IF              | KAMIT               | -        | -                   | -             | -              | -13 000       | -270       | 34°15'14.1"N 126°46'17.7"E | -       | RNAV 1                   | -       |
| 002           | TF              | JB705               | -        | 325(317.6)          | 4.1           | -              | -12 000       | -270       | 34°18'14.7"N 126°42'58.8"E | -       | RNAV 1                   | -       |
| 003           | TF              | JB706               | -        | 325(317.5)          | 13.6          | -              | -9 000        | -270       | 34°28'15.6"N 126°31'54.1"E | -       | RNAV 1                   | -       |
| 004           | TF              | OLBES               | -        | 323(315.5)          | 11.0          | -              | +6 000        | -          | 34°36'08.1"N 126°22'32.0"E | -       | RNAV 1                   | IAF     |

## HOLDING PROCEDURE

| Holding Identification | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Time (min) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates                | VPA/RDH | Navigation specification | Remarks |
|------------------------|-----------------|---------------------|----------|---------------------|------------|----------------|---------------|------------|----------------------------|---------|--------------------------|---------|
| RNAV MANGI 2H          | HM              | OVGEN               | Y        | 045 (037.0)         | 1          | L              | @5 000        | -230       | 34°46'22.2"N 126°11'47.9"E | -       | RNAV 1                   | -       |

Change : Information of standard instrument arrival procedure for RWY 01.

**STANDARD ARRIVAL CHART  
INSTRUMENT(STAR) - ICAO**


TRANSITION ALT 14 000  
TRANSITION LVL FL 140

|             |         |        |
|-------------|---------|--------|
| GWANGJU APP | 120.475 | 130.0  |
|             | 228.9   | 265.5  |
| MUAN TWR    | 118.25  | 118.85 |

**MUAN/Muan Intl(RKJB)**

RWY 19  
RNAV MANGI 1D  
RNAV SAMUL 1D  
RNAV KAMIT 1D

Note : Arrival under ICAO Flight Procedures.



Change : Information of standard instrument arrival procedure for RWY 19.

**OFFICE OF CIVIL AVIATION**

**AIRAC AIP AMDT 11/21**  
Effective : 1600UTC 3 NOV 2021

MUAN/Muan Intl(RKJB)  
RWY 19  
RNAV MANGI 1D, RNAV SAMUL 1D  
RNAV KAMIT 1D

## AERONAUTICAL DATA TABULATION

## Standard Instrument Arrival Procedure Coding Tables

| RNAV MANGI 1D |                 |                     |          |                     |               |                |                  |            |                            |         |
|---------------|-----------------|---------------------|----------|---------------------|---------------|----------------|------------------|------------|----------------------------|---------|
| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Distance (NM) | Turn direction | Altitude (ft)    | Speed (kt) | Coordinates                | VPA/RDH |
| 001           | IF              | MANGI               | -        | -                   | -             | -              | -                | -          | 35°30'11.3"N 126°44'31.7"E | RNAV 1  |
| 002           | TF              | JB755               | -        | 193(185.0)          | 15.0          | -              | -9 000<br>+8 000 | -          | 35°15'13.4"N 126°42'55.7"E | RNAV 1  |
| 003           | TF              | DOWAN               | -        | 241(233.1)          | 9.9           | -              | +5 000           | -          | 35°09'16.1"N 126°33'16.0"E | RNAV 1  |

| RNAV SAMUL 1D |                 |                     |          |                     |               |                |               |            |                            |         |
|---------------|-----------------|---------------------|----------|---------------------|---------------|----------------|---------------|------------|----------------------------|---------|
| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Distance (NM) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates                | VPA/RDH |
| 001           | IF              | SAMUL               | -        | -                   | -             | -              | -             | -          | 35°07'35.5"N 126°51'54.4"E | RNAV 1  |
| 002           | TF              | KWA                 | -        | 277(269.6)          | 2.6           | -              | -             | -          | 35°07'34.4"N 126°48'43.6"E | RNAV 1  |
| 003           | TF              | DALSU               | -        | 277(269.4)          | 5.4           | -              | @7 000        | -          | 35°07'31.0"N 126°42'06.5"E | RNAV 1  |
| 004           | TF              | DOWAN               | -        | 291(283.6)          | 7.5           | -              | +5 000        | -          | 35°09'16.1"N 126°33'16.0"E | RNAV 1  |

| RNAV KAMIT 1D |                 |                     |          |                     |               |                |               |            |                            |         |
|---------------|-----------------|---------------------|----------|---------------------|---------------|----------------|---------------|------------|----------------------------|---------|
| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track °M(°T) | Distance (NM) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates                | VPA/RDH |
| 001           | IF              | KAMIT               | -        | -                   | -             | -              | -             | -          | 34°15'14.1"N 126°46'17.7"E | RNAV 1  |
| 002           | TF              | JB751               | -        | 013(005.0)          | 15.8          | -              | +13 000       | -          | 34°30'57.9"N 126°47'58.1"E | RNAV 1  |
| 003           | TF              | JB752               | -        | 324(316.4)          | 17.3          | -              | -9 000        | -          | 34°43'31.2"N 126°33'28.6"E | RNAV 1  |
| 004           | TF              | JB753               | -        | 324(316.3)          | 13.1          | -              | +8 000        | -          | 34°53'01.3"N 126°22'26.0"E | RNAV 1  |
| 005           | TF              | JB754               | -        | 324(316.2)          | 11.7          | -              | +6 000        | -          | 35°01'25.8"N 126°12'36.4"E | RNAV 1  |
| 006           | TF              | AYEON               | -        | 007(359.6)          | 7.7           | -              | +5 000        | -          | 35°09'10.2"N 126°12'32.1"E | RNAV 1  |