

ILS Z or LOC Z RWY 17

ELEV, ALT IN FEET
DIST IN NM
BRG ARE MAG
VAR 9° W

True North

RK D8
8 000 AGL
GND

MOA 8
FL 400
11 000 AMSL
MOA 8
8 000 AMSL
3 000 AGL

RK R136
500 AMSL
GND

(IF) UMNAE
Y
B
5.0
261°
(252.7°T)
4.7
295°
(286.9°T)
4.5
162.7°T
17.1°
651
LOC ONLY (FAF) IUJS D5.7
36°52'20"N
129°25'30"E
LOC ONLY (SDF) IUJS D4.1
555
LOC ONLY (MAPt) IUJS D1.9
158
223
LOC 108.1 IUJS
162.7°T
17.1°
TL045
-8.7
110°
(101.0°T)

MAX, MNM ALT 6 000
MAX SPEED 230 kt IAS
1 MIN
221°
041°

NOTE
1. RNAV 1 operation.
2. GNSS required.
3. ATS surveillance service required.
4. DME required on an LOC approach.
5. Cross UMNAE at 220 kt IAS or less.

MOA 9E
FL 400
11 000 AMSL
MOA 9E
10 000 AMSL
3 000 AGL

MOA 9W
FL 400
11 000 AMSL
MOA 9W
7 000 AMSL
3 000 AGL

CATA 7H
5 000 AMSL
2 300 AGL
CATA 7L
2 500 AGL
SEC

(MAHF) BANYA
311°
131°
MAX, MNM ALT 6 000
MAX SPEED 230 kt IAS
1 MIN

MOA 10
FL 400
10 000 AMSL

ELEVATIONS TINT LEGEND
3500
3000
2500
2000
1500
1000
500
Sea Level
ELEVATIONS ARE IN FEET

SCALE 1: 400000
0 10 km
0 5 NM

MSA 25 NM ULJIN ARP

129°20'E 129°30'E 129°40'E 129°50'E
36°40'N 36°50'N 37°0'N

to BANYA and hold at 6 000 ft.

TRANSITION ALT 14 000
TRANSITION LVL FL 140

IAF ALDON
SDF TL041
IF UMNAE
FAF IUJS D5.7
MAPt IUJS D1.9
IUJS DME
THR RWY 17
THR ELEV 175
ILS RDH 44

6 000 (5 825)
4 500 (4 325)
3 200 (3 025)
2 000 (1 825)
1 500 (1 325)
780 (605)

295°
261°
171°
GP 3.0°
171°

NM FROM THR RWY 17

OCA (H)		A	B	C	D
Straight-in Approach	CAT-I	375 (200)			
	LOC	780 (605)			

	Knots	60	90	120	150	180
Rate of descent V/V fpm	318	478	637	796	955	
* Timing NOT authorized for defining the MAPt.						
* Circling not authorized.						

AIRAC AIP AMDT 10/24
Effective : 1600UTC 27 NOV 2024

AERONAUTICAL DATA TABULATION

ILS Z / LOC Z Approach to RWY 17 from ALDON(IAF)	
Fix/Point	Coordinates
ALDON(IAF)	36°56'46.3"N 129°35'23.0"E
TL041(SDF)	36°58'07.9"N 129°29'46.5"E
UMNAE(IF) BRG 171.28° / 10.17 NM IUJS	36°56'38.6"N 129°23'49.1"E
D5.7 IUJS(FAF LOC Only) BRG 171.29° / 5.70 NM IUJS	36°52'20.0"N 129°25'29.6"E
D4.1 IUJS(SDF LOC Only) BRG 171.27° / 4.10 NM IUJS	36°50'50.7"N 129°26'04.2"E
D1.9 IUJS(MAPt LOC Only) BRG 171.27° / 1.90 NM IUJS	36°48'44.5"N 129°26'53.2"E
THR RWY 17 Final approach descent angle(LOC ONLY) 3.03° (FAF-SDF) / 3.05° (SDF-THR)	36°47'05.09"N 129°27'31.62"E
TL045	36°41'52.3"N 129°29'32.6"E
BANYA	36°40'12.4"N 129°40'05.8"E

Change : Information of MAPt and THR RWY 17.


AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 17 - ELEV **175 ft**

Note : Approach under ICAO Flight Procedures.

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ULJIN/Uljin(RKTL)


ILS Y or LOC Y RWY 17



RECOMMENDED PROFILE(LOC ONLY)	DME IUJS	5	4	3	1.9
Final Approach Gradient 5.3%, 324 ft/NM	ALT(HGT)	1 783 (1 608)	1 459 (1 284)	1 136 (961)	780 (605)

MISSED APPROACH

Climb straight ahead untill UJN D5 then turn left to BANYA and hold at 6 000 ft



Change : Information of OBST, IAF, MAPt and recommended profile.

AERONAUTICAL DATA TABULATION

ILS Y / LOC Y Approach to RWY 17 from ALDON(IAF)		
	Fix/Point	Coordinates
ALDON(IAF)	R 041 UJN / 12.00 NM UJN	36°56'46.3"N 129°35'23.0"E
D11.7 IUJS(IF)	BRG 171.28° / 11.70 NM IUJS	36°58'06.9"N 129°23'14.8"E
D9.0 IUJS(SDF)	BRG 171.29° / 9.00 NM IUJS	36°55'31.8"N 129°24'15.1"E
D5.7 IUJS(FAF LOC Only)	BRG 171.29° / 5.70 NM IUJS	36°52'20.0"N 129°25'29.6"E
D4.1 IUJS(SDF LOC Only)	BRG 171.27° / 4.10 NM IUJS	36°50'50.7"N 129°26'04.2"E
D1.9 IUJS(MAPt LOC Only)	BRG 171.27° / 1.90 NM IUJS	36°48'44.5"N 129°26'53.2"E
THR RWY 17	Final approach descent angle(LOC ONLY) 3.03°(FAF-SDF) / 3.05°(SDF-THR)	36°47'05.09"N 129°27'31.62"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D5 UJN	BRG 171.28° / 5.00 NM UJN	36°41'52.3"N 129°29'32.6"E
BANYA	R 131 UJN / 12.00 NM UJN	36°40'12.4"N 129°40'05.8"E

Change : Information of MAPt, THR RWY 17 and D5 UJN.


AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 17 - ELEV **175 ft**

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

RNP RWY 17



Climb to 6 000 ft on track of 171° to TL045, then turn left on track of 110° to BANYA. Hold as published.



OCA (H)		A	B	C	D							
Straight-in Approach	LNAV/VNAV	720 (545)					Knots	60	90	120	150	180
						Rate of descent	V/V fpm	362	543	724	905	1 087
	LNAV	950 (775)				* Timing NOT authorized for defining the MAPt.						
						* Circling not authorized.						

AIRAC AIP AMDT 9/24
Effective : 1600UTC 30 OCT 2024

AERONAUTICAL DATA TABULATION

Instrument approach Procedure Coding Tables

RNP RWY 17 - via ALDON(IAF) to BANYA(MAHF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track over M(T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
001	IF	ALDON	-	-	-	-	+6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	IAF
002	TF	TL041	-	295(286.8)	4.7	-	+4 500	-	36°58'07.9"N 129°29'46.5"E	-	RNP APCH	SDF
003	TF	UMNAE	-	261(252.7)	5.0	-	+3 200	-220	36°56'38.6"N 129°23'49.1"E	-	RNP APCH	IF
004	TF	TL043	-	171(162.7)	5.1	-	+2 000	-	36°51'46.1"N 129°25'42.7"E	-	RNP APCH	FAF
005	TF	RW170	Y	171(162.7)	4.9	-	+950	-	36°47'05.1"N 129°27'31.6"E	-3.41/50	RNP APCH	MAPt
006	TF	TL045	-	171(162.7)	5.5	-	-	-	36°41'52.3"N 129°29'32.6"E	-	RNP APCH	-
007	TF	BANYA	-	110(101.0)	8.7	-	@6 000	-	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	-
008	HM	BANYA	-	311(302.0)	-	L	@6 000	-230	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	1 MIN (outbound timing)

HOLDING PROCEDURE

Holding Identification	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track over M(T)	Time (min)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
RNP RWY 17	HM	ALDON	Y	221(182.0)	1.0	L	@6 000	-230	36°56'46.3"N 129°35'23.0"E	-	RNAV 1	-

VOR RWY 17

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45



RECOMMENDED PROFILE(LOC ONLY)	DME UJN	5	4	3	2.5
Final Approach Gradient 5.31%, 323 ft/NM	ALT(HGT)	1 677 (1 502)	1 354 (1 179)	1 032 (856)	870 (695)

IAF ALDON R 041 UJN/D12

IF UJN D12

6 000 (5 825)

3 800 (3 625)

181°

FAF UJN D6

SDF UJN D4

MAPt UJN D2.2

VOR/DME UJN

UJN D3

2 000 (1 825)

930 (755)

5.3% (3.0°)

170°

UJN D12 ARC

11 NM

5 NM

2 NM

NM FROM THR RWY 17

AD ELEV 175

BANYA

						Knots	60	90	120	150	180
OCA (H)	A	B	C	D	Rate of descent	V/V fpm	323	484	646	807	968
Straight-in Approach	930 (755)				* Timing NOT authorized for defining the MAPt.						
					* Circling not authorized.						

AIRAC AIP AMDT 9/24
Effective : 1600UTC 30 OCT 2024

ULJIN/Uijin(RCTL)
VOR RWY 17


AERONAUTICAL DATA TABULATION

VOR Approach to RWY 17 from ALDON(IAF)		
	Fix/Point	Coordinates
ALDON(IAF)	R 041 UJN / 12.00 NM UJN	36°56'46.3"N 129°35'23.0"E
D12.0 UJN(IF)	BRG 181.00° / 12.00 NM UJN	36°58'29.8"N 129°25'28.5"E
D6.0 UJN(FAF)	BRG 181.00° / 6.00 NM UJN	36°52'32.5"N 129°26'27.8"E
D4.0 UJN(SDF)	BRG 181.00° / 4.00 NM UJN	36°50'33.4"N 129°26'47.5"E
D2.2 UJN(MAPt)	BRG 181.00° / 2.20 NM UJN	36°48'46.2"N 129°27'05.3"E
THR RWY 17	Final approach descent angle (LOC ONLY) 3.01°(FAF-SDF) / 3.06°(SDF-THR)	36°47'05.1"N 129°27'31.6"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D3 UJN	R 170 UJN/ 3.00 NM UJN	36°43'44.3"N 129°28'38.3"E
BANYA	R 131 UJN/ 12.00 NM UJN	36°40'12.4"N 129°40'05.8"E

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ILS Z or LOC Z RWY 35


129°20'E 129°30'E 129°40'E 129°50'E



RECOMMENDED PROFILE(LOC ONLY)	DME IUJN	5	4	3	2	1.3
Final Approach Gradient 5.31%, 323 ft/NM	ALT(HGT)	1 778 (1 620)	1 455 (1 297)	1 133 (975)	810 (652)	584 (426)

Climb straight ahead until TL056,
then turn right on track of 048° to ALDON
and hold at 6 000 ft.

TRANSITION ALT 14 000
TRANSITION LEVEL FL 140



OCA (H)		A	B	C	D							
Straight-in Approach	CAT-I (CG 2.5%)	580 (422)										
	CAT-I (CG 4.0%)	370 (212)				Rate of descent	Knots V/V fpm	60 318	90 478	120 637	150 796	180 955
	LOC	590 (432)					* Timing NOT authorized for defining the MAPt.					
						* Circling not authorized.						

AIRAC AIP AMDT 9/24
Effective : 1600UTC 30 OCT 2024

ULJIN/Uijin(RKTL)
ILS Z or LOC Z RWY 35

AERONAUTICAL DATA TABULATION

ILS Z / LOC Z Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 131 UJN/12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
TL051(SDF)	BRG 351.29°	36°37'30.8"N 129°37'21.1"E
HUPHO(IF)	BRG 351.28°/10.65 NM UJN	36°36'07.0"N 129°31'45.8"E
D5.1 IUJN (FAF LOC Only)	BRG 351.28°/5.08 NM IUJN	36°41'26.4"N 129°29'42.5"E
D1.3 IUJN (MAPt LOC Only)	BRG 351.29°/1.30 NM IUJN	36°45'03.3"N 129°28'18.7"E
THR RWY 35	Final approach descent angle 3.04°(LOC ONLY)	36°46'09.3"N 129°27'53.2"E
TL056		36°48'33.0"N 129°26'57.6"E
ALDON	R 041 UJN/12.00 NM UJN	36°56'46.3"N 129°35'23.0"E

INSTRUMENT APPROACH CHART - ICAO


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV **158 ft**

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ULJIN/Uljin(RKTL)

ILS Y or LOC Y RWY 35




RECOMMENDED PROFILE(LOC ONLY)	DME IUJN	5	4	3	2	1.3
Final Approach Gradient 5.32%, 323 ft/NM	ALT(HGT)	1 781 (1 623)	1 458 (1 300)	1 135 (977)	973 (815)	586 (428)

MISSED APPROACH

Climb straight ahead until UJN D2, then turn right to ALDON and hold at 6 000 ft.

TRANSITION ALT	14 000
TRANSITION LVL	FL 140



OCA (H)		A	B	C	D							
Straight-in Approach	CAT-I (CG 2.5%)	545 (387)				Rate of descent	Knots	60	90	120	150	180
	CAT-I (CG 4.0%)	358 (200)					V/V fpm	318	478	637	795	955
	LOC	590 (432)					* Timing NOT authorized for defining the MAPt. * Circling not authorized.					

Change : Information of landing minima(OCA(H)).

ULJIN/Uijin(RKTL)
ILS Y or LOC Y RWY 35


AERONAUTICAL DATA TABULATION

ILS Y / LOC Y Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 131 UJN/12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
D11.6 IUJN(IF)	BRG 350.99°/11.63 NM IUJN	36°35'10.6"N 129°32'07.5"E
D5.1 IUJN(FAF LOC Only)	BRG 351.28°/5.08 NM IUJN	36°41'26.4"N 129°29'42.5"E
D1.3 IUJN(MAPt LOC Only)	BRG 351.29°/1.30 NM IUJN	36°45'03.3"N 129°28'18.7"E
THR RWY 35	Final approach descent angle 3.05°(LOC ONLY)	36°46'09.3"N 129°27'53.2"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D2 UJN	R 357 UJN/2.00 NM UJN	36°48'33.0"N 129°26'57.6"E
ALDON	R 041 UJN/12.00 NM UJN	36°56'46.3"N 129°35'23.0"E

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV **158 ft**

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

RNP RWY 35



AIRAC AIP AMDT 9/24
Effective : 1600UTC 30 OCT 2024

AERONAUTICAL DATA TABULATION

Instrument approach Procedure Coding Tables

RNP RWY 35 - via BANYA(IAF) to ALDON(IAF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ TCH	Navigation specification	Remarks
001	IF	BANYA	-	-	-	-	+6 000	-	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	IAF
002	TF	TL051	-	228(219.3)	3.5	-	+5 000	-	36°37'30.8"N 129°37'21.1"E	-	RNP APCH	SDF
003	TF	HUPHO	-	261(252.7)	4.7	-	+3 400	-	36°36'07.0"N 129°31'45.8"E	-	RNP APCH	IF
004	TF	TL053	-	351(342.7)	5.5	-	+1 800	-	36°41'22.5"N 129°29'44.1"E	-	RNP APCH	FAF
005	TF	RW350	Y	351(342.7)	5.0	-	+950	-	36°46'09.3"N 129°27'53.2"E	-3.00/50	RNP APCH	MAPt
006	TF	TL055	-	351(342.7)	5.5	-	-	-	36°51'25.4"N 129°25'50.7"E	-	RNP APCH	-
007	HM	ALDON	-	064(055.1)	9.3	-	@6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	-
008	HM	ALDON	Y	221(182.0)	-	L	@6 000	-230	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1 min (outbound timing)
009	HM	BANYA	Y	311(302.0)	-	L	@6 000	-230	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	1 min (outbound timing)



RNP RWY 35 - via LIDPA(IAF) to ALDON(IAF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ TCH	Navigation specification	Remarks
001	IF	LIDPA	-	-	-	-	+5 000	-	36°31'13.6"N 129°33'38.6"E	-	RNP APCH	IAF
002	TF	HUPHO	-	351(342.7)	5.1	-	+3 400	-	36°36'07.0"N 129°31'45.8"E	-	RNP APCH	IF
003	TF	TL053	-	351(342.7)	5.5	-	+1 800	-	36°41'22.5"N 129°29'44.1"E	-	RNP APCH	FAF
004	TF	RW350	Y	351(342.7)	5.0	-	+950	-	36°46'09.3"N 129°27'53.2"E	-3.00/50	RNP APCH	MAPt
005	TF	TL055	-	351(342.7)	5.5	-	-	-	36°51'25.4"N 129°25'50.7"E	-	RNP APCH	-
006	TF	ALDON	Y	064(055.1)	9.3	-	@6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1 min (outbound timing)
007	HM	ALDON	Y	221(182.0)	-	L	@6 000	-230	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1 min (outbound timing)

AERODROME ELEV 175 ft
HEIGHTS RELATED TO AD ELEV

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

VOR RWY 35



					Knots	60	90	120	150	180
OCA (H)	A	B	C	D	Rate of descent V/V fpm	322	483	644	805	966
Straight-in Approach	730 (572)				* Timing NOT authorized for defining the MAPt.					
					* Circling not authorized.					

Change : Information of landing minima(OCA(H)).

ULJIN/Uijin(RCTL)
VOR RWY 35

AERONAUTICAL DATA TABULATION

VOR Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 131 UJN / 12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
D12.0 UJN(IF)	BRG 343.00° / 12.00 NM UJN	36°35'44.7"N 129°33'52.9"E
D5.5 UJN(FAF)	BRG 343.00°/5.50 NM UJN	36°41'37.1"N 129°30'24.1"E
D2.0 UJN(MAPt)	BRG 343.00°/2.00 NM UJN	36°44'46.8"N 129°28'31.4"E
THR RWY 35	Final approach descent angle 3.04°	36°46'09.3"N 129°27'53.2"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D2 UJN	R 357 UJN/2.00 NM UJN	36°48'32.9"N 129°26'56.9"E
ALDON	R 041 UJN/12.00 NM UJN	36°56'46.3"N 129°35'23.0"E