


DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 8° W - 2020



VERTICAL SCALE 1:2500

OBSTACLES				
NO	COORDINATES(WGS-84)	ELEV(MSL)	ITEM	NOTE
1	35°09'42.46"N 128°56'36.46"E	8.20	Building	
2	35°09'41.56"N 128°56'35.18"E	8.20	Building	

AMENDMENT RECORD		
	DATE	ENTERED BY



LEGEND		
ITEM	SYMBOL	
	Plan	Profile
Tree or shrub	*	
Pole tower spire antenna etc	⊙	
Building or large structure	■	
Railroad	—+—+—+—	
Transmission line or overhead cable	—T—T—T—	
Peak or Mountain	•	
Terrain penetrating obstacle plane		
Clearway(CWY)		

WARNING
NUMEROUS OBSTACLES EXIST ON LEFT SIDE OF
THE TAKE-OFF FLIGHT PATH AREA DEFINED
ON THIS CHART.

ORDER OF ACCURACY

HORIZONTAL 5.0 m
VERTICAL 0.5 m

HORIZONTAL SCALE 1:25000



BUSAN / Gimhae Intl

DIMENSIONS AND ELEVATIONS IN METERS





The profile view shows the runway layout with elevation in meters and feet. The runway is divided into sections with different slopes: 0.8% and 1.2%. The declared distances for RWY 36L and RWY 18R are provided in the table below.

DECLARED DISTANCES		
RWY 36L		RWY 18R
3200	TAKE OFF RUN AVAILABLE	3200
3500	TAKE OFF DISTANCE AVAILABLE	3500
3200	ACCELERATE STOP DISTANCE AVAILABLE	3200
3200	LANDING DISTANCE AVAILABLE	2600

VERTICAL SCALE 1:2500

OBSTACLES					
NO	COORDINATES(WGS-84)		ELEV(MSL)	ITEM	NOTE
1	35°09'38.36"N	128°56'18.22"E	7.70	Building	
2	35°09'36.39"N	128°56'18.08"E	7.70	Building	
3	35°09'34.46"N	128°56'18.07"E	7.80	Building	
4	35°09'21.68"N	128°56'16.73"E	9.60	Building	

AMENDMENT RECORD		
NO	DATE	ENTERED BY



LEGEND		
ITEM	SYMBOL	
	Plan	Profile
Tree or shrub	*	
Pole tower spire antenna etc	⊙	
Building or large structure	■	
Railroad	—+—+—+—	
Transmission line or overhead cable	—T—T—T—	
Peak or Mountain	•	
Terrain penetrating obstacle plane		
Clearway(CWY)		

WARNING
NUMEROUS OBSTACLES EXIST ON LEFT SIDE OF
THE TAKE-OFF FLIGHT PATH AREA DEFINED
ON THIS CHART.

ORDER OF ACCURACY

HORIZONTAL	5.0 m
VERTICAL	0.5 m

HORIZONTAL SCALE 1:25000




DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 8° W - 2020

RWY 36L / 18R

DECLARED DISTANCES


RWY 36L		RWY 18R
3200	TAKE OFF RUN AVAILABLE	3200
3500	TAKE OFF DISTANCE AVAILABLE	3500
3200	ACCELERATE STOP DISTANCE AVAILABLE	3200
3200	LANDING DISTANCE AVAILABLE	2600



LEGEND


ITEM	SYMBOL	
	Plan	Profile
Tree or shrub	*	
Pole tower spire antenna etc	o	
Building or large structure	■	
Railroad	—+—+—+—	
Transmission line or overhead cable	T—T—T	
Peak or Mountain	•	
Terrain penetrating obstacle plane		
Clearway(CWY)		

OBSTACLES				
NO	COORDINATES(WGS-84)	ELEV(AMSL)	ITEM	NOTE
1	35°11'49.48"N 128°56'02.62"E	3.58	Building	
2	35°11'49.78"N 128°56'03.14"E	3.87	Building	
3	35°11'49.86"N 128°56'01.77"E	4.42	Building	
4	35°11'49.86"N 128°56'01.11"E	4.62	Building	
5	35°13'50.48"N 128°55'33.61"E	100.20	Natural High Point	
6	35°14'35.78"N 128°53'59.23"E	137.50	Building	
7	35°14'33.96"N 128°53'57.29"E	138.00	Building	
8	35°14'37.49"N 128°53'31.68"E	324.55	Natural High Point	
9	35°14'45.41"N 128°53'32.32"E	326.93	Natural High Point	
10	35°15'09.37"N 128°53'15.74"E	370.80	Natural High Point	




VERTICAL SCALE 1:2500

HORIZONTAL SCALE 1:25000



ORDER OF ACCURACY

HORIZONTAL 5.0 m
VERTICAL 0.5 m



WARNING
NUMEROUS OBSTACLES EXIST ON RIGHT SIDE OF
THE TAKE-OFF FLIGHT PATH AREA DEFINED
ON THIS CHART.

AMENDMENT RECORD

NO	DATE	ENTERED BY



DIMENSIONS AND ELEVATIONS IN METERS

MAGNETIC VARIATION 8° W - 2020

RWY 36R / 18L

DECLARED DISTANCES

RWY 36R		RWY 18L
2743	TAKE OFF RUN AVAILABLE	2743
3043	TAKE OFF DISTANCE AVAILABLE	3043
2743	ACCELERATE STOP DISTANCE AVAILABLE	2743
2743	LANDING DISTANCE AVAILABLE	2743



VERTICAL SCALE 1:2500

LEGEND



ITEM	SYMBOL	
	Plan	Profile
Tree or shrub	*	Identification number
Pole tower spire antenna etc	⊙	
Building or large structure	*	
Railroad	—+—+—+—	
Transmission line or overhead cable	—T—T—T—	
Peak or Mountain	*	
Terrain penetrating obstacle plane	⬢	
Clearway(CWY)	⬢	

OBSTACLES				
NO	COORDINATES(WGS-84)		ELEV(AMSL)	ITEM
1	35°11'50.58"N	128°56'12.86"E	4.10	Building
2	35°11'50.78"N	128°56'12.05"E	4.40	Building
3	35°11'51.33"N	128°56'12.44"E	5.50	Building
4	35°12'07.86"N	128°55'59.60"E	10.59	Building
5	35°13'55.11"N	128°55'39.53"E	190.30	Natural High Point
6	35°15'04.47"N	128°53'47.11"E	305.05	Natural High Point
7	35°14'37.49"N	128°53'31.68"E	324.55	Natural High Point
8	35°14'45.41"N	128°53'32.32"E	326.93	Natural High Point
9	35°15'09.37"N	128°53'15.74"E	370.80	Natural High Point

ORDER OF ACCURACY

HORIZONTAL 5.0 m
VERTICAL 0.5 m

HORIZONTAL SCALE 1:25000



WARNING
NUMEROUS OBSTACLES EXIST ON RIGHT SIDE OF
THE TAKE-OFF FLIGHT PATH AREA DEFINED
ON THIS CHART.

AMENDMENT RECORD

NO	DATE	ENTERED BY