

TEL : 82-53-668-0286
FAX : 82-53-668-0277
AFS : RKRRYNYX
EMAIL : aisd@korea.kr
Web : <https://aim.koca.go.kr>

Ministry of Land, Infrastructure and Transport
Office of Civil Aviation

11, Doum 6-ro, Sejong-si, 30103, Republic of Korea

AMENDMENT NR 1/25

9 JAN 2025

1. SIGNIFICANT INFORMATION AND CHANGES

1.1 General

- a) Information of AIP amendment publication dates, public holidays in 2025 and sunrise/sunset.
- b) Information of telephone number of authority, schedule of AIRAC effective dates.
- c) Information of publication date for Aeronautical Navigation Chart, World Aeronautical Chart and Aeronautical Chart.
- d) Withdrawal of general(1) and Establishment of types of service(3), requirements & conditions(4).
- e) Information of communication services and item numbers.

1.2 Enroute

- a) Amended lateral limits for RK R97F.
- b) Information of remarks for UA 31 and lateral limits for UA 62.

1.3 Incheon INTL Airport

- a) Information of passenger terminal and notice for PDU and VDGS.

1.4 Jeju INTL Airport

- a) Information of clearance priorities and Withdrawal of reference point 1P.

1.5 Gimhae INTL Airport

- a) Information of surface and strength for TWY S.

1.6 Muan INTL Airport

- a) Information of FAS data block information.

1.7 Gunsan Airport

- a) Information of strength(PCN → PCR) for apron and TWY.

1.8 Yeosu Airport

- a) Amended ALT restriction for holding procedure.

1.9 Ulsan Airport

- a) Information of FAS data block information.

1.10 Uljin Airport

- a) Information of resolution for THR coordinates.

1.11 Jeongseok Airport

- a) Amended designator for STAR, recommended profile(5.31% → 5.32%), and radial for no circling area(001° → 002°).

2.

PAGE CONTROL

2.1 Replace the old sheets with new one as follows;

OLD (Pages to be removed)	NEW (Pages to be inserted)
VOL I, Part I - GEN (General) GEN 0.1-3(11 JAN 24) / 0.1-4(11 JAN 24) GEN 0.2-1(12 JAN 23) / 0.2-2(12 JAN 23) GEN 0.3-1(12 DEC 24) / 0.3-2(12 DEC 24) GEN 0.4-1(12 DEC 24) / 0.4-2(12 DEC 24) GEN 0.4-3(12 DEC 24) / 0.4-4(12 DEC 24) GEN 0.4-5(12 DEC 24) / 0.4-6(12 DEC 24) GEN 0.4-7(12 DEC 24) / 0.4-8(12 DEC 24) GEN 0.4-9(12 DEC 24) / 0.4-10(12 DEC 24) GEN 2.1-1(11 JAN 24) / 2.1-2(11 JAN 24) GEN 2.7-1(11 JAN 24) / 2.7-2(11 JAN 24) GEN 2.7-3(11 JAN 24) / 2.7-4(11 JAN 24) GEN 2.7-5(11 JAN 24) / 2.7-6(11 JAN 24) GEN 3.1-5(12 DEC 24) / 3.1-6(12 DEC 24) GEN 3.2-3(9 MAR 23) / 3.2-4(9 MAR 23) GEN 3.4-1(28 JUL 22) / 3.4-2(28 JUL 22) GEN 3.4-3(14 NOV 24) / 3.4-4(11 JAN 24)	VOL I, Part I - GEN (General) GEN 0.1-3 / 0.1-4 9 JAN 25 GEN 0.2-1 / 0.2-2 9 JAN 25 GEN 0.3-1 / 0.3-2 9 JAN 25 GEN 0.4-1 / 0.4-2 9 JAN 25 GEN 0.4-3 / 0.4-4 9 JAN 25 GEN 0.4-5 / 0.4-6 9 JAN 25 GEN 0.4-7 / 0.4-8 9 JAN 25 GEN 0.4-9 / 0.4-10 9 JAN 25 GEN 2.1-1 / 2.1-2 9 JAN 25 GEN 2.7-1 / 2.7-2 9 JAN 25 GEN 2.7-3 / 2.7-4 9 JAN 25 GEN 2.7-5 / 2.7-6 9 JAN 25 GEN 3.1-5 / 3.1-6 9 JAN 25 GEN 3.2-3 / 3.2-4 9 JAN 25 GEN 3.4-1 / 3.4-2 9 JAN 25 GEN 3.4-3 / 3.4-4 9 JAN 25
VOL I, Part II - ENR (Enroute) ENR 5.1-3(17 OCT 24) / 5.1-4(20 OCT 22) ENR 5.5-1(4 MAY 23) / 5.5-2(27 JUL 23) ENR 5.5-3(2 MAY 24) / 5.5-4(2 MAY 24)	VOL I, Part II - ENR (Enroute) ENR 5.1-3 / 5.1-4 9 JAN 25 ENR 5.5-1 / 5.5-2 9 JAN 25 ENR 5.5-3 / 5.5-4 9 JAN 25
VOL II, Part III - AD (Aerodromes) RKSI AD 2-6-1(9 MAR 23) / 2-6-2(9 MAR 23) AD 2-6-3(25 JUL 24) / 2-6-4(25 JUL 24) RKPC AD 2-1(14 DEC 23) / 2-2(14 DEC 23) AD 2-13(16 NOV 23) / 2-14(16 NOV 23) AD 2-15(14 DEC 23) / 2-16(11 JAN 24) AD CHART 2-1(12 DEC 24) / 2-2(12 DEC 24) AD CHART 2-5(17 OCT 24) / 2-6(17 OCT 24) RKPK AD 2-3(17 OCT 24) / 2-3-1(19 SEP 24) AD CHART 2-3(17 OCT 24) / 2-4(17 OCT 24) AD CHART 2-5(17 OCT 24) / 2-6(17 OCT 24)	VOL II, Part III - AD (Aerodromes) RKSI AD 2-6-1 / 2-6-2 9 JAN 25 AD 2-6-3 / 2-6-4 9 JAN 25 RKPC AD 2-1 / 2-2 9 JAN 25 AD 2-13 / 2-14 9 JAN 25 AD 2-15 / 2-16 9 JAN 25 AD CHART 2-1 / 2-2 9 JAN 25 AD CHART 2-5 / 2-6 9 JAN 25 RKPK AD 2-3 / 2-3-1 9 JAN 25 AD CHART 2-3 / 2-4 9 JAN 25 AD CHART 2-5 / 2-6 9 JAN 25

OLD (Pages to be removed)	NEW (Pages to be inserted)
VOL III, Part III - AD (Aerodromes)	VOL III, Part III - AD (Aerodromes)
RKJB	RKJB
AD CHART 2-16-2(14 DEC 23) / 2-16-3(14 DEC 23)	AD CHART 2-16-2 / 2-16-3 9 JAN 25
RKJK	RKJK
AD 2-1(17 OCT 24) / 2-2(17 OCT 24)	AD 2-1 / 2-2 9 JAN 25
RKJY	RKJY
AD CHART 2-13(20 OCT 22) / 2-13-1(20 OCT 22)	AD CHART 2-13 / 2-13-1 9 JAN 25
RKPU	RKPU
AD CHART 2-17-2(14 DEC 23) / 2-17-3(14 DEC 23)	AD CHART 2-17-2 / 2-17-3 9 JAN 25
RKTL	RKTL
AD CHART 2-20(19 SEP 24) / 2-20-1(27 JUL 23)	AD CHART 2-20 / 2-20-1 9 JAN 25
AD CHART 2-21(19 SEP 24) / 2-21-1(27 JUL 23)	AD CHART 2-21 / 2-21-1 9 JAN 25
AD CHART 2-22(12 DEC 24) / 2-22-1(12 DEC 24)	AD CHART 2-22 / 2-22-1 9 JAN 25
AD CHART 2-23(12 DEC 24) / 2-23-1(12 DEC 24)	AD CHART 2-23 / 2-23-1 9 JAN 25
AD CHART 2-24(19 SEP 24) / 2-24-1(27 JUL 23)	AD CHART 2-24 / 2-24-1 9 JAN 25
AD CHART 2-25(19 SEP 24) / 2-25-1(27 JUL 23)	AD CHART 2-25 / 2-25-1 9 JAN 25
RKPD	RKPD
AD CHART 2-14(14 NOV 24) / 2-14-1(14 NOV 24)	AD CHART 2-14 / 2-14-1 9 JAN 25
AD CHART 2-16(14 NOV 24) / 2-16-1(14 NOV 24)	AD CHART 2-16 / 2-16-1 9 JAN 25
AD CHART 2-17(14 NOV 24) / 2-17-1(14 NOV 24)	AD CHART 2-17 / 2-17-1 9 JAN 25

END

AD 2. 헬기장 사용이 가능한 공항에 대한 자세한 정보는 아래 24항에 나타나 있다.

AD 2. Aerodromes - Detailed information about aerodromes, including helicopter landing areas, if located at the aerodromes, listed under 24 subsections.

4.2 정기 항공정보간행물 수정판 발간주기

4.2 Regular Amendment Interval

4.2.1 항공정보간행물 정기수정판은 2025년 1월 9일을 기준 하여 28일 주기로 발간된다.

4.2.1 Regular amendments to the AIP will be issued as an interval of 28 days, including 9 January 2025.

Amendment NR.	Publication Date
1/25	9 JAN 25
2/25	6 FEB 25
3/25	6 MAR 25
4/25	3 APR 25
5/25	1 MAY 25
6/25	29 MAY 25
7/25	26 JUN 25
8/25	24 JUL 25
9/25	21 AUG 25
10/25	18 SEP 25
11/25	16 OCT 25
12/25	13 NOV 25
13/25	11 DEC 25

5. 저작권 정책

5. Copyright policy

5.1 본 정책의 목적은 항공정보간행물(AIP)을 통하여 제공 되는 정보가 그 출처를 밝히지 않고 무단으로 사용되거나 타인에 의해 임의로 가공 또는 변조되거나 상업적인 용도로 사용되는 경우로 인하여 정보 이용자에게 피해를 끼치는 사례를 방지하기 위함입니다. 아래와 관련된 사항에 대한 보다 자세한 사항은 국토교통부 항공정책실(TEL : 044-201-4298)로 문의해 주십시오.

5.1 The purpose of this policy is to prevent causing damage to the information users as a result of an unauthorized use without indication of sources, modification or alteration by others (third parties), or the commercial use of the information provided in the AIP. For more information, please contact the Ministry of Land, Infrastructure and Transport, Civil Aviation Office (TEL : +82-44-201-4298).

5.2 항공정보간행물(AIP)에서 제공하는 모든 콘텐츠는 저작권법에 의하여 보호를 받는 저작물로서, 별도의 저작권 표시 또는 다른 출처를 명시한 경우를 제외하고는 원칙적으로 국토교통부에 저작권이 있습니다. 따라서 국토교통부에서 제공하는 콘텐츠를 무단 복제 · 배포하는 경우 「저작권법 제136조(권리의침해죄)」, 「137조(부정발행 등의 죄)」, 「138조(출처명시위반의 죄 등)」에 해당될 수 있습니다.

5.2 All the contents provided in the AIP are copyrighted by the MOLIT and protected under the Copyright Act unless there is a clear indication of other sources or separate copyright. Therefore, any unauthorized reproduction and distribution of the information provided in the AIP without permission may be subject to "Article 136 of Copyright Act(infringement of rights)", "Article 137(unlawful publication)", and "Article 138(such as the source explicit violation)".

5.3 항공정보간행물(AIP)에서 제공하는 자료로 수익을 얻거나 이에 상응하는 혜택을 누리하고자 하는 경우에는 국토교통부와 사전에 별도의 협의를 하거나 허락을 얻어야 하며, 협의 또는 허락을 얻어 자료의 내용을 게재하는 경우에도 출처가 국토교통부임을 반드시 명시하여야 합니다.

5.3 In case of making profits or corresponding benefits from the information provided in the AIP, prior permission or consultation with the MOLIT is needed and in such cases, the source of the information (MOLIT) must be indicated.

5.4 다른 인터넷 사이트 화면에서 국토교통부 항공정보 홈페이지의 첫 화면으로 링크시키는 것은 허용되고 세 부화면(서브도메인)으로 링크시키는 것은 자료의 출처가 국토교통부임을 반드시 표시하여 사용 가능 하며 링크 시에는 홈페이지 관리자에게 사전에 통지하여야 합니다.

5.4 It is allowed to link to the Korea AIS main page from other internet web-sites and link to sub-domain is allowed with a clear indication that the source is originated from the MOLIT. To link the pages, it must be notified to the web administrator in advance.

5.5 항공정보간행물(AIP)의 콘텐츠를 적법한 절차에 따라 다른 인터넷 사이트에 게재하는 경우에도 단순한 오류 정정 이외에 내용의 무단변경을 금지하며, 이를 위반할 때에는 형사처벌을 받을 수 있습니다.

5.5 In case of posting the information in accordance with the legal procedure, an unauthorized modification of the contents is prohibited except for simple error corrections. If violated, it may be subject to criminal prosecution.



6. 질의담당기관

- 6.1 항공정보간행물 편집상의 오류나 누락된 사항(제안사항 포함)이 발견되었을 경우, 다음의 부서에 통보하여야 한다. :

국토교통부 항공교통본부
항공정보과

주소 : (우) 41059
대구광역시 동구 매여로 1길 50-12

전화 : 053-668-0283, 0284
팩스 : 053-668-0277
E-mail : aisd@korea.kr

6.2 처리절차

6.2.1 질의서 작성

항공정보간행물 편집상 오류나 누락된 사항(제안사항 포함)에 대하여 다음의 사항을 포함하여 질의서를 작성하여야 한다. :

- 해당페이지 및 항목 번호
- 내용 기재
- 결과 통보를 위한 연락처(E-mail 또는 전화)

6.2.2 제출

질의서 제출은 담당자가 즉시 확인 및 자료 관리를 위해 항공정보과 대표메일로 제출함을 원칙으로 하며 부득이한 경우 유선으로 통보 후 1일 이내 메일로 제출하여야 한다.

6.2.3 처리

담당자는 접수된 질의서를 접수대장에 기록하고 질의서 내용이 편집상 오류 및 누락사항(제안사항 포함)이 맞는지 내용 검토 및 관계기관(지방항공청, 한국항공협회 등) 확인 후 항공정보간행물 발간일에 맞춰 수정한다.

6.2.4 결과통보

담당자는 접수된 질의서에 대한 조치결과를 민원인에게 다음의 사항을 포함하여 신속히 통보 한다. :

- 질의내용
- 확인 결과
- 수정할 경우 수정발간 예정일
- 수정하지 않을 경우 사유

6.2.5 반영결과 안내

담당자는 민원인이 수정 발간된 항공정보간행물의 해당 페이지와 해당 항목을 확인 할 수 있도록 다음의 내용을 포함하여 안내 문자를 보낸다.

- 반영일
- 해당페이지 및 항목
- 주소 : <http://aim.koca.go.kr>

6. Contact in case of AIP errors or omissions

- 6.1 In the compilation of the AIP, any errors or omissions (include suggestions) should be reported to the following division. :

Aeronautical Information Services Division
Air Traffic Management Office
Ministry of Land, Infrastructure and Transport

50-12, Maeyeo-ro 1-gil, Dong-gu, Daegu,
Republic of Korea, 41059

TEL : +82-53-668-0283, 0284
FAX : +82-53-668-0277
E-mail : aisd@korea.kr

6.2 Procedure

6.2.1 Preparation of inquiries

Any errors and omissions(include suggestions) in the compilation of the AIP should be prepared in a questionnaire including each of the following items. :

- Page and item number
- Contents description
- Contact information for notification(E-mail or telephone)

6.2.2 Submission

The questionnaire is submitted in principle to Aeronautical Information Services Division's main e-mail for immediate confirmation and data management. If it is unavoidable, it must be submitted by e-mail within one day after notification by telephone.

6.2.3 Process

The person in charge records the inquiry received on the reception book, checks whether the content of the inquiry is correct in the editorial errors and omissions(include suggestions), confirms the relevant authorities(Regional office of aviation, Korea Civil Aviation Association, etc), and makes revision according to the publication date of AIP.

6.2.4 Results notification

The result of the inquiry should be notified to civil petitioner including the following items. :

- Question content
- Verification result
- Modification date to be revised
- Reason not to be revised

6.2.5 Notice of revision result

The person in charge should send the notice including each of the following items to civil petitioner so that they can confirm the corresponding page and items of the revised AIP.

- Revised date
- Page and item number
- Website address : <http://aim.koca.go.kr>

GEN 0.2 RECORD OF AIP AMENDMENT

[illegible][illegible]

[illegible][illegible]

GEN 0.3 RECORD OF AIP SUPPLEMENT

1. Current AIP Supplement

NR/Year	Subject	AIP Section(s) affected	Period of validity (From/To)	Cancellation record
23/10	Requirement for Overflight Permission	GEN	-	
2/23	Incheon AP - Temporary Obstacle Erected	AD	8 FEB 23 / 31 DEC 25	
8/23	Gimpo AP - Temporary Obstacles Erected	AD	31 MAY 23 / 30 SEP 25	
11/23	ENR - Temporary Drone Special Areas Established	ENR	30 JUN 23 / 30 JUN 25	
9/24	Incheon AP - Temporary Obstacle Erected	AD	7 FEB 24 / 31 OCT 25	
12/24	Gimpo AP - Temporary Obstacles Erected	AD	7 MAR 24 / 31 JAN 25	
17/24	Gimpo AP - Temporary Obstacles Erected	AD	3 APR 24 / 31 DEC 25	
19/24	Gimpo AP - Temporary Obstacles Erected	AD	2 MAY 24 / 30 JUL 25	
27/24	Gimpo AP - Temporary Obstacles Erected	AD	31 MAY 24 / 31 AUG 26	
40/24	Gimpo AP - Temporary Obstacles Erected	AD	21 AUG 24 / 10 FEB 26	
41/24	Gimpo AP - Temporary Obstacles Erected	AD	31 AUG 24 / 30 AUG 25	
47/24	Gimpo AP - Temporary Obstacles Erected	AD	18 SEP 24 / 31 DEC 25	
48/24	Gimpo AP - Temporary Obstacles Erected	AD	30 SEP 24 / 31 AUG 25	
50/24	Ulsan AP - Temporary Obstacle Erected	AD	1 OCT 24 / 28 FEB 26	
51/24	Muan AP - Unavailability of Strip and RESA for RWY 19	AD	18 SEP 24 / 30 APR 25	
53/24	Muan AP - Change of TWY E1 Center Line Marking and Right Edge Marking & Right Edge Light	AD	18 SEP 24 / 30 APR 25	
55/24	Muan AP - 180° Turning Marking on RWY 19	AD	18 SEP 24 / 30 APR 25	
62/24	Incheon AP - Temporary Obstacles Erected	AD	6 OCT 24 / 30 AUG 25	
63/24	Gimpo AP - Temporary Obstacle Erected	AD	16 OCT 24 / 30 APR 25	
66/24	Incheon AP - Temporary Obstacles Erected	AD	14 NOV 24 / 30 NOV 25	
67/24	Incheon AP - Temporary Obstacles Erected	AD	14 NOV 24 / 31 DEC 25	
68/24	Gimpo AP - Temporary Obstacles Erected	AD	13 NOV 24 / 10 FEB 26	
73/24	Incheon AP, Gimpo AP - Trial Operation of Re-categorization(RECAT) Wake Turbulence Separation Minima within Seoul TMA	AD	14 DEC 24 / 15 DEC 25	
74/24	Incheon AP - Incheon INTL Airport A-CDM Trial Operation for Phase 2	AD	29 JUN 22 / 30 APR 25	
75/24	Incheon AP - Temporary Obstacles Erected	AD	12 DEC 24 / 31 OCT 25	
76/24	Gimpo AP - Temporary Obstacles Erected	AD	11 DEC 24 / 31 JAN 26	
77/24	Muan AP - Unserviceability of Muan Radar	AD	16 MAR 24 / 30 JUN 25	
78/24	Muan AP - Temporary Security Fence and Temporary Obstacles Erected	AD	11 DEC 24 / 30 APR 25	
79/24	Yeosu AP - Unserviceability of Yeosu Radar	AD	14 JUL 24 / 30 JUN 25	
80/24	Ulsan AP - Temporary Obstacles Erected	AD	17 NOV 24 / 31 JAN 26	
1/25	ENR - Temporary Restricted Areas Established	ENR	31 DEC 24 / 31 DEC 25	
2/25	Incheon AP - Temporary Obstacles Erected	AD	9 JAN 25 / 30 JUN 25	
3/25	Incheon AP - Incheon INTL Airport under Maintenance of VDGS Service for Concourse	AD	9 JAN 25 / 31 AUG 25	
4/25	Incheon AP - Temporary Obstacle Erected	AD	11 JAN 25 / 30 SEP 25	
5/25	Gimpo AP - Temporary Obstacle Erected	AD	8 JAN 25 / 30 NOV 25	

2. Current AIRAC AIP Supplement

NR/Year	Subject	AIP Section(s) affected	Period of validity (From/To)	Cancellation record
2/23	ENR - Y722 Traffic Dispersion Operation	ENR	22 MAR 23 / PERM	
5/24	Muan AP - Construction Work for Runway Extension	AD	21 FEB 24 / 20 JUL 25	
6/24	Muan AP - Unserviceability of ILS/DME	AD	21 FEB 24 / 20 JUL 25	
7/24	Muan AP - Unserviceability of ALS	AD	21 FEB 24 / 20 JUL 25	
34/24	Jeju AP - Unserviceability of ILS/DME for RWY 07	AD	7 AUG 24 / 16 APR 25	
45/24	Gwangju AP - Unserviceability of ILS/DME for RWY 04R	AD	2 OCT 24 / 24 DEC 25	
56/24	Incheon AP - Unserviceability of WNG VOR/DME	AD	30 OCT 24 / 30 JUN 25	
64/24	Incheon AP - RWY 15L/33R and TWYs Closed due to Construction	AD	8 AUG 24 / 15 JAN 25	
65/24	Muan AP - Unserviceability of ILS/DME	AD	30 OCT 24 / 30 APR 25	
69/24	Incheon AP - RWY 15L/33R and TWYs Closed due to Construction	AD	15 JAN 25 / 10 JUL 25	
70/24	Gimpo AP - Operational Restrictions	AD	25 DEC 24 / 22 JAN 25	
71/24	Muan AP - Change of RWY 01/19 Declared Distance	AD	30 OCT 24 / 30 APR 25	
72/24	Muan AP - RWY 19 Threshold Displaced by 300 m	AD	30 OCT 24 / 30 APR 25	
81/24	Gimpo AP - Operational Restrictions	AD	22 JAN 25 / 14 MAY 25	

GEN 0.4 CHECKLIST OF AIP PAGES

Page	Date	Page	Date	Page	Date	Page	Date
GEN		GEN		GEN		GEN	
PART 1 - GENERAL(GEN)		GEN 1		GEN 2		GEN 3	
GEN 0		1.1 - 1	28 JUL 22	2.1 - 1	9 JAN 25	3.1 - 1	4 APR 24
0.1 - 1	4 APR 24	1.1 - 2	28 JUL 22	2.1 - 2	9 JAN 25	3.1 - 2	4 APR 24
0.1 - 2	4 APR 24	1.2 - 1	28 JUL 22	2.2 - 1	16 NOV 23	3.1 - 3	1 MAY 14
0.1 - 3	9 JAN 25	1.2 - 2	28 JUL 22	2.2 - 2	16 NOV 23	3.1 - 4	WEF 1 JAN 20
0.1 - 4	9 JAN 25	1.2 - 3	12 JAN 23	2.2 - 3	1 AUG 19	3.1 - 5	9 JAN 25
0.1 - 5	23 NOV 17	1.2 - 4	12 JAN 23	2.2 - 4	1 AUG 19	3.1 - 6	9 JAN 25
0.1 - 6	23 NOV 17	1.2 - 5	12 JAN 23	2.2 - 5	1 AUG 19	3.2 - 1	1 JUN 23
0.2 - 1	9 JAN 25	1.2 - 6	12 JAN 23	2.2 - 6	1 AUG 19	3.2 - 2	1 JUN 23
0.2 - 2	9 JAN 25	1.3 - 1	1 MAY 14	2.2 - 7	21 OCT 21	3.2 - 3	9 JAN 25
0.3 - 1	9 JAN 25	1.3 - 2	1 MAY 14	2.2 - 8	21 OCT 21	3.2 - 4	9 JAN 25
0.3 - 2	9 JAN 25	1.4 - 1	4 JUL 19	2.2 - 9	16 NOV 23	3.2 - 5	12 DEC 24
0.4 - 1	9 JAN 25	1.4 - 2	4 JUL 19	2.2 - 10	16 NOV 23	3.2 - 6	12 DEC 24
0.4 - 2	9 JAN 25	1.4 - 3	4 JUL 19	2.2 - 11	17 OCT 24	3.2 - 7	12 DEC 24
0.4 - 3	9 JAN 25	1.4 - 4	4 JUL 19	2.2 - 12	17 OCT 24	3.2 - 8	12 DEC 24
0.4 - 4	9 JAN 25	1.5 - 1	13 APR 17	2.2 - 13	21 OCT 21	3.3 - 1	4 APR 24
0.4 - 5	9 JAN 25	1.5 - 2	13 APR 17	2.2 - 14	21 OCT 21	3.3 - 2	4 APR 24
0.4 - 6	9 JAN 25	1.5 - 3	13 APR 17	2.2 - 15	22 JAN 15	3.3 - 3	27 SEP 18
0.4 - 7	9 JAN 25	1.5 - 4	13 APR 17	2.2 - 16	22 JAN 15	3.3 - 4	27 SEP 18
0.4 - 8	9 JAN 25	1.5 - 5	1 MAY 14	2.2 - 17	9 MAR 23	3.3 - 5	29 JUN 23
0.4 - 9	9 JAN 25	1.5 - 6	1 MAY 14	2.2 - 18	9 MAR 23	3.3 - 6	29 JUN 23
0.4 - 10	9 JAN 25	1.5 - 7	13 APR 17	2.3 - 1	1 MAY 14	3.4 - 1	9 JAN 25
0.5 - 1	11 MAY 17	1.5 - 8	13 APR 17	2.3 - 2	1 MAY 14	3.4 - 2	9 JAN 25
0.5 - 2	11 MAY 17	1.5 - 9	13 APR 17	2.3 - 3	13 JAN 22	3.4 - 3	9 JAN 25
0.6 - 1	21 SEP 23	1.5 - 10	13 APR 17	2.3 - 4	13 JAN 22	3.4 - 4	9 JAN 25
0.6 - 2	21 SEP 23	1.5 - 11	13 APR 17	2.3 - 5	12 MAY 16	3.5 - 1	11 JAN 24
		1.5 - 12	13 APR 17	2.3 - 6	12 MAY 16	3.5 - 2	11 JAN 24
		1.5 - 13	1 MAY 14	2.3 - 7	13 JAN 22	3.5 - 3	11 JAN 24
		1.5 - 14	1 MAY 14	2.3 - 8	13 JAN 22	3.5 - 4	11 JAN 24
		1.5 - 15	1 MAY 14	2.3 - 9	12 JAN 23	3.5 - 5	27 JUL 23
		1.5 - 16	1 MAY 14	2.3 - 10	12 JAN 23	3.5 - 6	27 JUL 23
		1.5 - 17	13 APR 17	2.3 - 11	WEF 14 AUG 19	3.6 - 1	28 JUL 22
		1.5 - 18	13 APR 17	2.3 - 12	1 MAY 14	3.6 - 2	28 JUL 22
		1.5 - 19	WEF 24 JAN 24	2.4 - 1	12 DEC 24	3.6 - 3	8 FEB 24
		1.5 - 20	28 JUL 22	2.4 - 2	12 DEC 24	3.6 - 4	8 FEB 24
		1.5 - 21	28 JUL 22	2.4 - 3	12 DEC 24		
		1.5 - 22	28 JUL 22	2.4 - 4	12 DEC 24		
		1.5 - 23	WEF 24 JAN 24	2.5 - 1	17 NOV 22		
		1.5 - 24	WEF 24 JAN 24	2.5 - 2	17 NOV 22		
		1.5 - 25	WEF 24 JAN 24	2.6 - 1	1 MAY 14	GEN 4	
		1.5 - 26	13 JAN 22	2.6 - 2	1 MAY 14	4.1 - 1	9 MAY 19
		1.5 - 27	13 JAN 22	2.7 - 1	9 JAN 25	4.1 - 2	WEF 13 JUL 22
		1.5 - 28	13 JAN 22	2.7 - 2	9 JAN 25	4.1 - 3	11 JAN 24
		1.6 - 1	13 JAN 22	2.7 - 3	9 JAN 25	4.1 - 4	11 JAN 24
		1.6 - 2	13 JAN 22	2.7 - 4	9 JAN 25	4.1 - 5	11 APR 19
		1.7 - 1	12 DEC 24	2.7 - 5	9 JAN 25	4.1 - 6	11 APR 19
		1.7 - 2	12 DEC 24	2.7 - 6	9 JAN 25	4.1 - 7	11 JAN 24
		1.7 - 3	14 NOV 24			4.1 - 8	11 JAN 24
		1.7 - 4	14 NOV 24			4.1 - 9	11 JAN 24
		1.7 - 5	12 DEC 24			4.1 - 10	11 JAN 24
		1.7 - 6	12 DEC 24			4.1 - 11	22 OCT 20
		1.7 - 7	14 NOV 24			4.1 - 12	22 OCT 20
		1.7 - 8	14 NOV 24			4.2 - 1	28 JUL 22
		1.7 - 9	12 DEC 24			4.2 - 2	28 JUL 22
		1.7 - 10	12 DEC 24				

Page	Date	Page	Date	Page	Date	Page	Date
ENR		ENR		ENR		ENR	
PART 2 - ENROUTE(ENR)							
ENR 0		1.6 - 1	WEF 21 FEB 24	2.1 - 14-1	WEF 29 NOV 23	ENR 4	
0.6 - 1	22 AUG 24	1.6 - 2	WEF 21 FEB 24	2.1 - 14-2	12 JAN 23	4.1 - 1	WEF 12 JUN 24
0.6 - 2	22 AUG 24	1.6 - 3	WEF 20 MAY 20	2.1 - 15	WEF 20 MAR 24	4.1 - 2	WEF 12 JUN 24
		1.6 - 4	WEF 20 MAY 20	2.1 - 16	WEF 20 MAR 24	4.1 - 3	14 NOV 24
		1.7 - 1	28 JUL 22	2.1 - 17	WEF 20 MAR 24	4.1 - 4	14 NOV 24
		1.7 - 2	28 JUL 22	2.1 - 18	WEF 20 MAR 24	4.2 - 1	1 MAY 14
ENR 1		1.8 - 1	1 MAY 14	2.2 - 1	27 SEP 18	4.2 - 2	1 MAY 14
1.1 - 1	14 NOV 24	1.8 - 2	1 MAY 14	2.2 - 2	27 SEP 18	4.3 - 1	WEF 24 JAN 24
1.1 - 2	14 NOV 24	1.9 - 1	19 OCT 23	2.2 - 3	9 MAY 19	4.3 - 2	WEF 24 JAN 24
1.2 - 1	27 SEP 18	1.9 - 2	19 OCT 23	2.2 - 3-1	WEF 15 JUN 22	4.4 - 1	2 MAY 24
1.2 - 2	WEF 28 DEC 22	1.9 - 3	1 AUG 19	2.2 - 4	WEF 6 DEC 17	4.4 - 2	2 MAY 24
1.2 - 3	WEF 28 DEC 22	1.9 - 4	1 AUG 19	2.2 - 4-1	WEF 6 DEC 17	4.4 - 3	2 MAY 24
1.2 - 4	WEF 28 DEC 22	1.9 - 5	1 AUG 19			4.4 - 4	2 MAY 24
1.2 - 5	WEF 28 DEC 22	1.9 - 6	1 AUG 19			4.4 - 5	WEF 20 MAR 24
1.2 - 6	WEF 28 DEC 22	1.9 - 7	27 JUN 24	ENR 3		4.4 - 6	WEF 20 MAR 24
1.2 - 7	WEF 28 DEC 22	1.9 - 8	27 JUN 24	3.1 - 1	22 AUG 24	4.4 - 7	WEF 20 MAR 24
1.2 - 8	WEF 28 DEC 22	1.9 - 9	27 JUN 24	3.1 - 2	22 AUG 24	4.4 - 8	WEF 20 MAR 24
1.2 - 9	WEF 28 DEC 22	1.9 - 10	27 JUN 24	3.1 - 3	WEF 29 NOV 23	4.4 - 9	WEF 7 AUG 24
1.2 - 10	WEF 28 DEC 22	1.9 - 11	25 AUG 22	3.1 - 4	WEF 12 JUN 24	4.4 - 10	WEF 1 NOV 23
1.2 - 11	WEF 28 DEC 22	1.9 - 12	25 AUG 22	3.1 - 5	25 JUL 24	4.4 - 11	WEF 1 NOV 23
1.2 - 12	WEF 28 DEC 22	1.9 - 13	WEF 30 NOV 22	3.1 - 6	25 JUL 24	4.4 - 12	WEF 1 NOV 23
1.2 - 13	WEF 28 DEC 22	1.9 - 14	WEF 30 NOV 22	3.1 - 7	14 DEC 23	4.4 - 13	14 DEC 23
1.2 - 14	WEF 28 DEC 22	1.9 - 15	WEF 30 NOV 22	3.1 - 8	WEF 12 JUN 24	4.4 - 14	14 DEC 23
1.2 - 15	WEF 28 DEC 22	1.9 - 16	WEF 30 NOV 22	3.1 - 9	20 DEC 18	4.4 - 15	WEF 1 NOV 23
1.2 - 16	WEF 28 DEC 22	1.9 - 17	WEF 30 NOV 22	3.1 - 10	20 DEC 18	4.4 - 16	WEF 1 NOV 23
1.2 - 17	WEF 28 DEC 22	1.9 - 18	WEF 30 NOV 22	3.1 - 11	WEF 12 JUN 24	4.4 - 17	WEF 15 MAY 24
1.2 - 18	WEF 28 DEC 22	1.10 - 1	29 JUN 23	3.1 - 12	WEF 29 NOV 23	4.4 - 18	8 FEB 24
1.2 - 19	WEF 28 DEC 22	1.10 - 2	29 JUN 23	3.1 - 13	WEF 29 NOV 23	4.4 - 19	WEF 1 NOV 23
1.2 - 20	WEF 28 DEC 22	1.11 - 1	29 JUN 23	3.1 - 14	WEF 29 NOV 23	4.4 - 20	WEF 1 NOV 23
1.2 - 21	WEF 28 DEC 22	1.11 - 2	29 JUN 23	3.2 - 1	22 AUG 24	4.4 - 21	WEF 1 NOV 23
1.2 - 22	WEF 28 DEC 22	1.12 - 1	1 MAY 14	3.2 - 2	22 AUG 24	4.4 - 22	WEF 1 NOV 23
1.2 - 23	4 MAY 23	1.12 - 2	1 MAY 14	3.2 - 3	22 AUG 24	4.4 - 23	WEF 1 NOV 23
1.2 - 24	WEF 28 DEC 22	1.12 - 3	1 MAY 14	3.2 - 4	22 AUG 24	4.4 - 24	WEF 24 JAN 24
1.2 - 25	WEF 28 DEC 22	1.12 - 4	1 MAY 14	3.2 - 5	22 AUG 24	4.4 - 25	14 DEC 23
1.2 - 26	WEF 28 DEC 22	1.13 - 1	1 MAY 14	3.2 - 6	22 AUG 24	4.4 - 26	14 DEC 23
1.2 - 27	WEF 28 DEC 22	1.13 - 2	1 MAY 14	3.2 - 7	22 AUG 24	4.4 - 27	WEF 1 NOV 23
1.2 - 28	WEF 28 DEC 22	1.14 - 1	9 MAR 23	3.2 - 8	22 AUG 24	4.4 - 28	WEF 30 OCT 24
1.2 - 29	WEF 28 DEC 22	1.14 - 2	9 MAR 23	3.2 - 9	22 AUG 24	4.4 - 29	14 DEC 23
1.2 - 30	WEF 28 DEC 22	1.14 - 3	1 MAY 14	3.2 - 10	22 AUG 24	4.4 - 30	14 DEC 23
1.2 - 31	WEF 28 DEC 22	1.14 - 4	1 MAY 14	3.2 - 11	22 AUG 24	4.4 - 31	WEF 27 DEC 23
1.2 - 32	WEF 28 DEC 22	1.14 - 5	1 MAY 14	3.2 - 12	22 AUG 24	4.4 - 32	WEF 1 NOV 23
1.2 - 33	WEF 28 DEC 22	1.14 - 6	1 MAY 14	3.2 - 13	22 AUG 24	4.5 - 1	1 MAY 14
1.3 - 1	WEF 6 DEC 17			3.2 - 14	22 AUG 24	4.5 - 2	1 MAY 14
1.3 - 2	1 MAY 14			3.2 - 15	22 AUG 24		
1.4 - 1	30 JUL 20	ENR 2		3.2 - 16	22 AUG 24		
1.4 - 2	30 JUL 20	2.1 - 1	WEF 29 NOV 23	3.2 - 17	22 AUG 24		
1.4 - 3	4 JUN 20	2.1 - 2	29 JUN 23	3.2 - 18	22 AUG 24		
1.4 - 4	WEF 13 JUL 22	2.1 - 3	8 FEB 24	3.2 - 19	22 AUG 24		
1.4 - 5	25 AUG 22	2.1 - 4	8 FEB 24	3.2 - 20	22 AUG 24		
1.4 - 6	25 AUG 22	2.1 - 5	8 FEB 24	3.2 - 21	22 AUG 24		
1.4 - 7	29 JUN 23	2.1 - 6	8 FEB 24	3.2 - 22	22 AUG 24		
1.4 - 8	29 JUN 23	2.1 - 7	7 MAR 24	3.3 - 1	22 AUG 24		
1.4 - 9	25 AUG 22	2.1 - 8	7 MAR 24	3.3 - 2	22 AUG 24		
1.4 - 10	25 AUG 22	2.1 - 9	12 JAN 23	3.4 - 1	19 OCT 23		
1.4 - 11	2 MAY 24	2.1 - 10	12 JAN 23	3.4 - 2	19 OCT 23		
1.4 - 12	2 MAY 24	2.1 - 11	13 JAN 22	3.5 - 1	14 DEC 23		
1.5 - 1	WEF 13 JUL 22	2.1 - 12	13 JAN 22	3.5 - 2	14 DEC 23		
1.5 - 2	8 JUN 17	2.1 - 13	WEF 29 NOV 23	3.6 - 1	WEF 27 DEC 23		
1.5 - 3	8 JUN 17	2.1 - 14	WEF 29 NOV 23	3.6 - 2	19 OCT 23		
1.5 - 4	8 JUN 17						

AIP AMDT 1/25

Page	Date	Page	Date	Page	Date	Page	Date
RKSI		RKSI		RKSS		RKSS	
CHART 2 - 19	WEF 16 JUN 21	CHART 2 - 50	14 NOV 24	2 - 1	11 JAN 24	CHART 2 - 13	14 NOV 24
CHART 2 - 20	WEF 16 JUN 21	CHART 2 - 51	14 NOV 24	2 - 2	WEF 22 JAN 25	CHART 2 - 14	12 DEC 24
CHART 2 - 21	WEF 16 JUN 21	CHART 2 - 51-1	14 NOV 24	2 - 3	12 DEC 24	CHART 2 - 14-1	12 DEC 24
CHART 2 - 22	WEF 16 JUN 21	CHART 2 - 52	14 NOV 24	2 - 3-1	12 DEC 24	CHART 2 - 15	14 NOV 24
CHART 2 - 23	WEF 16 JUN 21	CHART 2 - 52-1	14 NOV 24	2 - 4	4 APR 24	CHART 2 - 15-1	14 NOV 24
CHART 2 - 24	WEF 16 JUN 21	CHART 2 - 53	WEF 30 OCT 24	2 - 4-1	4 APR 24	CHART 2 - 16	14 NOV 24
CHART 2 - 25	WEF 16 JUN 21	CHART 2 - 53-1	WEF 20 MAR 24	2 - 5	WEF 27 NOV 24	CHART 2 - 16-1	14 NOV 24
CHART 2 - 26	WEF 16 JUN 21	CHART 2 - 54	WEF 30 OCT 24	2 - 6	24 SEP 20	CHART 2 - 17	14 NOV 24
CHART 2 - 27	14 NOV 24	CHART 2 - 54-1	WEF 20 MAR 24	2 - 7	WEF 27 NOV 24	CHART 2 - 17-1	14 NOV 24
CHART 2 - 28	14 NOV 24	CHART 2 - 55	14 NOV 24	2 - 8	22 AUG 24	CHART 2 - 18	14 NOV 24
CHART 2 - 28-1	14 NOV 24	CHART 2 - 55-1	14 NOV 24	2 - 9	WEF 2 OCT 24	CHART 2 - 18-1	14 NOV 24
CHART 2 - 29	12 DEC 24	CHART 2 - 56	14 NOV 24	2 - 10	WEF 22 JAN 25	CHART 2 - 18-2	WEF 13 JUL 22
CHART 2 - 29-1	12 DEC 24	CHART 2 - 56-1	14 NOV 24	2 - 10-1	WEF 22 JAN 25	CHART 2 - 18-3	WEF 7 OCT 20
CHART 2 - 30	14 NOV 24	CHART 2 - 57	14 NOV 24	2 - 10-2	WEF 2 OCT 24	CHART 2 - 19	12 DEC 24
CHART 2 - 30-1	14 NOV 24	CHART 2 - 57-1	14 NOV 24	2 - 10-3	WEF 22 JAN 25	CHART 2 - 19-1	12 DEC 24
CHART 2 - 31	14 NOV 24	CHART 2 - 58	14 NOV 24	2 - 10-4	WEF 30 OCT 24	CHART 2 - 19-2	WEF 13 JUL 22
CHART 2 - 31-1	14 NOV 24	CHART 2 - 58-1	14 NOV 24	2 - 11	WEF 30 OCT 24	CHART 2 - 19-3	WEF 3 NOV 21
CHART 2 - 32	12 DEC 24	CHART 2 - 59	14 NOV 24	2 - 12	WEF 30 OCT 24	CHART 2 - 20	14 NOV 24
CHART 2 - 32-1	12 DEC 24	CHART 2 - 59-1	14 NOV 24	2 - 12-1	WEF 22 JAN 25	CHART 2 - 20-1	14 NOV 24
CHART 2 - 33	14 NOV 24	CHART 2 - 60	14 NOV 24	2 - 12-2	WEF 30 OCT 24	CHART 2 - 21	9 FEB 23
CHART 2 - 33-1	14 NOV 24	CHART 2 - 60-1	14 NOV 24	2 - 13	WEF 30 OCT 24	CHART 2 - 21-1	9 FEB 23
CHART 2 - 34	14 NOV 24	CHART 2 - 61	14 NOV 24	2 - 13-1	WEF 2 OCT 24	CHART 2 - 22	14 NOV 24
CHART 2 - 34-1	14 NOV 24	CHART 2 - 61-1	14 NOV 24	2 - 14	11 JAN 24	CHART 2 - 23	14 NOV 24
CHART 2 - 35	14 NOV 24	CHART 2 - 62	WEF 30 OCT 24	2 - 14-1	11 JAN 24	CHART 2 - 23-1	14 NOV 24
CHART 2 - 35-1	14 NOV 24	CHART 2 - 62-1	WEF 24 JAN 24	2 - 15	WEF 22 JAN 25	CHART 2 - 23-2	WEF 9 AUG 23
CHART 2 - 36	12 DEC 24	CHART 2 - 63	WEF 30 OCT 24	2 - 15-1	WEF 22 JAN 25	CHART 2 - 23-3	WEF 3 NOV 21
CHART 2 - 36-1	12 DEC 24	CHART 2 - 63-1	WEF 20 MAR 24	2 - 15-2	WEF 22 JAN 25	CHART 2 - 24	14 NOV 24
CHART 2 - 37	14 NOV 24	CHART 2 - 64	WEF 30 OCT 24	2 - 16	WEF 22 JAN 25	CHART 2 - 24-1	14 NOV 24
CHART 2 - 37-1	14 NOV 24	CHART 2 - 64-1	WEF 24 JAN 24	2 - 17	WEF 30 OCT 24	CHART 2 - 25	14 NOV 24
CHART 2 - 38	14 NOV 24	CHART 2 - 65	WEF 30 OCT 24	2 - 18	WEF 22 JAN 25	CHART 2 - 25-1	14 NOV 24
CHART 2 - 38-1	14 NOV 24	CHART 2 - 65-1	WEF 20 MAR 24	2 - 19	WEF 22 JAN 25	CHART 2 - 26	14 NOV 24
CHART 2 - 39	14 NOV 24	CHART 2 - 66	12 DEC 24	2 - 20	WEF 22 JAN 25	CHART 2 - 26-1	14 NOV 24
CHART 2 - 39-1	14 NOV 24	CHART 2 - 66-1	WEF 22 JAN 25	2 - 21	WEF 22 JAN 25	CHART 2 - 27	14 NOV 24
CHART 2 - 40	14 NOV 24	CHART 2 - 67	WEF 30 OCT 24	2 - 22	WEF 22 JAN 25	CHART 2 - 27-1	14 NOV 24
CHART 2 - 40-1	14 NOV 24	CHART 2 - 67-1	WEF 24 JAN 24	2 - 23	17 NOV 22	CHART 2 - 28	14 NOV 24
CHART 2 - 41	14 NOV 24	CHART 2 - 68	WEF 30 OCT 24	2 - 24	17 NOV 22	CHART 2 - 28-1	14 NOV 24
CHART 2 - 42	14 NOV 24	CHART 2 - 68-1	WEF 24 JAN 24	2 - 25	30 MAY 24	CHART 2 - 29	WEF 30 OCT 24
CHART 2 - 42-1	14 NOV 24	CHART 2 - 69	WEF 30 OCT 24	2 - 26	30 MAY 24	CHART 2 - 29-1	9 FEB 23
CHART 2 - 43	14 NOV 24	CHART 2 - 69-1	WEF 24 JAN 24	2 - 27	11 JAN 24	CHART 2 - 30	14 NOV 24
CHART 2 - 43-1	14 NOV 24	CHART 2 - 70	WEF 30 OCT 24	2 - 28	11 JAN 24	CHART 2 - 30-1	14 NOV 24
CHART 2 - 43-2	WEF 9 AUG 23	CHART 2 - 70-1	WEF 20 MAR 24	2 - 29	14 DEC 23	CHART 2 - 31	WEF 30 OCT 24
CHART 2 - 43-3	WEF 16 JUN 21	CHART 2 - 71	WEF 20 MAR 24	2 - 30	WEF 30 OCT 24	CHART 2 - 31-1	15 DEC 22
CHART 2 - 44	14 NOV 24	CHART 2 - 72	WEF 20 MAR 24	2 - 31	18 NOV 21	CHART 2 - 32	WEF 30 OCT 24
CHART 2 - 44-1	14 NOV 24	CHART 2 - 73	WEF 25 JAN 23	2 - 32	WEF 13 JUL 22	CHART 2 - 32-1	4 MAY 23
CHART 2 - 44-2	WEF 9 AUG 23	CHART 2 - 74	WEF 23 FEB 22	2 - 33	14 NOV 24	CHART 2 - 33	WEF 30 OCT 24
CHART 2 - 44-3	WEF 16 JUN 21			2 - 34	14 NOV 24	CHART 2 - 33-1	15 DEC 22
CHART 2 - 45	14 NOV 24					CHART 2 - 34	WEF 30 OCT 24
CHART 2 - 45-1	14 NOV 24					CHART 2 - 34-1	WEF 7 AUG 24
CHART 2 - 45-2	WEF 9 AUG 23			CHART 2 - 1	WEF 22 JAN 25	CHART 2 - 35	WEF 30 OCT 24
CHART 2 - 45-3	WEF 16 JUN 21			CHART 2 - 2	22 AUG 24	CHART 2 - 35-1	WEF 7 AUG 24
CHART 2 - 46	12 DEC 24			CHART 2 - 3	WEF 22 JAN 25	CHART 2 - 36	WEF 30 OCT 24
CHART 2 - 46-1	12 DEC 24			CHART 2 - 4	WEF 22 JAN 25	CHART 2 - 36-1	15 DEC 22
CHART 2 - 47	14 NOV 24			CHART 2 - 5	WEF 22 JAN 25	CHART 2 - 37	WEF 30 OCT 24
CHART 2 - 47-1	14 NOV 24			CHART 2 - 6	WEF 22 JAN 25	CHART 2 - 37-1	WEF 7 AUG 24
CHART 2 - 48	14 NOV 24			CHART 2 - 7	30 MAY 24	CHART 2 - 38	WEF 30 OCT 24
CHART 2 - 48-1	14 NOV 24			CHART 2 - 8	30 MAY 24	CHART 2 - 38-1	WEF 7 AUG 24
CHART 2 - 48-2	WEF 25 JAN 23			CHART 2 - 9	30 MAY 24	CHART 2 - 39	WEF 30 OCT 24
CHART 2 - 48-3	WEF 9 AUG 23			CHART 2 - 10	30 MAY 24	CHART 2 - 39-1	9 FEB 23
CHART 2 - 49	14 NOV 24			CHART 2 - 11	2 MAY 24	CHART 2 - 40	WEF 30 OCT 24
CHART 2 - 49-1	14 NOV 24			CHART 2 - 12	1 MAY 14	CHART 2 - 41	11 JAN 24

AIP AMDT 1/25

Page	Date	Page	Date	Page	Date	Page	Date
RKTU		RKNY		RKTN		RKTN	
CHART 2 - 1	WEF 22 JAN 25	2 - 1	11 JAN 24	2 - 1	7 MAR 24	CHART 2 - 15	WEF 15 MAY 24
CHART 2 - 2	WEF 22 JAN 25	2 - 2	11 JAN 24	2 - 2	7 MAR 24	CHART 2 - 15-1	WEF 15 MAY 24
CHART 2 - 3	WEF 25 DEC 24	2 - 3	WEF 27 NOV 24	2 - 3	WEF 27 NOV 24	CHART 2 - 15-2	WEF 15 MAY 24
CHART 2 - 3-1	24 AUG 23	2 - 4	WEF 27 NOV 24	2 - 4	4 APR 24	CHART 2 - 15-3	WEF 15 MAY 24
CHART 2 - 4	WEF 22 JAN 25	2 - 5	15 DEC 22	2 - 5	WEF 27 NOV 24	CHART 2 - 16	WEF 15 MAY 24
CHART 2 - 5	30 MAY 24	2 - 6	15 DEC 22	2 - 6	17 NOV 22	CHART 2 - 16-1	WEF 15 MAY 24
CHART 2 - 6	30 MAY 24	2 - 7	20 OCT 22	2 - 7	1 JUL 21	CHART 2 - 16-2	WEF 15 MAY 24
CHART 2 - 7	30 MAY 24	2 - 8	WEF 6 SEP 23	2 - 8	1 JUL 21	CHART 2 - 16-3	WEF 15 MAY 24
CHART 2 - 8	30 MAY 24	2 - 9	30 MAY 24	2 - 9	24 AUG 23	CHART 2 - 17	WEF 15 MAY 24
CHART 2 - 9	30 MAY 24	2 - 10	30 MAY 24	2 - 10	24 AUG 23	CHART 2 - 17-1	11 JAN 24
CHART 2 - 10	1 JUN 23	2 - 11	27 JUL 23	2 - 11	24 AUG 23	CHART 2 - 18	WEF 15 MAY 24
CHART 2 - 11	WEF 22 JAN 25	2 - 12	27 JUL 23	2 - 12	WEF 15 MAY 24	CHART 2 - 18-1	11 JAN 24
CHART 2 - 11-1	1 JUN 23	2 - 12-1	30 MAY 24	2 - 13	WEF 15 MAY 24	CHART 2 - 19	WEF 15 MAY 24
CHART 2 - 12	WEF 22 JAN 25	2 - 12-2	30 MAY 24	2 - 14	WEF 15 MAY 24	CHART 2 - 19-1	11 JAN 24
CHART 2 - 12-1	1 JUN 23	2 - 13	14 NOV 24			CHART 2 - 20	WEF 15 MAY 24
CHART 2 - 13	WEF 20 APR 22	2 - 14	14 NOV 24			CHART 2 - 20-1	WEF 15 MAY 24
CHART 2 - 13-1	1 AUG 19					CHART 2 - 21	WEF 15 MAY 24
CHART 2 - 14	WEF 20 APR 22					CHART 2 - 21-1	WEF 15 MAY 24
CHART 2 - 14-1	1 AUG 19	CHART 2 - 1	WEF 27 NOV 24	CHART 2 - 1	WEF 27 NOV 24	CHART 2 - 22	WEF 15 MAY 24
CHART 2 - 15	27 SEP 18	CHART 2 - 2	WEF 27 NOV 24	CHART 2 - 2	8 FEB 24	CHART 2 - 22-1	WEF 15 MAY 24
CHART 2 - 15-1	27 SEP 18	CHART 2 - 3	WEF 27 NOV 24	CHART 2 - 3	WEF 27 NOV 24	CHART 2 - 23	WEF 15 MAY 24
CHART 2 - 15-2	WEF 22 JAN 25	CHART 2 - 3-1	30 MAY 24	CHART 2 - 3-1	7 MAR 24	CHART 2 - 23-1	WEF 15 MAY 24
CHART 2 - 15-3	WEF 8 SEP 21	CHART 2 - 4	30 MAY 24	CHART 2 - 4	WEF 27 NOV 24	CHART 2 - 24	WEF 15 MAY 24
CHART 2 - 16	28 JUL 22	CHART 2 - 5	30 MAY 24	CHART 2 - 5	4 APR 24	CHART 2 - 24-1	WEF 15 MAY 24
CHART 2 - 17	WEF 22 JAN 25	CHART 2 - 6	30 MAY 24	CHART 2 - 6	4 APR 24	CHART 2 - 25	WEF 15 MAY 24
CHART 2 - 17-1	WEF 22 JAN 25	CHART 2 - 7	14 NOV 24	CHART 2 - 7	4 APR 24	CHART 2 - 25-1	WEF 15 MAY 24
CHART 2 - 18	WEF 10 JUL 24	CHART 2 - 8	12 DEC 24	CHART 2 - 8	4 APR 24	CHART 2 - 26	WEF 15 MAY 24
CHART 2 - 18-1	WEF 15 MAY 24	CHART 2 - 8-1	12 DEC 24	CHART 2 - 9	4 APR 24	CHART 2 - 26-1	WEF 15 MAY 24
CHART 2 - 19	WEF 22 JAN 25	CHART 2 - 9	WEF 19 APR 23	CHART 2 - 10	27 SEP 18	CHART 2 - 27	WEF 15 MAY 24
CHART 2 - 19-1	WEF 15 MAY 24	CHART 2 - 9-1	27 SEP 18	CHART 2 - 10-1	27 SEP 18	CHART 2 - 27-1	WEF 15 MAY 24
CHART 2 - 20	WEF 22 JAN 25	CHART 2 - 10	12 DEC 24	CHART 2 - 11	21 OCT 21	CHART 2 - 28	WEF 15 MAY 24
CHART 2 - 20-1	WEF 15 MAY 24	CHART 2 - 10-1	12 DEC 24	CHART 2 - 11-1	21 OCT 21	CHART 2 - 28-1	WEF 15 MAY 24
CHART 2 - 21	WEF 10 JUL 24	CHART 2 - 11	14 NOV 24	CHART 2 - 12	27 SEP 18	CHART 2 - 29	WEF 15 MAY 24
CHART 2 - 21-1	WEF 15 MAY 24	CHART 2 - 11-1	14 NOV 24	CHART 2 - 12-1	27 SEP 18	CHART 2 - 30	WEF 15 MAY 24
CHART 2 - 22	WEF 22 JAN 25	CHART 2 - 12	12 DEC 24	CHART 2 - 13	WEF 15 MAY 24		
CHART 2 - 22-1	WEF 15 MAY 24	CHART 2 - 12-1	12 DEC 24	CHART 2 - 13-1	WEF 15 MAY 24		
CHART 2 - 23	WEF 22 JAN 25	CHART 2 - 13	14 NOV 24	CHART 2 - 13-2	WEF 15 MAY 24		
CHART 2 - 23-1	WEF 15 MAY 24	CHART 2 - 14	WEF 30 OCT 24	CHART 2 - 13-3	WEF 15 MAY 24		
CHART 2 - 24	WEF 10 JUL 24	CHART 2 - 14-1	9 MAR 23	CHART 2 - 14	WEF 15 MAY 24		
CHART 2 - 24-1	WEF 15 MAY 24	CHART 2 - 15	WEF 30 OCT 24	CHART 2 - 14-1	WEF 15 MAY 24		
CHART 2 - 25	WEF 22 JAN 25	CHART 2 - 15-1	6 APR 23	CHART 2 - 14-2	WEF 15 MAY 24		
CHART 2 - 25-1	WEF 15 MAY 24	CHART 2 - 16	WEF 30 OCT 24	CHART 2 - 14-3	WEF 15 MAY 24		
CHART 2 - 26	WEF 22 JAN 25	CHART 2 - 16-1	9 MAR 23				
CHART 2 - 26-1	WEF 27 DEC 23	CHART 2 - 17	WEF 30 OCT 24				
CHART 2 - 27	WEF 10 JUL 24	CHART 2 - 17-1	2 MAY 24				
CHART 2 - 27-1	WEF 27 DEC 23	CHART 2 - 18	30 MAY 24				
CHART 2 - 28	WEF 22 JAN 25	CHART 2 - 19	30 MAY 24				
CHART 2 - 28-1	WEF 27 DEC 23						
CHART 2 - 29	WEF 22 JAN 25						
CHART 2 - 29-1	WEF 15 MAY 24						
CHART 2 - 30	WEF 10 JUL 24						
CHART 2 - 30-1	WEF 15 MAY 24						
CHART 2 - 31	WEF 22 JAN 25						
CHART 2 - 31-1	WEF 15 MAY 24						
CHART 2 - 32	WEF 10 JUL 24						
CHART 2 - 32-1	WEF 15 MAY 24						
CHART 2 - 33	WEF 15 MAY 24						
CHART 2 - 34	WEF 15 MAY 24						

Page	Date	Page	Date	Page	Date	Page	Date
RKJB		RKJJ		RKJJ		RKJK	
2 - 1	27 JUN 24	2 - 1	14 NOV 24	CHART 2 - 26	WEF 19 APR 23	2 - 1	9 JAN 25
2 - 2	WEF 27 NOV 24	2 - 2	14 NOV 24	CHART 2 - 26-1	WEF 19 APR 23	2 - 2	9 JAN 25
2 - 3	2 MAY 24	2 - 3	WEF 27 NOV 24	CHART 2 - 27	WEF 22 FEB 23	2 - 3	27 JUN 24
2 - 4	WEF 27 NOV 24	2 - 4	7 MAR 24	CHART 2 - 27-1	30 JUN 22	2 - 4	27 JUN 24
2 - 5	22 OCT 20	2 - 5	7 MAR 24	CHART 2 - 28	WEF 22 FEB 23	2 - 5	26 SEP 19
2 - 6	WEF 24 MAR 21	2 - 6	7 MAR 24	CHART 2 - 28-1	2 JUN 22	2 - 6	26 SEP 19
2 - 7	4 APR 24	2 - 7	WEF 27 NOV 24	CHART 2 - 29	WEF 22 FEB 23	2 - 7	22 OCT 20
2 - 8	4 APR 24	2 - 8	2 JUN 22	CHART 2 - 29-1	WEF 22 FEB 23	2 - 8	WEF 15 MAY 24
2 - 9	WEF 30 NOV 22	2 - 9	13 JAN 22	CHART 2 - 30	11 JAN 24		
2 - 10	WEF 3 NOV 21	2 - 10	WEF 20 APR 22	CHART 2 - 30-1	11 JAN 24		
2 - 11	27 JUN 24	2 - 11	28 JUL 22	CHART 2 - 31	WEF 19 APR 23		
2 - 12	27 JUN 24	2 - 12	28 JUL 22	CHART 2 - 31-1	WEF 19 APR 23	CHART 2 - 1	27 JUN 24
		2 - 13	28 JUL 22	CHART 2 - 32	11 JAN 24	CHART 2 - 1-1	27 JUN 24
CHART 2 - 1	WEF 27 NOV 24	2 - 14	28 JUL 22	CHART 2 - 32-1	11 JAN 24	CHART 2 - 2	WEF 15 MAY 24
CHART 2 - 2	10 FEB 22	2 - 15	28 JUL 22	CHART 2 - 33	WEF 22 FEB 23	CHART 2 - 2-1	19 MAR 15
CHART 2 - 3	WEF 27 NOV 24	2 - 16	28 JUL 22	CHART 2 - 33-1	WEF 22 FEB 23	CHART 2 - 3	WEF 15 MAY 24
CHART 2 - 4	WEF 27 NOV 24	2 - 17	WEF 22 FEB 23	CHART 2 - 34	WEF 19 APR 23	CHART 2 - 3-1	19 MAR 15
CHART 2 - 5	2 MAY 24	2 - 18	WEF 19 APR 23	CHART 2 - 34-1	WEF 19 APR 23	CHART 2 - 4	WEF 15 MAY 24
CHART 2 - 6	2 MAY 24			CHART 2 - 35	WEF 22 FEB 23	CHART 2 - 4-1	WEF 15 MAY 24
CHART 2 - 7	WEF 3 NOV 21	CHART 2 - 1	WEF 27 NOV 24	CHART 2 - 35-1	WEF 22 FEB 23	CHART 2 - 5	WEF 15 MAY 24
CHART 2 - 7-1	WEF 3 NOV 21	CHART 2 - 2	2 JUN 22	CHART 2 - 36	WEF 22 FEB 23	CHART 2 - 5-1	WEF 15 MAY 24
CHART 2 - 8	30 JUN 22	CHART 2 - 3	WEF 27 NOV 24	CHART 2 - 36-1	WEF 22 FEB 23	CHART 2 - 6	WEF 15 MAY 24
CHART 2 - 8-1	30 JUN 22	CHART 2 - 4	WEF 27 NOV 24	CHART 2 - 37	WEF 22 FEB 23	CHART 2 - 6-1	WEF 15 MAY 24
CHART 2 - 9	WEF 3 NOV 21	CHART 2 - 5	4 MAY 23	CHART 2 - 37-1	WEF 22 FEB 23	CHART 2 - 7	WEF 15 MAY 24
CHART 2 - 9-1	WEF 30 DEC 20	CHART 2 - 6	4 MAY 23	CHART 2 - 38	WEF 22 FEB 23	CHART 2 - 7-1	WEF 15 MAY 24
CHART 2 - 10	30 JUN 22	CHART 2 - 7	4 MAY 23	CHART 2 - 39	WEF 22 FEB 23	CHART 2 - 8	WEF 15 MAY 24
CHART 2 - 10-1	30 JUN 22	CHART 2 - 8	4 MAY 23			CHART 2 - 8-1	WEF 15 MAY 24
CHART 2 - 11	WEF 3 NOV 21	CHART 2 - 9	7 MAR 24			CHART 2 - 9	WEF 15 MAY 24
CHART 2 - 11-1	WEF 3 NOV 21	CHART 2 - 10	1 JUN 23			CHART 2 - 9-1	WEF 15 MAY 24
CHART 2 - 12	WEF 3 NOV 21	CHART 2 - 11	WEF 19 APR 23			CHART 2 - 10	WEF 15 MAY 24
CHART 2 - 12-1	WEF 30 DEC 20	CHART 2 - 11-1	WEF 19 APR 23			CHART 2 - 10-1	WEF 15 MAY 24
CHART 2 - 13	30 JUN 22	CHART 2 - 12	WEF 22 FEB 23			CHART 2 - 11	WEF 15 MAY 24
CHART 2 - 14	12 DEC 24	CHART 2 - 12-1	30 JUN 22			CHART 2 - 11-1	WEF 15 MAY 24
CHART 2 - 14-1	12 DEC 24	CHART 2 - 13	WEF 19 APR 23				
CHART 2 - 15	WEF 30 OCT 24	CHART 2 - 13-1	WEF 19 APR 23				
CHART 2 - 15-1	11 JAN 24	CHART 2 - 14	WEF 22 FEB 23				
CHART 2 - 16	WEF 30 OCT 24	CHART 2 - 14-1	WEF 22 FEB 23				
CHART 2 - 16-1	8 FEB 24	CHART 2 - 15	WEF 22 FEB 23				
CHART 2 - 16-2	9 JAN 25	CHART 2 - 15-1	21 NOV 19				
CHART 2 - 16-3	9 JAN 25	CHART 2 - 16	WEF 19 APR 23				
CHART 2 - 17	WEF 30 OCT 24	CHART 2 - 16-1	WEF 19 APR 23				
CHART 2 - 17-1	11 JAN 24	CHART 2 - 17	WEF 19 APR 23				
CHART 2 - 18	WEF 30 OCT 24	CHART 2 - 17-1	WEF 19 APR 23				
CHART 2 - 18-1	11 JAN 24	CHART 2 - 18	19 SEP 24				
CHART 2 - 19	WEF 30 OCT 24	CHART 2 - 18-1	19 SEP 24				
CHART 2 - 19-1	11 JAN 24	CHART 2 - 19	WEF 22 FEB 23				
CHART 2 - 20	WEF 30 OCT 24	CHART 2 - 20	11 JAN 24				
CHART 2 - 20-1	WEF 30 OCT 24	CHART 2 - 20-1	11 JAN 24				
CHART 2 - 21	WEF 30 OCT 24	CHART 2 - 21	11 JAN 24				
CHART 2 - 21-1	WEF 30 OCT 24	CHART 2 - 21-1	11 JAN 24				
CHART 2 - 22	29 JUN 23	CHART 2 - 22	WEF 19 APR 23				
CHART 2 - 23	29 JUN 23	CHART 2 - 22-1	WEF 19 APR 23				
		CHART 2 - 23	WEF 22 FEB 23				
		CHART 2 - 23-1	30 JUN 22				
		CHART 2 - 24	WEF 22 FEB 23				
		CHART 2 - 24-1	26 AUG 21				
		CHART 2 - 25	WEF 22 FEB 23				
		CHART 2 - 25-1	26 AUG 21				

Page	Date	Page	Date	Page	Date	Page	Date
RKJY		RKNW		RKPS		RKPS	
2 - 1	14 NOV 24	2 - 1	WEF 17 MAY 23	2 - 1	11 JAN 24	CHART 2 - 19	14 DEC 23
2 - 2	14 NOV 24	2 - 2	17 NOV 22	2 - 2	11 JAN 24	CHART 2 - 19-1	14 DEC 23
2 - 3	WEF 27 NOV 24	2 - 3	19 SEP 24	2 - 3	WEF 27 NOV 24	CHART 2 - 20	WEF 27 NOV 24
2 - 4	4 APR 24	2 - 4	19 SEP 24	2 - 4	2 MAY 24	CHART 2 - 20-1	14 DEC 23
2 - 4-1	4 APR 24	2 - 5	25 AUG 22	2 - 5	WEF 27 NOV 24	CHART 2 - 21	11 JAN 24
2 - 4-2	4 APR 24	2 - 6	25 AUG 22	2 - 6	17 NOV 22	CHART 2 - 21-1	11 JAN 24
2 - 5	12 DEC 24	2 - 7	WEF 11 AUG 21	2 - 7	10 FEB 22	CHART 2 - 22	WEF 27 NOV 24
2 - 6	12 DEC 24	2 - 8	WEF 17 MAY 23	2 - 8	10 FEB 22	CHART 2 - 22-1	11 JAN 24
2 - 7	14 NOV 24	2 - 9	WEF 17 MAY 23	2 - 9	17 OCT 24	CHART 2 - 23	14 DEC 23
2 - 8	14 NOV 24	2 - 10	WEF 11 AUG 21	2 - 10	WEF 27 NOV 24	CHART 2 - 23-1	14 DEC 23
2 - 9	20 OCT 22	2 - 11	27 JUN 24	2 - 10-1	WEF 27 NOV 24	CHART 2 - 24	11 JAN 24
2 - 10	20 OCT 22	2 - 12	27 JUN 24	2 - 10-2	14 DEC 23	CHART 2 - 24-1	11 JAN 24
2 - 11	2 JUL 20			2 - 11	14 DEC 23	CHART 2 - 25	14 DEC 23
2 - 12	2 JUL 20	CHART 2 - 1	WEF 17 MAY 23	2 - 12	14 DEC 23	CHART 2 - 25-1	14 DEC 23
2 - 13	25 JUL 24	CHART 2 - 2	WEF 17 MAY 23	2 - 13	14 DEC 23	CHART 2 - 26	14 DEC 23
2 - 14	25 JUL 24	CHART 2 - 3	WEF 17 MAY 23	2 - 14	14 DEC 23	CHART 2 - 26-1	14 DEC 23
2 - 15	27 JUN 24	CHART 2 - 3-1	26 AUG 21			CHART 2 - 27	14 DEC 23
2 - 16	27 JUN 24	CHART 2 - 4	WEF 17 MAY 23			CHART 2 - 27-1	14 DEC 23
		CHART 2 - 4-1	26 AUG 21			CHART 2 - 28	14 DEC 23
CHART 2 - 1	WEF 27 NOV 24	CHART 2 - 5	WEF 17 MAY 23			CHART 2 - 28-1	14 DEC 23
CHART 2 - 2	25 JUL 24	CHART 2 - 5-1	26 AUG 21	CHART 2 - 1	WEF 27 NOV 24	CHART 2 - 29	WEF 27 NOV 24
CHART 2 - 3	28 JUL 22	CHART 2 - 6	14 DEC 23	CHART 2 - 2	WEF 27 NOV 24	CHART 2 - 29-1	14 DEC 23
CHART 2 - 4	WEF 27 NOV 24	CHART 2 - 6-1	14 DEC 23	CHART 2 - 3	11 JAN 24	CHART 2 - 30	14 DEC 23
CHART 2 - 5	25 JUL 24	CHART 2 - 7	WEF 17 MAY 23	CHART 2 - 3-1	11 JAN 24	CHART 2 - 30-1	14 DEC 23
CHART 2 - 6	25 JUL 24	CHART 2 - 7-1	WEF 17 MAY 23	CHART 2 - 4	11 JAN 24		
CHART 2 - 7	4 APR 24	CHART 2 - 8	WEF 17 MAY 23	CHART 2 - 4-1	11 JAN 24		
CHART 2 - 8	WEF 30 NOV 22	CHART 2 - 8-1	WEF 17 MAY 23	CHART 2 - 4-2	WEF 12 JUL 23		
CHART 2 - 8-1	WEF 30 NOV 22	CHART 2 - 9	WEF 17 MAY 23	CHART 2 - 4-3	WEF 12 JUL 23		
CHART 2 - 9	30 JUN 22	CHART 2 - 9-1	WEF 17 MAY 23	CHART 2 - 5	11 JAN 24		
CHART 2 - 9-1	30 JUN 22	CHART 2 - 10	WEF 17 MAY 23	CHART 2 - 5-1	11 JAN 24		
CHART 2 - 10	12 JAN 23	CHART 2 - 10-1	WEF 17 MAY 23	CHART 2 - 6	11 JAN 24		
CHART 2 - 10-1	12 JAN 23	CHART 2 - 11	WEF 17 MAY 23	CHART 2 - 6-1	11 JAN 24		
CHART 2 - 11	30 JUN 22	CHART 2 - 11-1	WEF 17 MAY 23	CHART 2 - 6-2	WEF 12 JUL 23		
CHART 2 - 11-1	30 JUN 22	CHART 2 - 12	WEF 17 MAY 23	CHART 2 - 6-3	WEF 12 JUL 23		
CHART 2 - 12	WEF 12 JUL 23	CHART 2 - 12-1	24 SEP 20	CHART 2 - 7	11 JAN 24		
CHART 2 - 12-1	WEF 12 JUL 23	CHART 2 - 13	WEF 24 JAN 24	CHART 2 - 7-1	11 JAN 24		
CHART 2 - 13	9 JAN 25	CHART 2 - 13-1	24 SEP 20	CHART 2 - 8	24 AUG 23		
CHART 2 - 13-1	9 JAN 25	CHART 2 - 14	WEF 24 JAN 24	CHART 2 - 8-1	24 AUG 23		
CHART 2 - 14	30 JUN 22	CHART 2 - 14-1	26 AUG 21	CHART 2 - 9	24 AUG 23		
CHART 2 - 15	WEF 30 OCT 24	CHART 2 - 15	WEF 17 MAY 23	CHART 2 - 9-1	24 AUG 23		
CHART 2 - 15-1	11 JAN 24	CHART 2 - 15-1	25 AUG 22	CHART 2 - 10	WEF 12 JUL 23		
CHART 2 - 16	WEF 30 OCT 24	CHART 2 - 16	WEF 17 MAY 23	CHART 2 - 10-1	WEF 12 JUL 23		
CHART 2 - 16-1	15 DEC 22	CHART 2 - 16-1	25 AUG 22	CHART 2 - 10-2	WEF 12 JUL 23		
CHART 2 - 17	WEF 30 OCT 24	CHART 2 - 17	WEF 11 AUG 21	CHART 2 - 10-3	WEF 12 JUL 23		
CHART 2 - 17-1	11 JAN 24	CHART 2 - 17-1	WEF 11 AUG 21	CHART 2 - 11	24 AUG 23		
CHART 2 - 18	WEF 30 OCT 24			CHART 2 - 11-1	24 AUG 23		
CHART 2 - 18-1	11 JAN 24			CHART 2 - 12	WEF 12 JUL 23		
CHART 2 - 19	WEF 30 OCT 24			CHART 2 - 13	WEF 27 NOV 24		
CHART 2 - 19-1	11 JAN 24			CHART 2 - 13-1	11 JAN 24		
CHART 2 - 20	WEF 30 OCT 24			CHART 2 - 14	WEF 12 JUL 23		
CHART 2 - 20-1	11 JAN 24			CHART 2 - 14-1	WEF 12 JUL 23		
CHART 2 - 21	WEF 30 OCT 24			CHART 2 - 15	WEF 27 NOV 24		
CHART 2 - 21-1	15 DEC 22			CHART 2 - 15-1	11 JAN 24		
CHART 2 - 22	WEF 30 OCT 24			CHART 2 - 16	WEF 27 NOV 24		
CHART 2 - 22-1	11 JAN 24			CHART 2 - 16-1	14 DEC 23		
CHART 2 - 23	25 JUL 24			CHART 2 - 17	14 DEC 23		
CHART 2 - 24	25 JUL 24			CHART 2 - 17-1	14 DEC 23		
				CHART 2 - 18	WEF 27 NOV 24		
				CHART 2 - 18-1	11 JAN 24		

Page	Date	Page	Date	Page	Date	Page	Date
RKPU		RKSM		RKSM		RKTH	
2 - 1	12 DEC 24	2 - 1	19 SEP 24	CHART 2 - 23	19 SEP 24	2 - 1	17 OCT 24
2 - 2	12 DEC 24	2 - 2	19 SEP 24	CHART 2 - 23-1	19 SEP 24	2 - 2	17 OCT 24
2 - 3	2 MAY 24	2 - 3	22 AUG 24	CHART 2 - 24	19 SEP 24	2 - 3	WEF 27 NOV 24
2 - 4	WEF 27 NOV 24	2 - 3-1	22 AUG 24	CHART 2 - 24-1	19 SEP 24	2 - 4	2 MAY 24
2 - 5	12 DEC 24	2 - 4	4 JUN 20	CHART 2 - 25	19 SEP 24	2 - 5	WEF 27 NOV 24
2 - 6	12 DEC 24	2 - 4-1	4 JUN 20	CHART 2 - 25-1	19 SEP 24	2 - 6	7 MAR 24
2 - 7	21 SEP 23	2 - 5	17 MAR 16	CHART 2 - 26	19 SEP 24	2 - 7	11 JAN 24
2 - 8	21 SEP 23	2 - 6	WEF 9 NOV 16	CHART 2 - 26-1	19 SEP 24	2 - 8	11 JAN 24
2 - 9	24 AUG 23	2 - 7	2 JUN 22	CHART 2 - 27	19 SEP 24	2 - 9	1 AUG 19
2 - 10	24 AUG 23	2 - 8	2 JUN 22	CHART 2 - 27-1	19 SEP 24	2 - 10	1 AUG 19
2 - 11	24 AUG 23	2 - 9	22 AUG 24	CHART 2 - 28	19 SEP 24	2 - 11	24 OCT 19
2 - 12	24 AUG 23	2 - 10	22 AUG 24	CHART 2 - 28-1	19 SEP 24	2 - 12	24 OCT 19
2 - 13	27 JUN 24	2 - 11	WEF 1 DEC 21	CHART 2 - 29	19 SEP 24	2 - 13	12 DEC 24
2 - 14	27 JUN 24	2 - 12	WEF 8 NOV 17	CHART 2 - 29-1	19 SEP 24	2 - 14	12 DEC 24
				CHART 2 - 30	19 SEP 24		
				CHART 2 - 30-1	19 SEP 24	CHART 2 - 1	WEF 27 NOV 24
				CHART 2 - 31	19 SEP 24	CHART 2 - 2	1 JUN 23
CHART 2 - 1	WEF 27 NOV 24	CHART 2 - 1	19 SEP 24	CHART 2 - 31-1	19 SEP 24	CHART 2 - 3	WEF 13 JUL 22
CHART 2 - 2	25 JUL 24	CHART 2 - 2	19 SEP 24	CHART 2 - 32	19 SEP 24	CHART 2 - 3-1	WEF 9 OCT 19
CHART 2 - 3	2 MAY 24	CHART 2 - 3	19 SEP 24	CHART 2 - 32-1	19 SEP 24	CHART 2 - 4	28 JUL 22
CHART 2 - 4	2 MAY 24	CHART 2 - 3-1	19 SEP 24	CHART 2 - 33	19 SEP 24	CHART 2 - 4-1	28 JUL 22
CHART 2 - 5	2 MAY 24	CHART 2 - 4	19 SEP 24	CHART 2 - 33-1	19 SEP 24	CHART 2 - 5	WEF 13 JUL 22
CHART 2 - 6	13 JAN 22	CHART 2 - 4-1	19 SEP 24	CHART 2 - 34	19 SEP 24	CHART 2 - 5-1	WEF 13 JUL 22
CHART 2 - 6-1	13 JAN 22	CHART 2 - 5	19 SEP 24	CHART 2 - 34-1	19 SEP 24	CHART 2 - 6	WEF 13 JUL 22
CHART 2 - 7	30 JUN 22	CHART 2 - 5-1	19 SEP 24	CHART 2 - 35	19 SEP 24	CHART 2 - 6-1	WEF 26 JAN 22
CHART 2 - 7-1	30 JUN 22	CHART 2 - 6	19 SEP 24	CHART 2 - 35-1	19 SEP 24	CHART 2 - 7	WEF 13 JUL 22
CHART 2 - 8	13 JAN 22	CHART 2 - 6-1	19 SEP 24			CHART 2 - 7-1	WEF 13 JUL 22
CHART 2 - 8-1	13 JAN 22	CHART 2 - 7	19 SEP 24			CHART 2 - 8	WEF 13 JUL 22
CHART 2 - 9	30 JUN 22	CHART 2 - 7-1	19 SEP 24			CHART 2 - 8-1	WEF 13 JUL 22
CHART 2 - 9-1	30 JUN 22	CHART 2 - 8	19 SEP 24			CHART 2 - 9	WEF 13 JUL 22
CHART 2 - 10	WEF 3 NOV 21	CHART 2 - 8-1	19 SEP 24			CHART 2 - 9-1	WEF 13 JUL 22
CHART 2 - 10-1	WEF 3 NOV 21	CHART 2 - 9	19 SEP 24			CHART 2 - 10	WEF 13 JUL 22
CHART 2 - 11	WEF 3 NOV 21	CHART 2 - 9-1	19 SEP 24			CHART 2 - 11	11 JAN 24
CHART 2 - 11-1	WEF 19 MAY 21	CHART 2 - 10	19 SEP 24			CHART 2 - 11-1	11 JAN 24
CHART 2 - 12	WEF 30 OCT 24	CHART 2 - 10-1	19 SEP 24			CHART 2 - 12	11 JAN 24
CHART 2 - 12-1	12 JAN 23	CHART 2 - 11	19 SEP 24			CHART 2 - 12-1	11 JAN 24
CHART 2 - 13	WEF 30 OCT 24	CHART 2 - 11-1	19 SEP 24			CHART 2 - 13	4 APR 24
CHART 2 - 13-1	11 JAN 24	CHART 2 - 12	19 SEP 24			CHART 2 - 13-1	4 APR 24
CHART 2 - 14	WEF 30 OCT 24	CHART 2 - 12-1	19 SEP 24			CHART 2 - 14	11 JAN 24
CHART 2 - 14-1	29 JUN 23	CHART 2 - 13	19 SEP 24			CHART 2 - 14-1	11 JAN 24
CHART 2 - 15	WEF 30 OCT 24	CHART 2 - 13-1	19 SEP 24			CHART 2 - 15	11 JAN 24
CHART 2 - 15-1	15 DEC 22	CHART 2 - 14	19 SEP 24			CHART 2 - 15-1	11 JAN 24
CHART 2 - 16	WEF 30 OCT 24	CHART 2 - 14-1	19 SEP 24			CHART 2 - 16	11 JAN 24
CHART 2 - 16-1	15 DEC 22	CHART 2 - 15	19 SEP 24			CHART 2 - 16-1	11 JAN 24
CHART 2 - 17	WEF 30 OCT 24	CHART 2 - 15-1	19 SEP 24			CHART 2 - 16-2	WEF 13 JUL 22
CHART 2 - 17-1	WEF 24 JAN 24	CHART 2 - 16	19 SEP 24			CHART 2 - 16-3	WEF 15 JUN 22
CHART 2 - 17-2	9 JAN 25	CHART 2 - 16-1	19 SEP 24			CHART 2 - 17	11 JAN 24
CHART 2 - 17-3	9 JAN 25	CHART 2 - 17	19 SEP 24			CHART 2 - 17-1	11 JAN 24
CHART 2 - 18	WEF 30 OCT 24	CHART 2 - 17-1	19 SEP 24			CHART 2 - 17-2	17 NOV 22
CHART 2 - 18-1	15 DEC 22	CHART 2 - 18	19 SEP 24			CHART 2 - 17-3	17 NOV 22
CHART 2 - 19	24 AUG 23	CHART 2 - 18-1	19 SEP 24			CHART 2 - 18	WEF 13 JUL 22
CHART 2 - 20	24 AUG 23	CHART 2 - 19	19 SEP 24			CHART 2 - 18-1	WEF 15 JUN 22
		CHART 2 - 19-1	19 SEP 24				
		CHART 2 - 20	WEF 30 OCT 24				
		CHART 2 - 20-1	WEF 30 OCT 24				
		CHART 2 - 21	19 SEP 24				
		CHART 2 - 21-1	19 SEP 24				
		CHART 2 - 22	19 SEP 24				
		CHART 2 - 22-1	19 SEP 24				

Page	Date	Page	Date
RKTL		RKPD	
2 - 1	12 DEC 24	2 - 1	19 NOV 20
2 - 2	12 DEC 24	2 - 2	19 NOV 20
2 - 3	2 MAY 24	2 - 3	8 FEB 24
2 - 4	WEF 27 NOV 24	2 - 4	8 FEB 24
2 - 5	2 MAY 24	2 - 5	16 DEC 21
2 - 6	2 MAY 24	2 - 6	16 DEC 21
2 - 7	WEF 22 JAN 25	2 - 7	17 NOV 22
2 - 8	12 DEC 24	2 - 8	17 NOV 22
2 - 9	WEF 10 AUG 22	2 - 9	10 FEB 22
2 - 9-1	WEF 6 SEP 23	2 - 10	10 FEB 22
2 - 10	4 MAY 23	2 - 11	16 DEC 21
2 - 10-1	4 MAY 23	2 - 12	WEF 25 DEC 24
2 - 11	27 JUN 24	2 - 13	12 DEC 24
2 - 12	27 JUN 24	2 - 14	12 DEC 24
CHART 2 - 1	WEF 22 JAN 25	CHART 2 - 1	16 DEC 21
CHART 2 - 2	4 MAY 23	CHART 2 - 2	16 DEC 21
CHART 2 - 3	WEF 27 NOV 24	CHART 2 - 3	4 APR 24
CHART 2 - 4	22 SEP 22	CHART 2 - 4	21 SEP 23
CHART 2 - 5	WEF 27 NOV 24	CHART 2 - 4-1	21 SEP 23
CHART 2 - 6	WEF 27 NOV 24	CHART 2 - 5	WEF 1 NOV 23
CHART 2 - 7	WEF 6 SEP 23	CHART 2 - 5-1	WEF 1 NOV 23
CHART 2 - 7-1	WEF 6 SEP 23	CHART 2 - 6	WEF 25 DEC 24
CHART 2 - 8	WEF 6 SEP 23	CHART 2 - 6-1	7 MAR 24
CHART 2 - 8-1	22 SEP 22	CHART 2 - 7	WEF 25 DEC 24
CHART 2 - 9	WEF 6 SEP 23	CHART 2 - 7-1	7 MAR 24
CHART 2 - 9-1	22 SEP 22	CHART 2 - 8	WEF 25 DEC 24
CHART 2 - 10	21 SEP 23	CHART 2 - 8-1	WEF 25 DEC 24
CHART 2 - 10-1	21 SEP 23	CHART 2 - 9	WEF 25 DEC 24
CHART 2 - 11	WEF 6 SEP 23	CHART 2 - 9-1	WEF 25 DEC 24
CHART 2 - 11-1	22 SEP 22	CHART 2 - 10	WEF 25 DEC 24
CHART 2 - 12	WEF 6 SEP 23	CHART 2 - 10-1	WEF 25 DEC 24
CHART 2 - 12-1	22 SEP 22	CHART 2 - 11	WEF 25 DEC 24
CHART 2 - 13	WEF 6 SEP 23	CHART 2 - 11-1	7 MAR 24
CHART 2 - 13-1	22 SEP 22	CHART 2 - 12	WEF 25 DEC 24
CHART 2 - 14	WEF 6 SEP 23	CHART 2 - 12-1	WEF 25 DEC 24
CHART 2 - 14-1	WEF 6 SEP 23	CHART 2 - 13	WEF 25 DEC 24
CHART 2 - 15	WEF 6 SEP 23	CHART 2 - 13-1	WEF 25 DEC 24
CHART 2 - 15-1	22 SEP 22	CHART 2 - 14	9 JAN 25
CHART 2 - 16	21 SEP 23	CHART 2 - 14-1	9 JAN 25
CHART 2 - 16-1	21 SEP 23	CHART 2 - 15	WEF 25 DEC 24
CHART 2 - 17	WEF 6 SEP 23	CHART 2 - 15-1	WEF 25 DEC 24
CHART 2 - 17-1	22 SEP 22	CHART 2 - 16	9 JAN 25
CHART 2 - 18	WEF 22 JAN 25	CHART 2 - 16-1	9 JAN 25
CHART 2 - 18-1	WEF 27 NOV 24	CHART 2 - 17	9 JAN 25
CHART 2 - 19	WEF 22 JAN 25	CHART 2 - 17-1	9 JAN 25
CHART 2 - 19-1	WEF 27 NOV 24	CHART 2 - 18	WEF 25 DEC 24
CHART 2 - 20	9 JAN 25	CHART 2 - 18-1	WEF 25 DEC 24
CHART 2 - 20-1	9 JAN 25	CHART 2 - 19	WEF 25 DEC 24
CHART 2 - 21	9 JAN 25	CHART 2 - 20	WEF 25 DEC 24
CHART 2 - 21-1	9 JAN 25		
CHART 2 - 22	9 JAN 25		
CHART 2 - 22-1	9 JAN 25		
CHART 2 - 23	9 JAN 25		
CHART 2 - 23-1	9 JAN 25		
CHART 2 - 24	9 JAN 25		
CHART 2 - 24-1	9 JAN 25		
CHART 2 - 25	9 JAN 25		
CHART 2 - 25-1	9 JAN 25		
CHART 2 - 26	25 JUL 24		
CHART 2 - 27	25 JUL 24		

GEN 2. TABLES AND CODES

GEN 2.1 MEASURING SYSTEM, AIRCRAFT MARKINGS, HOLIDAYS

1. 측정단위

모든 공중 및 지상운영에 사용되는 측정단위는 부속서 제5권에 의거 설정하며, 일반적으로 사용하는 수량과 이들의 측정에 사용되는 각각의 측량단위표는 아래와 같다.

1. Units of measurement

The units of measurement used in all air ground operations are in accordance with Annex 5. The quantities in common use and the units used for their respective measurements are listed as follows :

SUMMARY Units of Measurement 측 정 단 위 표 요 약	
Distance used in navigation, position reporting, etc.- generally in excess of 2 NM 항법 및 위치보고 등에 사용되는 거리 - 일반적으로 2 마일 이상의 거리	Nautical Miles and tenths(NM) 1/10 해리 단위
Relatively short distances such as those relating to aerodrome(e.g. runway lengths) 비행장에 관련되는 단거리(활주로 거리등)	Metres(m) or Feet(ft) 미터 또는 피트
Altitudes, elevations and heights 고도, 표고 및 높이	Metres(m) or Feet(ft) 미터 또는 피트
Horizontal speed including wind speed 수평속도 및 풍속	Knots(kt), Mach or km/h 노트, 마하 또는 킬로미터/시간
Vertical speed 수직속도	Feet per minutes 매 분당 피트
Wind direction for landing and taking off 이착륙시의 풍향	Degrees Magnetic 자방위 도수
Wind direction except landing and taking off 이착륙시 이외의 풍향	Degrees True 진방위 도수
Visibility including runway visual range 시정 및 활주로 시정거리	Kilometres or Metres 킬로미터 또는 미터
Altimeter setting 고도계 수정치	Hectopascals(hPa) 헥토파스칼
Temperature 온도	Degrees Celsius 섭씨
Weight 무게	Metric Tons or Kilograms 톤, 킬로그램

2. 시간 참조 기준

2.1 항공항행업무 및 항공정보업무에서 발행되는 간행물에는 국제표준시간이 사용된다. 한국표준시간은 국제표준시간에 9시간을 더한 시간이다.

2. Temporal reference system

2.1 Coordinated Universal Time(UTC) is used by air navigation services and in publications issued by the Aeronautical Information Service. The Korea Standard Time(KST) is UTC plus 9 HR.

3. 수평 참조 기준

3.1 위도 및 경도를 표시하는 모든 좌표는 World Geodetic System-1984(WGS-84) 좌표로 구성된다.

3. Horizontal reference system

3.1 All published geographical coordinates indicating latitude and longitude are expressed in terms of the World Geodetic System-1984(WGS-84) geodetic reference datum.

3.2 투영법은 램버트정각원추도법을 사용한다.

3.2 Lambert Conformal Conic Projection is used.

3.3 적용지역은 인천비행정보구역으로 한다.

3.3 Area of application is Incheon FIR.

3.4 WGS-84 좌표로 변환되었으나 실제 현장 측량조사와 관련된 정확성이 국제민간항공조약 부속서 11 제2장 및 부속서 14 제1권 및 제2권 제2장의 요구사항을 충족하지 못하는 지리좌표에 대해서는 기호 “*” 를 표시한 후 사용할 수 있다.

3.4 Geographical coordinates which have been transformed into WGS-84 coordinates but whose accuracy of original field work does not meet the requirements in Annex 11, Chapter 2, and Annex 14, Volumes I and II, Chapter 2, shall be identified by an asterisk(*).

4. 수직 참조 기준

4.1 항행에 사용하는 수직참조기준은 평균해수면 기준(MSL)을 사용한다. 단 지상고도(AGL)를 사용하는 경우는 별도로 표기한다.

4. Vertical reference system

4.1 Mean sea level datum (MSL) is used as the vertical reference system. When using above ground level(AGL), it will be notified obviously.

5. 항공기 국적 및 등록기호

대한민국에 등록된 항공기의 국적기호는 "HL" 두글자이며 국적기호 다음에는 아라비아 숫자 넷으로 구성된 등록기호를 붙인다. 예 : HL 1234

5. Aircraft nationality and registration marks

The nationality mark for aircraft registered in Republic of Korea is the two letters "HL". The nationality mark is followed by a registration mark consisting of 4 Arabic figures, e.g, HL1234.

Category of Aircraft 항공기의 종류			Registration marks 등록기호
Glider 활 공 기			0000-0599
Airship 비 행 선			0600-0799
Airplane 비 행 기	Piston Engine 피스톤 발동기	Single Engine 단 발 기	1000-1799
		Multi Engine 다 발 기	2000-2799
	Turbo-prop Engine 터보 프로프 발동기	Single Engine 단 발 기	5100-5199
		Twin Engine 쌍 발 기	5200-5299
		Three Engine 삼 발 기	5300-5399
		Four Engine 사 발 기	5400-5499
	Turbo-jet Engine 터보 제트 발동기	Single Engine 단 발 기	7100-7199
		Twin Engine 쌍 발 기	7200-7299/7500-7599/7700-7799 /7800-7899/8000-8099/8200-8299
		Three Engine 삼 발 기	7300-7399
		Four Engine 사 발 기	7400-7499/7600-7699/8400-8499/8600-8699
Helicopter 회전익 항공기	Piston Engine 피스톤 발동기	Single Engine 단 발 기	6100-6199
		Twin Engine 쌍 발 기	6200-6299
	Turbo Engine 터보 발동기	Single Engine 단 발 기	9100-9199/9300-9399/9500-9599
		Multi Engine 다 발 기	9200-9299/9400-9499/9600-9699
Remarks 비 고	Extra number will be assigned by considering the aircraft registration number.		

6. 공휴일

6. Public holidays

Name 명 칭	Date/Day 일 자
New Year's Day 신정	1 JAN
Lunar New Year's Day(consecutive holidays) 설날	28 JAN - 30 JAN
Anniversary of the Independence Movement 삼일절	1 MAR
Children's Day 어린이날	5 MAY
Buddha's Birthday 석가탄신일	5 MAY
Memorial Day 현충일	6 JUN
National Liberation Day 광복절	15 AUG
National Foundation Day 개천절	3 OCT
Chu-seok(consecutive holidays) 추석	5 OCT - 7 OCT
Hangul Proclamation Day 한글날	9 OCT
Christmas Day 성탄절	25 DEC

Change : Public holidays in 2025.

GEN 2.7 SUNRISE/SUNSET

1. The tables on the following pages have been prepared from the Korea Astronomy Observatory and are reproduced here with their permission. The tables include 18 aerodromes, which is being served by the air traffic services in Republic of Korea.

1.1 The times in the tables are valid from 18 December 2024 to 31 December 2025, and are for the beginning of Civil morning twilight(TWIL From), Sunrise(SR), Sunset(SS), and the end of Civil evening twilight(TWIL To).

1.2 All time are given in UTC.

1.3 The times given for the beginning of civil morning twilight and end of civil evening twilight are calculated for a height of the Sun 6° below the horizon, as commonly used.

2. The tables provide data for selected aerodromes, as listed below.

Name	Location indicator	Page
Cheongju	RKTU	GEN 2.7-2
Daegu	RKTN	GEN 2.7-2
Gimhae	RKPK	GEN 2.7-2
Gimpo	RKSS	GEN 2.7-2
Gunsan	RKJK	GEN 2.7-3
Gwangju	RKJJ	GEN 2.7-3
Incheon	RKSI	GEN 2.7-3
Jeju	RKPC	GEN 2.7-3
Jeongseok	RKPD	GEN 2.7-4
Muan	RKJB	GEN 2.7-4
Pohang Gyeongju	RKTH	GEN 2.7-4
Sacheon	RKPS	GEN 2.7-4
Seoul	RKSM	GEN 2.7-5
Ulsan	RKPU	GEN 2.7-5
Wonju	RKNW	GEN 2.7-5
Yangyang	RKNY	GEN 2.7-5
Yeosu	RKJY	GEN 2.7-6
Ulsan	RKTL	GEN 2.7-6

DATE	CHEONGJU				DAEGU				GIMHAE				GIMPO							
	RKTU				RKTN				RKPK				RKSS							
	364259N 1272957E				355339N 1283932E				351050N 1285617E				373325N 1264751E							
	TWIL			TWIL	TWIL			TWIL	TWIL			TWIL	TWIL			TWIL	TWIL			
	FROM	SR	SS	TO	FROM	SR	SS	TO	FROM	SR	SS	TO	FROM	SR	SS	TO	FROM	SR	SS	TO
2024																				
DEC	18	2208	2237	0816	0845	2202	2230	0814	0842	2159	2227	0815	0843	2213	2242	0817	0846			
	22	2210	2239	0818	0847	2204	2232	0816	0844	2201	2229	0816	0845	2215	2244	0818	0848			
	26	2212	2241	0820	0849	2205	2234	0818	0847	2203	2231	0819	0847	2217	2246	0821	0850			
	30	2213	2242	0823	0852	2207	2235	0821	0849	2204	2232	0821	0850	2218	2247	0824	0853			
2025																				
JAN	1	2214	2243	0825	0853	2207	2236	0822	0851	2205	2233	0823	0851	2218	2248	0825	0854			
	5	2214	2243	0828	0857	2208	2236	0825	0854	2205	2233	0826	0854	2219	2248	0829	0858			
	9	2214	2243	0832	0900	2208	2236	0829	0857	2205	2233	0830	0857	2219	2248	0832	0901			
	13	2214	2242	0835	0904	2208	2236	0833	0901	2205	2233	0833	0901	2218	2247	0836	0905			
	17	2213	2241	0839	0907	2207	2234	0837	0904	2204	2232	0837	0905	2217	2246	0840	0909			
	21	2211	2239	0844	0911	2205	2233	0841	0908	2203	2230	0841	0908	2216	2244	0844	0913			
	25	2209	2237	0848	0915	2203	2231	0845	0912	2201	2228	0845	0912	2214	2242	0849	0917			
	29	2207	2234	0852	0920	2201	2228	0849	0916	2159	2226	0849	0916	2211	2239	0853	0921			
FEB	2	2204	2231	0856	0924	2158	2225	0853	0920	2156	2223	0853	0920	2208	2236	0858	0925			
	6	2201	2228	0901	0928	2155	2222	0857	0924	2153	2219	0858	0924	2205	2232	0902	0929			
	10	2157	2224	0905	0932	2152	2218	0902	0928	2150	2216	0902	0928	2201	2228	0906	0934			
	14	2153	2220	0909	0936	2148	2214	0906	0932	2146	2212	0905	0932	2157	2224	0911	0938			
	18	2149	2215	0913	0940	2143	2209	0910	0936	2142	2207	0909	0935	2152	2219	0915	0942			
	22	2144	2210	0917	0944	2139	2205	0914	0939	2137	2203	0913	0939	2147	2214	0919	0946			
	26	2139	2205	0921	0947	2134	2200	0917	0943	2132	2158	0917	0942	2142	2209	0923	0950			
MAR	2	2134	2200	0925	0951	2129	2154	0921	0947	2127	2153	0920	0946	2137	2203	0927	0954			
	6	2128	2154	0929	0955	2123	2149	0925	0950	2122	2148	0924	0949	2131	2157	0931	0957			
	10	2123	2149	0933	0958	2118	2144	0928	0954	2117	2142	0927	0953	2126	2152	0935	1001			
	14	2117	2143	0936	1002	2112	2138	0932	0957	2111	2137	0931	0956	2120	2146	0939	1005			
	18	2111	2137	0940	1006	2107	2132	0935	1001	2106	2131	0934	0959	2114	2140	0943	1009			
	22	2105	2131	0943	1009	2101	2126	0939	1004	2100	2125	0937	1003	2108	2134	0946	1012			
	26	2059	2125	0947	1013	2055	2121	0942	1008	2054	2120	0941	1006	2101	2128	0950	1016			
	30	2053	2119	0950	1016	2049	2115	0945	1011	2049	2114	0944	1009	2055	2122	0954	1020			
APR	3	2047	2113	0954	1020	2043	2109	0949	1015	2043	2109	0947	1013	2049	2116	0957	1024			
	7	2041	2108	0957	1024	2038	2104	0952	1018	2037	2103	0950	1016	2043	2110	1001	1027			
	11	2036	2102	1001	1027	2032	2058	0955	1022	2032	2058	0954	1019	2037	2104	1004	1031			
	15	2030	2056	1004	1031	2026	2053	0959	1025	2026	2052	0957	1023	2031	2058	1008	1035			
	19	2024	2051	1008	1035	2021	2048	1002	1029	2021	2047	1000	1026	2026	2053	1012	1039			
	23	2019	2046	1011	1038	2016	2043	1005	1032	2016	2042	1003	1030	2020	2048	1015	1043			
	27	2014	2041	1015	1042	2011	2038	1009	1036	2011	2038	1007	1033	2015	2043	1019	1047			
MAY	1	2009	2036	1018	1046	2006	2033	1012	1040	2006	2033	1010	1037	2010	2038	1023	1051			
	5	2004	2032	1022	1050	2001	2029	1016	1043	2002	2029	1013	1041	2005	2033	1026	1055			
	9	2000	2028	1025	1054	1957	2025	1019	1047	1958	2025	1016	1044	2000	2029	1030	1059			
	13	1956	2024	1029	1057	1953	2022	1022	1051	1954	2022	1020	1048	1956	2025	1033	1103			
	17	1952	2021	1032	1101	1950	2018	1025	1054	1951	2019	1023	1051	1953	2022	1037	1106			
	21	1949	2018	1035	1105	1947	2016	1029	1058	1948	2016	1026	1054	1949	2019	1040	1110			
	25	1946	2016	1038	1108	1944	2013	1032	1101	1945	2014	1029	1058	1947	2017	1043	1113			
	29	1944	2014	1041	1111	1942	2011	1034	1104	1943	2012	1031	1101	1944	2015	1046	1117			
JUN	2	1942	2012	1044	1114	1940	2010	1037	1107	1942	2011	1034	1103	1942	2013	1049	1120			
	6	1941	2011	1046	1117	1939	2009	1039	1109	1940	2010	1036	1106	1941	2012	1051	1122			
	10	1940	2011	1048	1119	1938	2008	1041	1111	1940	2009	1038	1108	1940	2011	1054	1125			
	14	1940	2011	1050	1121	1938	2008	1043	1113	1939	2009	1040	1110	1940	2011	1055	1126			
	18	1940	2011	1051	1122	1938	2009	1044	1115	1940	2010	1041	1111	1940	2011	1057	1128			
	22	1941	2012	1052	1123	1939	2009	1045	1116	1940	2010	1042	1112	1941	2012	1058	1129			
	26	1942	2013	1053	1123	1940	2011	1046	1116	1942	2011	1043	1112	1942	2013	1058	1129			
	30	1944	2014	1053	1123	1942	2012	1046	1116	1943	2013	1043	1112	1944	2015	1058	1129			
JUL	4	1946	2016	1052	1123	1944	2014	1046	1115	1945	2015	1042	1112	1946	2017	1058	1129			
	8	1948	2018	1052	1122	1946	2016	1045	1114	1947	2017	1042	1111	1948	2019	1057	1127			
	12	1951	2021	1050	1120	1949	2018	1043	1113	1950	2019	1040	1110	1951	2021	1055	1126			
	16	1954	2023	1048	1118	1952	2021	1042	1111	1953	2022	1039	1108	1954	2024	1053	1124			
	20	1957	2026	1046	1116	1955	2024	1039	1108	1956	2024	1037	1105	1957	2027	1051	1121			
	24	2000	2029	1043	1119	1958	2027	1037	1105	1959	2027	1034	1102	2000	2030	1048	1118			
	28	2004	2032	1040	1109	2001	2030	1034	1102	2002	2030	1031	1							

DATE	GUNSAN RKJK 355414N 1263657E				GWANGJU RKJJ 350735N 1264832E				INCHEON RKSI 372745N 1262621E				JEJU RKPC 333044N 1262934E				
	TWIL FROM		TWIL SR SS TO		TWIL FROM		TWIL SR SS TO		TWIL FROM		TWIL SR SS TO		TWIL FROM		TWIL SR SS TO		
	FROM	SR	SS	TO	FROM	SR	SS	TO	FROM	SR	SS	TO	FROM	SR	SS	TO	
2024																	
DEC	18	2210	2238	0822	0850	2207	2236	0823	0851	2214	2243	0818	0848	2205	2233	0829	0856
	22	2212	2241	0824	0852	2209	2238	0825	0853	2216	2246	0820	0849	2207	2235	0831	0858
	26	2214	2242	0826	0855	2211	2239	0827	0856	2218	2247	0823	0852	2209	2236	0833	0900
	30	2215	2243	0829	0857	2212	2241	0830	0858	2219	2248	0825	0854	2210	2238	0836	0903
2025																	
JAN	1	2215	2244	0830	0859	2213	2241	0832	0900	2220	2249	0827	0856	2211	2238	0837	0904
	5	2216	2244	0834	0902	2214	2242	0835	0903	2220	2249	0830	0859	2211	2239	0840	0907
	9	2216	2244	0837	0905	2214	2242	0838	0906	2220	2249	0834	0903	2212	2239	0843	0911
	13	2216	2244	0841	0909	2213	2241	0842	0910	2220	2248	0838	0906	2212	2239	0847	0914
	17	2215	2243	0845	0913	2213	2240	0846	0913	2219	2247	0842	0910	2211	2238	0851	0918
	21	2213	2241	0849	0916	2211	2239	0850	0917	2217	2245	0846	0914	2210	2236	0855	0921
	25	2212	2239	0853	0920	2209	2237	0854	0921	2215	2243	0850	0918	2208	2235	0858	0925
	29	2209	2236	0857	0924	2207	2234	0858	0925	2212	2240	0855	0923	2206	2232	0902	0929
FEB	2	2206	2233	0901	0928	2205	2231	0902	0929	2209	2237	0859	0927	2204	2230	0906	0932
	6	2203	2230	0906	0932	2201	2228	0906	0933	2206	2233	0904	0931	2201	2227	0910	0936
	10	2200	2226	0910	0936	2158	2224	0910	0936	2202	2229	0908	0935	2157	2223	0914	0939
	14	2156	2222	0914	0940	2154	2220	0914	0940	2158	2225	0912	0939	2154	2219	0917	0943
	18	2151	2218	0918	0944	2150	2216	0918	0944	2154	2220	0917	0943	2150	2215	0921	0946
	22	2147	2213	0922	0948	2146	2211	0922	0947	2149	2215	0921	0947	2146	2211	0925	0950
	26	2142	2208	0926	0951	2141	2206	0925	0951	2144	2210	0925	0951	2141	2206	0928	0953
MAR	2	2137	2203	0929	0955	2136	2201	0929	0954	2138	2204	0929	0955	2136	2201	0931	0956
	6	2132	2157	0933	0958	2131	2156	0933	0958	2133	2159	0933	0959	2132	2156	0935	1000
	10	2126	2152	0936	1002	2125	2151	0936	1001	2127	2153	0937	1003	2127	2151	0938	1003
	14	2121	2146	0940	1005	2120	2145	0939	1005	2121	2147	0940	1006	2121	2146	0941	1006
	18	2115	2140	0943	1009	2114	2140	0943	1008	2115	2141	0944	1010	2116	2141	0944	1009
	22	2109	2135	0947	1012	2109	2134	0946	1011	2109	2135	0948	1014	2111	2135	0947	1012
	26	2103	2129	0950	1016	2103	2128	0949	1015	2103	2129	0951	1018	2105	2130	0950	1015
	30	2057	2123	0953	1019	2057	2123	0952	1018	2057	2123	0955	1021	2100	2125	0953	1018
APR	3	2052	2117	0957	1023	2052	2117	0956	1021	2051	2117	0959	1025	2054	2119	0956	1021
	7	2046	2112	1000	1026	2046	2112	0959	1025	2045	2111	1002	1029	2049	2114	0959	1024
	11	2040	2106	1003	1030	2040	2106	1002	1028	2039	2105	1006	1033	2044	2109	1002	1027
	15	2035	2101	1007	1033	2035	2101	1005	1031	2033	2100	1009	1036	2038	2104	1005	1030
	19	2029	2056	1010	1037	2030	2056	1008	1035	2027	2054	1013	1040	2033	2059	1008	1034
	23	2024	2051	1014	1040	2024	2051	1012	1038	2022	2049	1017	1044	2029	2054	1011	1037
	27	2019	2046	1017	1044	2020	2046	1015	1042	2016	2044	1020	1048	2024	2050	1014	1040
MAY	1	2014	2041	1020	1048	2015	2042	1018	1045	2011	2039	1024	1052	2019	2046	1017	1043
	5	2010	2037	1024	1052	2011	2038	1022	1049	2007	2035	1028	1056	2015	2042	1020	1047
	9	2005	2033	1027	1055	2006	2034	1025	1053	2002	2031	1031	1100	2011	2038	1023	1050
	13	2001	2030	1030	1059	2003	2031	1028	1056	1958	2027	1035	1104	2008	2035	1026	1053
	17	1958	2027	1034	1102	1959	2028	1031	1059	1954	2024	1038	1107	2005	2032	1029	1056
	21	1955	2024	1037	1106	1956	2025	1034	1103	1951	2021	1041	1111	2002	2030	1032	1100
	25	1952	2022	1040	1109	1954	2023	1037	1106	1948	2018	1044	1115	2000	2028	1034	1103
	29	1950	2020	1043	1112	1952	2021	1040	1109	1946	2016	1047	1118	1958	2026	1037	1105
JUN	2	1948	2018	1045	1115	1950	2019	1042	1112	1944	2015	1050	1121	1956	2025	1039	1108
	6	1947	2017	1047	1117	1949	2019	1045	1114	1943	2013	1053	1123	1955	2024	1042	1110
	10	1947	2017	1050	1120	1948	2018	1047	1116	1942	2013	1055	1126	1955	2024	1044	1114
	14	1946	2016	1051	1121	1948	2018	1048	1118	1942	2013	1056	1128	1955	2024	1045	1116
	18	1947	2017	1053	1123	1949	2019	1050	1119	1942	2013	1058	1130	1955	2024	1046	1118
	22	1947	2018	1053	1124	1949	2019	1051	1120	1943	2014	1059	1130	1956	2025	1047	1116
	26	1949	2019	1054	1124	1950	2020	1051	1121	1944	2015	1059	1130	1957	2026	1048	1117
	30	1950	2020	1054	1124	1952	2022	1051	1121	1945	2016	1059	1130	1958	2027	1048	1117
JUL	4	1952	2022	1054	1124	1954	2023	1051	1120	1947	2018	1059	1130	2000	2029	1048	1117
	8	1954	2024	1053	1123	1956	2025	1050	1119	1950	2021	1058	1129	2002	2031	1047	1116
	12	1957	2027	1052	1121	1959	2028	1049	1118	1953	2023	1056	1127	2005	2033	1046	1114
	16	2000	2029	1050	1119	2001	2030	1047	1116	1956	2026	1055	1125	2007	2036	1044	1113
	20	2003	2032	1048	1117	2004	2033	1045	1114	1959	2029	1052	1122	2010	2038	1042	1110
	24	2006	2035	1045	1114	2007	2036	1042	1111	2002	2032	1049	1119	2013	2041	1040	1108
	28	2009	2038	1042	1110	2011	2039	1039	1107	2006	2035	1046	1115	2016	2044	1037	1105
AUG	1	2013	2041	1038	1107	2014	2042	1036	1104	2009	2038	1042	1111	2019	2046	1034	1101
	5	2016	2044	1035	1102	2017	2045	1032	1100	2013	2042	1038	1107	2022	2049	1031	1057
	9	2020	2047	1030	1058	2021	2048	1028	1055	2017	2045	1034	1102	2025	2052	1027	1053
	13	2023	2050	1026	1053	2024	2051	1024	1051	2020	2048	1029	1057	2028	2055	1023	1049
	17	2026	2054	1021	1048	2027	2054										

DATE	JEONGSEOK				MUAN				POHANG GYEONGJU				SACHEON				
	RKPD				RKJB				RKTH				RKPS				
	332354N 1264247E				345929N 1262258E				355916N 1292507E				350519N 1280414E				
	TWIL	SR	SS	TWIL	TWIL	SR	SS	TWIL	TWIL	SR	SS	TWIL	TWIL	SR	SS	TWIL	
	FROM			TO	FROM			TO	FROM			TO	FROM			TO	
2024																	
DEC	18	2204	2231	0828	0856	2209	2237	0825	0853	2159	2227	0810	0839	2202	2230	0818	0847
	22	2206	2234	0830	0858	2211	2239	0827	0855	2201	2230	0812	0841	2204	2233	0820	0848
	26	2208	2235	0832	0900	2213	2241	0829	0858	2203	2231	0815	0843	2206	2234	0822	0851
	30	2209	2237	0835	0902	2214	2242	0832	0900	2204	2232	0817	0846	2207	2235	0825	0853
2025																	
JAN	1	2210	2237	0836	0904	2214	2242	0834	0902	2204	2233	0819	0847	2208	2236	0827	0855
	5	2210	2238	0839	0907	2215	2243	0837	0905	2205	2233	0822	0851	2208	2236	0830	0858
	9	2211	2238	0843	0910	2215	2243	0840	0908	2205	2233	0826	0854	2209	2236	0833	0901
	13	2210	2237	0846	0913	2215	2242	0844	0912	2205	2233	0829	0857	2208	2236	0837	0905
	17	2210	2237	0850	0917	2214	2241	0848	0915	2204	2232	0833	0901	2207	2235	0841	0908
	21	2209	2235	0854	0920	2213	2240	0852	0919	2202	2230	0837	0905	2206	2233	0845	0912
	25	2207	2233	0858	0924	2211	2238	0856	0923	2201	2228	0842	0909	2204	2231	0849	0916
	29	2205	2231	0902	0928	2209	2236	0900	0927	2158	2225	0846	0913	2202	2229	0853	0920
FEB	2	2203	2229	0905	0931	2206	2233	0904	0931	2155	2222	0850	0917	2159	2226	0857	0924
	6	2200	2225	0909	0935	2203	2229	0908	0934	2152	2219	0854	0921	2156	2223	0901	0928
	10	2156	2222	0913	0939	2200	2226	0912	0938	2149	2215	0858	0925	2153	2219	0905	0931
	14	2153	2218	0917	0942	2156	2222	0916	0942	2145	2211	0902	0929	2149	2215	0909	0935
	18	2149	2214	0920	0946	2152	2217	0920	0946	2140	2206	0906	0933	2145	2211	0913	0939
	22	2145	2210	0924	0949	2147	2213	0924	0949	2136	2202	0910	0936	2140	2206	0917	0942
	26	2140	2205	0927	0952	2142	2208	0927	0953	2131	2157	0914	0940	2136	2201	0920	0946
MAR	2	2136	2200	0931	0955	2138	2203	0931	0956	2126	2151	0918	0944	2131	2156	0924	0949
	6	2131	2155	0934	0959	2132	2158	0934	1000	2120	2146	0922	0947	2126	2151	0927	0953
	10	2126	2150	0937	1002	2127	2152	0938	1003	2115	2141	0925	0951	2120	2146	0931	0956
	14	2120	2145	0940	1005	2122	2147	0941	1006	2109	2135	0929	0954	2115	2140	0934	1000
	18	2115	2140	0943	1008	2116	2141	0944	1010	2104	2129	0932	0958	2109	2135	0938	1003
	22	2110	2135	0946	1011	2110	2136	0948	1013	2058	2123	0936	1001	2104	2129	0941	1006
	26	2104	2129	0949	1014	2105	2130	0951	1016	2052	2118	0939	1005	2058	2123	0944	1009
	30	2059	2124	0952	1017	2059	2124	0954	1019	2046	2112	0942	1008	2052	2118	0947	1013
APR	3	2053	2119	0955	1020	2053	2119	0957	1023	2040	2106	0946	1012	2047	2112	0950	1016
	7	2048	2113	0958	1023	2048	2113	1000	1026	2035	2101	0949	1015	2041	2107	0954	1019
	11	2043	2108	1001	1026	2042	2108	1004	1029	2029	2055	0952	1019	2035	2101	0957	1023
	15	2038	2103	1004	1029	2037	2103	1007	1033	2023	2050	0956	1022	2030	2056	1000	1026
	19	2033	2058	1007	1032	2032	2058	1010	1036	2018	2044	0959	1026	2025	2051	1003	1030
	23	2028	2054	1010	1036	2026	2053	1013	1040	2012	2039	1002	1029	2019	2046	1007	1033
	27	2023	2049	1013	1039	2022	2048	1016	1043	2007	2035	1006	1033	2015	2041	1010	1037
MAY	1	2019	2045	1016	1042	2017	2044	1020	1047	2003	2030	1009	1037	2010	2037	1013	1040
	5	2015	2041	1019	1046	2013	2040	1023	1050	1958	2026	1013	1041	2006	2033	1016	1044
	9	2011	2038	1022	1049	2008	2036	1026	1054	1954	2022	1016	1044	2001	2029	1020	1047
	13	2007	2035	1025	1052	2005	2033	1029	1057	1950	2018	1019	1048	1958	2026	1023	1051
	17	2004	2032	1028	1055	2001	2030	1033	1101	1947	2015	1023	1051	1954	2023	1026	1054
	21	2001	2029	1031	1058	1958	2027	1036	1104	1944	2012	1026	1055	1951	2020	1029	1058
	25	1959	2027	1033	1101	1956	2025	1038	1107	1941	2010	1029	1058	1949	2018	1032	1101
	29	1957	2026	1036	1104	1954	2023	1041	1110	1939	2008	1032	1101	1947	2016	1035	1104
JUN	2	1956	2024	1038	1107	1952	2022	1044	1113	1937	2007	1034	1104	1945	2015	1037	1106
	6	1955	2023	1040	1109	1951	2021	1046	1115	1936	2006	1037	1106	1944	2014	1039	1109
	10	1954	2023	1042	1111	1951	2020	1048	1117	1935	2005	1039	1108	1943	2013	1041	1111
	14	1954	2023	1044	1113	1950	2020	1050	1119	1935	2005	1040	1110	1943	2013	1043	1113
	18	1954	2023	1045	1114	1951	2020	1051	1121	1935	2005	1042	1112	1944	2013	1044	1114
	22	1955	2024	1046	1115	1951	2021	1052	1122	1936	2006	1043	1113	1944	2014	1045	1115
	26	1956	2025	1047	1116	1953	2022	1052	1122	1937	2007	1043	1113	1945	2015	1046	1116
	30	1958	2027	1047	1116	1954	2024	1052	1122	1939	2009	1043	1113	1947	2017	1046	1116
JUL	4	2000	2028	1047	1115	1956	2025	1052	1122	1941	2011	1043	1113	1949	2018	1046	1115
	8	2002	2030	1046	1114	1958	2028	1051	1121	1943	2013	1042	1112	1951	2021	1045	1114
	12	2004	2033	1045	1113	2001	2030	1050	1119	1945	2015	1041	1110	1954	2023	1044	1113
	16	2007	2035	1043	1111	2003	2032	1048	1117	1948	2018	1039	1108	1956	2025	1042	1111
	20	2010	2037	1041	1109	2006	2035	1046	1115	1951	2020	1037	1106	1959	2028	1040	1108
	24	2012	2040	1039	1107	2009	2038	1044	1112	1955	2023	1034	1103	2002	2031	1037	1106
	28	2015	2043	1036	1103	2013	2041	1041	1109	1958	2026	1031	1059	2006	2034	1034	1102
AUG	1	2018	2046	1033	1100	2016	2044	1037	1105	2001	2030	1027	1056	2009	2037	1031	1059
	5	2022	2048	1029	1056	2019	2047	1034	1101	2005	2033	1024	1051	2012	2040	1027	1055
	9	2025	2051	1026	1052	2023	2050	1030	1057	2008	2036	1019	1047	2016	2043	1023	1050
	13	2028	2054	1022	1048	2026	2053	1025	1052	2012	2039	1015	1042	2019	2046	1019	1046
	17	2031	2057	1017	1043	2029	2056	1021	1047	2015	2042	1010	1037	2022	2049		

DATE	SEOUL RKSM				ULSAN RKPU				WONJU RKNW				YANGYANG RKNY			
	372645N 1270651E				353536N 1292108E				372617N 1275737E				380341N 1284009E			
	TWIL FROM	SR	SS	TWIL TO	TWIL FROM	SR	SS	TWIL TO	TWIL FROM	SR	SS	TWIL TO	TWIL FROM	SR	SS	TWIL TO
2024 DEC 18 22 26 30	2211 2214 2215 2216	2241 2243 2244 2246	0816 0818 0820 0823	0845 0847 0849 0852	2158 2200 2202 2203	2227 2229 2230 2232	0812 0814 0816 0819	0840 0842 0844 0847	2208 2210 2212 2213	2237 2239 2241 2242	0812 0814 0817 0819	0842 0843 0846 0848	2207 2209 2210 2212	2236 2238 2240 2241	0808 0810 0812 0815	0837 0839 0841 0844
2025 JAN 1 5 9 13 17 21 25 29	2217 2217 2217 2216 2214 2212 2210	2246 2246 2246 2246 2244 2243 2237	0824 0828 0831 0835 0839 0843 0852	0853 0857 0900 0904 0908 0912 0920	2204 2204 2205 2204 2202 2200 2158	2232 2233 2233 2232 2231 2229 2225	0820 0823 0827 0831 0835 0839 0843	0849 0852 0855 0859 0902 0906 0914	2214 2214 2214 2214 2212 2211 2209	2243 2243 2243 2242 2241 2239 2237	0821 0824 0828 0832 0836 0840 0844	0850 0853 0857 0900 0904 0908 0912	2212 2213 2213 2212 2211 2209 2207	2242 2242 2242 2241 2240 2238 2235	0816 0820 0823 0827 0831 0836 0840	0846 0849 0852 0856 0900 0904 0908
FEB 2 6 10 14 18 22 26	2207 2203 2200 2155 2151 2146 2141	2234 2231 2227 2222 2217 2212 2207	0857 0901 0905 0910 0914 0918 0922	0924 0928 0932 0937 0941 0945 0948	2155 2152 2148 2144 2140 2136 2131	2222 2218 2215 2211 2206 2202 2157	0851 0855 0859 0903 0907 0911 0915	0918 0922 0926 0929 0933 0937 0941	2203 2200 2156 2152 2147 2143 2138	2231 2227 2223 2219 2214 2209 2204	0853 0858 0902 0906 0911 0915 0919	0921 0925 0929 0933 0937 0941 0945	2201 2158 2154 2150 2145 2140 2135	2229 2225 2221 2217 2212 2207 2202	0849 0854 0858 0903 0907 0911 0915	0917 0921 0925 0930 0934 0938 0942
MAR 2 6 10 14 18 22 26 30	2136 2130 2124 2118 2112 2106 2100 2054	2202 2156 2150 2144 2138 2132 2126 2120	0926 0930 0934 0938 0941 0945 0949 0952	0952 0956 1000 1004 1007 1011 1015 1019	2126 2121 2115 2110 2104 2058 2053 2047	2151 2146 2141 2135 2129 2124 2118 2112	0919 0922 0926 0929 0932 0936 0939 0942	0944 0948 0951 0954 0958 1001 1005 1008	2132 2127 2121 2115 2109 2103 2057 2051	2158 2153 2147 2141 2135 2129 2123 2117	0923 0927 0930 0934 0938 0942 0945 0949	0949 0953 0957 1000 1004 1008 1011 1015	2130 2124 2118 2112 2106 2100 2054 2047	2156 2150 2144 2138 2132 2126 2120 2114	0919 0923 0927 0931 0935 0939 0943 0946	0946 0950 0954 0958 1001 1005 1009 1013
APR 3 7 11 15 19 23 27	2048 2042 2036 2030 2025 2019 2014	2114 2109 2103 2057 2052 2046 2041	0956 0959 1003 1007 1010 1014 1018	1022 1026 1030 1034 1038 1041 1045	2041 2035 2030 2024 2019 2013 2008	2107 2101 2056 2050 2045 2040 2035	0946 0949 0952 0956 0959 1002 1006	1011 1015 1018 1022 1025 1029 1033	2045 2039 2033 2027 2021 2016 2010	2111 2105 2059 2054 2048 2043 2038	0952 0956 1000 1003 1030 1034 1042	1019 1023 1026 1030 1034 1038 1042	2041 2035 2029 2023 2017 2012 2006	2108 2102 2056 2050 2045 2039 2034	0950 0954 0957 1001 1005 1009 1012	1017 1021 1024 1028 1032 1036 1040
MAY 1 5 9 13 17 21 25 29	2009 2004 1959 1955 1952 1948 1946 1943	2037 2032 2028 2024 2021 2018 2016 2014	1021 1025 1028 1032 1035 1039 1042 1045	1049 1053 1057 1101 1105 1108 1112 1115	2004 1959 1955 1951 1948 1945 1942 1940	2031 2027 2023 2020 2016 2014 2011 2009	1009 1012 1016 1019 1022 1025 1028 1031	1036 1040 1043 1047 1051 1054 1057 1100	2005 2001 1956 1952 1948 1945 1942 1940	2033 2029 2025 2021 2018 2015 2012 2010	1018 1021 1025 1028 1032 1035 1038 1041	1046 1050 1054 1058 1101 1105 1108 1112	2001 1956 1952 1947 1944 1940 1937 1935	2029 2025 2021 2017 2013 2010 2008 2006	1016 1020 1023 1027 1031 1034 1037 1040	1044 1049 1053 1056 1100 1104 1108 1111
JUN 2 6 10 14 18 22 26 30	1941 1940 1939 1939 1939 1940 1941 1943	2012 2011 2010 2010 2010 2011 2012 2014	1047 1050 1052 1054 1055 1056 1057 1057	1118 1121 1125 1126 1127 1128 1128 1128	1939 1937 1937 1936 1936 1937 1939 1940	2008 2007 2007 2006 2007 2008 2009 2010	1033 1036 1039 1041 1042 1042 1042 1042	1103 1105 1108 1111 1112 1112 1112 1112	1938 1937 1936 1936 1936 1937 1938 1939	2009 2007 2007 2007 2007 2008 2009 2010	1044 1046 1049 1050 1052 1053 1053 1053	1115 1117 1119 1121 1123 1124 1124 1124	1933 1932 1931 1931 1931 1931 1933 1934	2004 2003 2002 2002 2002 2003 2004 2006	1043 1045 1048 1051 1052 1052 1052 1052	1114 1117 1119 1121 1122 1123 1124 1124
JUL 4 8 12 16 20 24 28	1945 1947 1950 1953 1956 1959 2003	2016 2018 2020 2023 2026 2029 2032	1056 1055 1054 1052 1052 1052 1043	1127 1126 1124 1122 1119 1118 1118	1942 1944 1947 1950 1953 1959 2003	2012 2014 2016 2019 2022 2027 2028	1042 1041 1040 1038 1036 1037 1030	1112 1111 1109 1107 1105 1102 1059	1941 1944 1947 1950 1953 2003 2000	2012 2015 2017 2020 2023 2026 2029	1053 1052 1050 1048 1046 1043 1040	1124 1121 1121 1119 1116 1113 1109	1936 1939 1942 1945 1948 2001 2000	2008 2010 2012 2015 2018 2021 2025	1052 1051 1049 1047 1045 1042 1039	1123 1122 1120 1118 1115 1112 1108
AUG 1 5 9 13 17 21 25 29	2007 2010 2014 2018 2021 2025 2029 2032	2036 2039 2042 2046 2049 2053 2056 2059	1040 1036 1031 1027 1022 1016 1011 1005	1109 1104 1100 1054 1049 1044 1038 1032	2003 2006 2009 2013 2016 2019 2023 2026	2031 2034 2037 2040 2043 2046 2049 2052	1027 1023 1019 1014 1010 1005 1000 0954	1055 1051 1046 1042 1037 1031 1026 1020	2003 2007 2011 2014 2018 2022 2025 2029	2032 2036 2039 2042 2046 2049 2053 2056	1036 1032 1028 1023 1018 1013 1007 1002	1105 1101 1056 1051 1046 1040 1035 1029	2003 2007 2011 2014 2018 2022 2025 2029	2032 2036 2039 2042 2046 2049 2053 2056	1036 1032 1028 1023 1018 1013 1007 1002	1105 1101 1056 1051 1046 1040 1035 1029
SEP 2 6 10 14 18 22 26 30	2036 2039 2043 2046 2050 2053 2056 2100	2103 2106 2109 2112 2116 2119 2123 2126	0959 0953 0947 0941 0935 0929 0923 0917	1026 1020 1014 1007 1001 0955 0949 0943	2029 2032 2036 2039 2042 2045 2048 2051	2055 2058 2101 2104 2107 2110 2113 2117	0949 0943 0937 0932 0926 0920 0914 0908	1015 1009 1003 0957 0951 0945 0939 0934	2032 2036 2039 2043 2046 2050 2053 2057	2059 2103 2106 2109 2112 2116 2119 2123	0956 0950 0944 0938 0932 0925 0919 0913	1023 1016 1010 1004 0958 0952 0945 0939	2029 2032 2036 2040 2043 2047 2050 2054	2056 2059 2103 2106 2109 2113 2116 2120	0954 0948 0941 0935 0929 0923 0916 0910	1021 1014 1008 1002 0955 0949 0943 0936
OCT 4 8 12 16 20 24 28	2103 2107 2110 2114 2118 2121 2125	2129 2133 2137 2140 2144 2148 2152	0911 0905 0859 0853 0848 0843 0838	0937 0931 0925 0920 0915 0910 0905	2054 2057 2101 2104 2107 2111 2114	2120 2123 2126 2130 2133 2137 2140	0902 0857 0851 0846 0841 0836 0832	0928 0922 0917 0912 0907 0902 0858	2100 2103 2107 2110 2114 2118 2122	2126 2130 2133 2137 2141 2145 2149	0907 0901 0856 0850 0845 0840 0835	0933 0927 0922 0916 0911 0906 0902	2057 2101 2104 2108 2112 2116 2120	2123 2127 2131 2135 2139 2143 2147	0904 0858 0852 0847 0841 0836 0831	0930 0924 0919 0913 0908 0903 0858
NOV 1 5 9 13 17 21 25 29	2129 2133 2137 2141 2145 2149 2153 2156	2156 2200 2204 2208 2213 2217 2221 2225	0834 0830 0825 0820 0815 0811 0806 0801	0901 0857 0853 0850 0848 0846 0844 0843	2118 2122 2126 2130 2133 2136 2140 2144	2144 2148 2152 2200 2204 2208 2212	0828 0824 0817 0811 0805 0801 0756 0810	0854 0850 0847 0844 0841 0839 0838 0838	2126 2130 2134 2138 2142 2145 2149 2153	2153 2157 2201 2205 2209 2214 2218 2222	0830 0826 0820 0816 0811 0806 0802 0800	0857 0853 0849 0844 0840 0835 0830 0825	2124 2128 2132 2136 2140 2144 2148 2152	2151 2155 2200 2204 2208 2212 2216 2220	0826 0822 0818 0813 0808 0803 0800 0800	0854 0850 0846 0843 0840 0838 0837 0835
DEC 3 7 11 15 19 23 27 31	2200 2203 2207 2209 2212 2214 2216 2217	2229 2232 2236 2241 2245 2248 2248 2246	0813 0813 0814 0815 0816 0818 0820 0823	0842 0842 0843 0844 0845 0847 0850 0852	2147 2150 2153 2156 2159 2201 2202 2204	2215 2219 2222 2225 2227 2229 2231 2232	0809 0809 0810 0811 0812 0814 0817 0819	0837 0837 0838 0839 0841 0843 0845 0848	2157 2200 2203 2206 2209 2212 2212 2213	2225 2229 2232 2235 2238 2240 2241 2242	0810 0810 0810 0811 0812 0814 0817 0820	0839 0839 0840 0842 0844 0846 0846 0849	2155 2159 2202 2205 2207 2209 2211 2212	2224 2226 2231 2234 2237 2239 2240 2241	0806 0805 0806 0807 0808 0810 0812 0815	0835 0835 0835 0835 0838 0840 0842 0845

Change : Information of sunrise/sunset.

DATE	YEOSU RKJY 345032N 1273702E				ULJIN RKTL 364637N 1292742E					
	TWIL FROM		SR	SS	TWIL TO	TWIL FROM		SR	SS	TWIL TO
2024 DEC	18	2203	2232	0821	0849	2200	2229	0808	0837	
	22	2206	2234	0823	0851	2203	2232	0810	0839	
	26	2207	2235	0825	0853	2204	2233	0812	0841	
	30	2209	2237	0828	0856	2206	2234	0815	0844	
2025 JAN	1	2209	2237	0829	0857	2206	2235	0817	0845	
	5	2210	2238	0832	0900	2207	2235	0820	0849	
	9	2210	2238	0836	0903	2207	2235	0824	0852	
	13	2210	2237	0839	0907	2206	2234	0827	0856	
	17	2209	2236	0843	0911	2205	2233	0831	0900	
	21	2208	2235	0847	0914	2204	2232	0836	0903	
	25	2206	2233	0851	0918	2202	2229	0840	0907	
	29	2204	2230	0855	0922	2159	2227	0844	0912	
FEB	2	2201	2227	0859	0926	2156	2224	0848	0916	
	6	2158	2224	0903	0930	2153	2220	0853	0920	
	10	2154	2221	0907	0933	2149	2216	0857	0924	
	14	2151	2217	0911	0937	2145	2212	0901	0928	
	18	2147	2212	0915	0941	2141	2207	0905	0932	
	22	2142	2208	0919	0944	2136	2202	0909	0936	
	26	2137	2203	0922	0948	2131	2157	0913	0939	
MAR	2	2133	2158	0926	0951	2126	2152	0917	0943	
	6	2127	2153	0929	0955	2120	2146	0921	0947	
	10	2122	2147	0933	0958	2115	2141	0925	0951	
	14	2117	2142	0936	1001	2109	2135	0928	0954	
	18	2111	2136	0939	1005	2103	2129	0932	0958	
	22	2106	2131	0943	1008	2057	2123	0935	1001	
	26	2100	2125	0946	1011	2051	2117	0939	1005	
	30	2054	2120	0949	1014	2045	2111	0943	1009	
APR	3	2049	2114	0952	1018	2039	2105	0946	1012	
	7	2043	2109	0955	1021	2033	2100	0949	1016	
	11	2037	2103	0958	1024	2028	2054	0953	1019	
	15	2032	2058	1002	1028	2022	2049	0956	1023	
	19	2027	2053	1005	1031	2016	2043	1000	1027	
	23	2022	2048	1008	1035	2011	2038	1003	1031	
	27	2017	2044	1011	1038	2006	2033	1007	1035	
MAY	1	2012	2039	1015	1042	2001	2029	1011	1038	
	5	2006	2035	1018	1045	1956	2024	1014	1042	
	9	2004	2031	1021	1049	1952	2020	1018	1046	
	13	2000	2028	1024	1052	1948	2017	1021	1050	
	17	1957	2025	1027	1055	1944	2013	1024	1053	
	21	1954	2022	1030	1059	1941	2010	1028	1057	
	25	1951	2020	1033	1102	1938	2008	1031	1100	
	29	1949	2018	1036	1105	1936	2006	1033	1103	
JUN	2	1948	2017	1038	1108	1934	2004	1036	1106	
	6	1947	2016	1041	1110	1933	2003	1039	1109	
	10	1946	2016	1043	1112	1932	2003	1041	1111	
	14	1946	2015	1044	1114	1932	2003	1042	1113	
	18	1946	2016	1046	1115	1932	2003	1044	1114	
	22	1947	2017	1046	1116	1933	2004	1045	1115	
	26	1948	2018	1047	1117	1934	2005	1045	1116	
	30	1950	2019	1047	1117	1936	2006	1045	1116	
JUL	4	1952	2021	1047	1116	1938	2008	1045	1115	
	8	1954	2023	1046	1115	1940	2010	1044	1114	
	12	1956	2025	1045	1114	1943	2013	1043	1113	
	16	1959	2028	1043	1112	1946	2015	1041	1110	
	20	2002	2030	1041	1110	1949	2018	1038	1108	
	24	2005	2033	1038	1107	1952	2021	1036	1105	
	28	2008	2036	1036	1104	1956	2024	1032	1101	
AUG	1	2011	2039	1032	1100	1959	2028	1029	1057	
	5	2015	2042	1029	1056	2003	2031	1025	1053	
	9	2018	2045	1025	1052	2006	2034	1021	1049	
	13	2021	2048	1020	1047	2010	2037	1016	1044	
	17	2024	2051	1016	1042	2013	2041	1011	1038	
	21	2028	2054	1011	1037	2017	2044	1006	1033	
	25	2031	2057	1006	1032	2020	2047	1001	1027	
	29	2034	2100	1000	1026	2024	2051	0955	1022	
SEP	2	2037	2103	0955	1021	2027	2054	0949	1016	
	6	2040	2106	0949	1015	2031	2057	0944	1010	
	10	2043	2109	0944	1009	2034	2100	0938	1004	
	14	2046	2112	0938	1003	2037	2103	0932	0957	
	18	2049	2114	0932	0958	2041	2107	0925	0951	
	22	2052	2117	0927	0952	2044	2110	0919	0945	
	26	2055	2120	0921	0946	2047	2113	0913	0939	
	30	2058	2123	0915	0940	2051	2116	0907	0933	
OCT	4	2101	2126	0910	0935	2054	2120	0902	0927	
	8	2104	2129	0904	0929	2057	2123	0856	0922	
	12	2107	2133	0859	0924	2101	2127	0850	0916	
	16	2110	2136	0854	0919	2104	2130	0845	0911	
	20	2114	2139	0849	0914	2108	2134	0839	0906	
	24	2117	2143	0844	0910	2111	2138	0834	0901	
	28	2120	2146	0840	0906	2115	2142	0830	0856	
NOV	1	2124	2150	0836	0902	2119	2146	0825	0852	
	5	2128	2154	0832	0858	2123	2150	0821	0848	
	9	2131	2158	0829	0855	2127	2154	0818	0845	
	13	2135	2202	0826	0852	2130	2158	0815	0842	
	17	2138	2205	0823	0850	2134	2202	0812	0839	
	21	2142	2209	0821	0848	2138	2206	0810	0837	
	25	2146	2213	0820	0847	2142	2210	0808	0836	
	29	2149	2217	0819	0846	2146	2214	0807	0835	
DEC	3	2153	2220	0818	0846	2149	2218	0806	0834	
	7	2156	2224	0818	0846	2153	2221	0806	0834	
	11	2159	2227	0819	0847	2156	2224	0806	0835	
	15	2201	2230	0820	0848	2158	2227	0807	0836	
	19	2204	2232	0821	0849	2201	2230	0808	0837	
	23	2206	2234	0823	0851	2203	2232	0810	0839	
	27	2208	2236	0825	0854	2205	2233	0813	0842	
	31	2209	2237	0828	0856	2206	2235	0816	0845	

Change : Information of sunrise/sunset.

항공정보회람은 연도별 일련번호체계를 사용하여 일련번호를 부여한다. 항공정보회람 일련번호의 일부를 구성하는 연도는 두 자리 숫자로 표기된다.
예 : AIC 1/10. 현재 유효한 항공정보회람에 대한 대조표는 연 1회 항공정보회람으로 발행된다.

3.7 유효 항공고시보 대조표 및 목록

유효 항공고시보 대조표는 항공고정통신망을 통하여 매월 발행된다. 유효 항공고시보 목록은 항공정보통합관리(AIM) 웹사이트(<http://aim.koca.go.kr/xNotam/>)에서 확인 가능하다. 유효항공고시보 목록에는 유효한 항공고시보에 대한 평문(영어) 설명과 항공정보간행물 수정판, AIRAC 항공정보간행물 수정판, 항공정보간행물 보충판의 최근 발행번호와 AIRAC으로 발행되어 발효될 발간물의 발행번호가 포함된다. 다만 AIRAC 발효사항이 없을 경우 AIRAC 발효사항 없음(NIL AIRAC)이라는 문구가 포함된다.

3.8 발간물의 판매

발간물은 항공교통본부에서 판매하며 구매가격은 항공정보회람으로 발간된다.

전화 : 053-668-0286
팩스 : 053-668-0277
전자우편 : aisd@korea.kr

4. AIRAC 체제

- 4.1 항공정보간행물, 지도 등의 수정을 필요로 하는 운영상 중요한 변경사항을 조정 및 관리하기 위하여 해당 변경사항은 가능한 한 AIRAC 체제에 따라 미리 결정된 일자에 발행된다. 이와 같은 정보는 AIRAC 항공정보간행물 수정판 또는 AIRAC 항공정보간행물 보충판으로 발간된다.
- 4.2 아래의 표는 연도별 AIRAC 발효일자를 수록하고 있다. AIRAC 정보는 발효일자로부터 최소 28일전에 수신자에게 도착될 수 있도록 발효일자 42일전에 발행된다. AIRAC 절차에 따라 항공정보가 발행될 경우 발행내용에 대한 간략한 설명, 발효일자 및 수정판/보충판 참조번호를 수록한 Trigger 항공고시보가 발행된다. 이와 같은 항공고시보는 수정판 또는 보충판의 발효일자와 동일한 일자에 발효되며 비행전정보게시에 14일 동안 유효한 상태로 게시된다.
- 4.3 AIRAC 발효일자에 발행될 정보가 제출되지 않을 경우, 해당 AIRAC 발효일자로부터 AIRAC 1주기(28일)전에 발효사항 없음에 대한 통보가 항공고시보로 발행된다.

AIC is numbered consecutively on a calendar year basis. The year, indicated by two digit, is a part of the serial number of the AIC, e.g. AIC 1/10. A checklist of AIC currently in force is issued as an AIC once a year.

3.7 Checklist and list of valid NOTAM

A checklist of valid NOTAM is issued monthly via the AFS. A list of valid NOTAM will be posted on the Aeronautical Information Management(AIM) website (<http://aim.koca.go.kr/xNotam/>). It contains a plain language (in English) presentation of the valid NOTAM and information about the number of the latest issued AIP AMDT, AIRAC AIP AMDT, AIP SUP and AIC as well as the numbers of the elements issued under the AIRAC that will become effective or, if none, the NIL AIRAC notification.

3.8 Sale of publications

The said publications can be obtained from Air Traffic Management Office and purchase prices are published in AIC.

TEL : +82-53-668-0286
FAX : +82-53-668-0277
E-mail : aisd@korea.kr

4. AIRAC System

- 4.1 In order to control and regulate the operationally significant changes requiring amendments to AIP, charts, etc., such changes, whenever possible, will be issued on predetermined dates according to the AIRAC System. This type of information will be published as an AIRAC AIP AMDT or an AIRAC AIP SUP.
- 4.2 The table below indicates AIRAC effective dates for the coming years. AIRAC information will be issued 42 days before the effective date so as to reach recipients at least 28 days in advance of the AIRAC effective date. When an aeronautical information is issued in accordance with AIRAC procedures, Trigger NOTAM will be issued giving a brief description of the contents, the effective date and the reference number to the amendment or supplement. This NOTAM will come into force on the same effective date as the amendment or supplement and remain valid in the pre-flight information bulletin for a period of 14 days.
- 4.3 If no information was submitted for publication at the AIRAC date, a NIL notification will be issued by NOTAM not later than one AIRAC cycle(28 days) before the AIRAC effective date concerned.

AIRAC 발효일자 목록(2025~2030)

Schedule of AIRAC effective dates(2025~2030)

2025	2026	2027
23 January	22 January	21 January
20 February	19 February	18 February
20 March	19 March	18 March
17 April	16 April	15 April
15 May	14 May	13 May
12 June	11 June	10 June
10 July	09 July	08 July
07 August	06 August	05 August
04 September	03 September	02 September
02 October	01 October	30 September
30 October	29 October	28 October
27 November	26 November	25 November
25 December	24 December	23 December
2028	2029	2030
20 January	18 January	17 January
17 February	15 February	14 February
16 March	15 March	14 March
13 April	12 April	11 April
11 May	10 May	09 May
08 June	07 June	06 June
06 July	05 July	04 July
03 August	02 August	01 August
31 August	30 August	29 August
28 September	27 September	26 September
26 October	25 October	24 October
23 November	22 November	21 November
21 December	20 December	19 December

* 지역 내 조화를 위하여 AIRAC 정보가 발효되는 시간으로 AIRAC 일자 하루 전일의 1600 UTC가 사용된다.

* For the purpose of regional harmonization, 1600 UTC on the day before the AIRAC dates is used to indicate the time when the AIRAC-based information will become effective.

5. 비행장 비행전 정보업무

일별 비행전정보게시는 공항 항공정보실에서 이용가능하다. 비행전정보게시 형태의 비행전 정보는 공항 항공정보 실내에 설치된 컴퓨터 단말기 또는 웹사이트 (<https://aim.koca.go.kr> 또는 <http://ubikais.fois.go.kr>)를 통하여 획득할 수 있다.

6. 디지털 데이터 세트

추후 개발예정

5. Pre-flight information service at aerodromes

Daily Pre-flight Information Bulletins (PIB) is available at the aerodrome AIS units. At aerodrome AIS units, pre-flight information in the form of PIB may be obtained at computer terminals in the aerodrome AIS unit or website (<https://aim.koca.go.kr> or <http://ubikais.fois.go.kr>).

6. Digital data sets

To be developed



- h) 지역도
계기비행단계를 용이하게 수행하기 위해 다음의 정보를 제공한다.
- 비행의 순항단계와 비행장 접근단계간의 전환
 - 이륙/실패접근단계와 순항단계간의 전환
 - 복잡한 항공로 또는 공역의 통과비행
- i) 표준계기출발도
이륙단계에서 항공로 비행단계까지 지정된 표준계기출발비행로를 따라 비행하는데 필요한 정보를 제공한다.
- j) 표준계기도착도
항공로 비행단계에서 접근단계까지 지정된 표준계기도착비행로를 따라 운항하는데 필요한 정보를 제공한다.
- k) 계기접근도
착륙하고자 하는 활주로가 설정되었을 경우, 관련 체공장주까지 실패접근절차를 포함하여 승인된 계기접근절차를 수행하는데 필요한 정보를 제공한다.
- l) 시계접근도
항공로 비행/강하단계로부터 시각 참조에 의하여 착륙하고자 하는 활주로에 접근하기 위한 비행단계의 전환시에 필요한 정보를 제공한다.
- m) 비행장도
다음 각 호의 구간에서 항공기의 지상이동을 용이하게 할 수 있는 정보를 제공한다.
- 항공기 주기장으로부터 활주로
 - 활주로부터 항공기 주기장
- n) 비행장 지상이동도
항공기 주기장으로의 지상이동 및 항공기 주기/접현을 용이하게 수행하기 위한 세부정보를 제공한다.
- o) 항공기 주기/접현도
유도로와 항공기 주기장간 항공기의 지상이동에 관한 세부정보를 제공한다.
- p) ATC 감시 최저고도도
관제사에 의해 배정된 고도와 비행승무원이 비교, 검토할 수 있는 정보를 제공한다.
- h) Area Chart
This chart provides the flight crew with information to facilitate the various phases of instrument flight :
- the transition between the en-route phase and the approach to an aerodrome;
 - the transition between the take-off/missed approach and the en-route phase of flight; and
 - flights through areas of complex ATS routes or airspace structure.
- i) Standard Departure Chart - Instrument (SID)
This chart provides the flight crew with information that will enable them to comply with the designated standard departure route-instrument from the take-off phase to the en-route phase.
- j) Standard Arrival Chart - Instrument (STAR)
This chart provides the flight crew with information that will enable them to comply with the designated arrival route-instrument from the en-route phase to the approach phase.
- k) Instrument Approach Chart
This chart provides the flight crew with information that will enable them to perform an approved instrument approach procedure to the runway of intended landing including the missed approach procedure and where applicable, associated holding patterns.
- l) Visual Approach Chart - ICAO
This chart shall provide flight crews with information which will enable them to transit from the en-route/descent to approach phases of flight to the runway of intended landing by means of visual reference.
- m) Aerodrome Chart
This chart shall provide flight crews with information which will facilitate the ground movement of aircraft :
- from the aircraft stand to the runway; and
 - from the runway to the aircraft stand.
- n) Aerodrome Ground Movement Chart - ICAO
This supplementary chart shall provide flight crews with detailed information to facilitate the ground movement of aircraft to and from the aircraft stands and the parking/docking of aircraft.
- o) Aircraft Parking/Docking Chart
This supplementary chart shall provide flight crews with detailed information to facilitate the ground movement of aircraft between the taxiways and the aircraft stands and the parking/docking of aircraft.
- p) ATC Surveillance Minimum Altitude Chart
This supplementary chart shall provide information that will enable flight crews to monitor and cross-check altitudes assigned by a controller using an ATS surveillance system.

5. 이용 가능한 항공지도의 목록

5. List of aeronautical charts available

종류 Title of Chart Series	축적 Scale	지도종류 및 도엽번호 Name and/or Number	발간일자 Publication Date	가격(원) Price(\$)	비고 Remarks
항법도 Aeronautical Navigation Chart - ICAO	1 : 2000000	-	15 MAY 2024	10 000 KRW	
항공로도 Enroute Chart - ICAO	-	-	REF to AIP page	10 000 KRW	In AIP
세계항공도 World Aeronautical Chart - ICAO	1 : 1000000	2379/2380/2387	15 MAY 2024	10 000 KRW	
항공도 Aeronautical Chart - ICAO	1 : 500000	2379-AB/2379-CD 2380-AB/2380-CD 2387-AD	15 MAY 2024	8 000 KRW	
비행장 장애물도 Type A Aerodrome Obstacle Chart - ICAO Type A		Incheon INTL Airport Gimpo INTL Airport Jeju INTL Airport Gimhae INTL Airport Cheongju INTL Airport Yangyang INTL Airport Muan INTL Airport Daegu INTL Airport Gwangju DOM Airport Yeosu DOM Airport Ulsan DOM Airport Jeongseok Airport	REF to AIP page		In AIP
비행장 장애물도 Type B Aerodrome Obstacle Chart - ICAO Type B		Incheon INTL Airport Gimpo INTL Airport Jeju INTL Airport Gimhae INTL Airport Cheongju INTL Airport Yangyang INTL Airport Muan INTL Airport Daegu INTL Airport Gwangju DOM Airport Yeosu DOM Airport Ulsan DOM Airport	REF to AIP page		In AIP
정밀접근 지형도 Precision Approach Terrain Chart - ICAO		Incheon INTL Airport Gimpo INTL Airport Jeju INTL Airport Gimhae INTL Airport	REF to AIP page		In AIP
지역도 Area Chart - ICAO		Incheon INTL Airport Gimpo INTL Airport Jeju INTL Airport Gimhae INTL Airport Cheongju INTL Airport Yangyang INTL Airport Gwangju DOM Airport	REF to AIP page		In AIP
표준계기 출발도 Standard Departure Chart Instrument (SID)		Incheon INTL Airport Gimpo INTL Airport Jeju INTL Airport Gimhae INTL Airport Cheongju INTL Airport Yangyang INTL Airport Muan INTL Airport Daegu INTL Airport Gwangju DOM Airport Gunsan DOM Airport Yeosu DOM Airport Wonju DOM Airport Sacheon DOM Airport Ulsan DOM Airport Seoul DOM Airport Pohang Gyeongju DOM Airport Ulsan Airport Jeongseok Airport	REF to AIP page		In AIP
표준계기 도착도 Standard Arrival Chart Instrument (STAR)		Incheon INTL Airport Gimpo INTL Airport Jeju INTL Airport Gimhae INTL Airport Cheongju INTL Airport Yangyang INTL Airport Muan INTL Airport Yeosu DOM Airport Wonju DOM Airport Ulsan DOM Airport Pohang Gyeongju DOM Airport Ulsan Airport Jeongseok Airport	REF to AIP page		In AIP

Change : Information of publication date for Aeronautical Navigation Chart, World Aeronautical Chart and Aeronautical Chart.

GEN 3.4 COMMUNICATIONS SERVICES

1. 책임업무

대한민국의 민간항공통신 및 항행안전시설에 대한 책임기관은 국토교통부 항공정책실이다.

국토교통부 항공정책실

(우)30103 세종특별자치시 도움6로 11

전화 : 044-201-4361

팩스 : 044-201-5637

항공고정통신망 : RKSLYAYX

Website : <http://www.molit.go.kr>

2. 관할구역

대한민국 민간항공통신 책임관할구역은 인천 비행정보구역으로 한다.

3. 제공되는 업무

3.1 항공고정업무

항공기 안전운항 등에 필요한 전문을 항공고정국 상호간에 교환하기 위한 통신 업무(Operational hours : H24)이다.

a. 국제항공고정통신망(AFTN)

- (1) 국제항공고정통신망 회선도는 GEN 3.4.3.5와 같다.
- (2) 국제항공고정통신망 운영절차는 원칙적으로 국제민간항공기구 부속서 10, 제2권을 적용한다.

b. 국내항공고정통신망

- (1) 국내항공고정통신망 회선도는 GEN 3.4.3.5와 같다.
- (2) 국내항공고정통신망 운영절차는 원칙적으로 국제민간항공기구 부속서 10, 제2권을 적용한다.

3.2 항공이동업무

항공국과 항공기국 사이에 주로 항공교통관제업무, 항공로 정보제공업무 등을 무선전화에 의해 행하는 통신 업무이다.

a. 청취 및 운용시간

항공국은 3.4.3.2.e에 공시된 업무시간 및 주파수로 청취를 계속하여야 한다.
비행중인 항공기국은 항공국의 주파수로 청취를 계속하여야 하며, 비상시를 제외하고는 항공국에 사전 통보 없이 청취를 중단해서는 안 된다.

1. Responsible Service

The responsible authority for the provision of civil aeronautical telecommunication and navigation facility services in the Republic of Korea is Office of Civil Aviation, Ministry of Land, Infrastructure and Transport.

Office of Civil Aviation

Ministry of Land, Infrastructure and Transport

11, Doum 6-ro, Sejong-si, 30103, Republic of Korea

Tel : +82-44-201-4361

Telefax : +82-44-201-5637

AFS : RKSLYAYX

Website : <http://www.molit.go.kr>

2. Area of Responsibility

Area responsible for civil aeronautical telecommunication in the Republic of Korea is the same as Incheon FIR.

3. Types of service

3.1 Aeronautical Fixed Service

This service is provided for the interchange of message between aeronautical fixed stations, which is related to the safety of air navigation and to the regular, efficient and economical operation of air services.(Operational hours : H24)

a. Aeronautical Fixed Telecommunication Network(AFTN)

- (1) International AFTN circuits are illustrated in GEN 3.4.3.5.
- (2) International AFTN operations are applied in principle to the communication procedures of ICAO Annex 10, Volume II.

b. Domestic Aeronautical Fixed Telecommunication Network

- (1) Domestic Aeronautical Fixed Telecommunication Network circuits are illustrated in GEN 3.4.3.5.
- (2) Domestic AFTN operations are applied in principle to the communication procedures of ICAO Annex 10, Volume II.

3.2 Aeronautical Mobile Service

This service is provided mainly to meet the requirements of the air traffic control service, aeronautical en-route information service and so forth by radio telephone between an A/G station and aircraft station.

a. Watch and hours of service

An aeronautical station in the mobile service should maintain continuous watch as hours of service and frequencies listed in 3.4.3.2.e. During its flight, an aircraft should maintain continuous watch as required by the aeronautical station and not cease watch, except for an emergency without informing the aeronautical station concerned.

- b. 통신의 설정
항공기국은 자국이 비행하고 있는 지역의 항공교통관제를 담당하는 항공국과 통신하여야 한다.
- c. 전문의 취급
서울 라디오에 의해 항공기국으로부터 수신된 정보는 AFTN 전문형식으로 항공사 또는 관련부처에 송달된다.
- d. 사용언어
공지통신에서 사용하는 언어는 통상 한국어나 영어를 사용한다.
- e. 서울라디오
국토교통부 관할 하에 운영되고 있는 서울라디오는 항공교통관제기관과 항공기 사이에 중요한 중계역할을 담당하고 있다. 그밖에 서울라디오는 항공고시보, 기상등과 같은 정보를 비행중인 항공기에 제공하며, 항공교통관제기관이 미치지 않는 지역에서의 위치보고, AIREP을 항공기로부터 수신하여 관련부처로 송달한다. 서울라디오의 사용주파수는 다음과 같다.(인천국제공항 지역에서의 1차주파수는 8903 kHz를 사용한다.)

- b. Establishment of communications
An aircraft should normally communicate with the air ground control radio stations which exercise air traffic control in the area in which it is flying.
- c. Messages handling
Information received from an aircraft by SEOUL Radio is transmitted in the form of AFTN message to the aircraft operating agency or the post concerned.
- d. Language to be used
Language normally used in the air ground radio telephony communications should be either Korean or English.
- e. SEOUL Radio
SEOUL Radio which is operated under the jurisdiction of The Ministry of Land, Infrastructure and Transport is in charge of a valuable link between ATC and an aircraft. Besides, such informations as NOTAM, weather and the like are given to an aircraft during its flight by SEOUL Radio, and SEOUL Radio receives position report and AIREP from an aircraft in the area beyond reaching of ATC authority and the above mentioned informations are transmitted to the post concerned. Frequencies of SEOUL Radio are as follows.(8903 kHz is used as a primary frequency within Incheon INTL Airport.)

Call sign	Frequencies	Hours of Operation	Remarks
SEOUL Radio	127.1 MHz, 3004 kHz, 4687 kHz, 6532 kHz, 8903 kHz, 10072 kHz, 13300 kHz, 13303 kHz, 13333 kHz, 17904 kHz, 17916 kHz	H24	MET Available

- f. 조종사는 항공교통관제기관 및 서울라디오와 긴밀한 협조를 통해 비행 중에 필요한 협력을 얻도록 한다.

- f. A pilot will find ready help and cooperation during its flight working in close harmony with ATC and SEOUL Radio.

3.3 항행안전무선업무

이용할 수 있는 항행안전무선시설은 다음과 같다.

- 무지향표지시설(NDB);
- 전방향표지시설(VOR);
- 거리측정시설(DME);
- 계기착륙시설(ILS);
- 레이더(RADAR);
- 전술항행표지시설(TACAN);
- 지상유도접근시설(GCA) : 지상유도접근시설을 사용하고자 하는 항공기는 사용채널에 대한 해당 항공교통관제기관으로부터 지시를 받아야 한다.

3.3 Radio Navigation Service

The following of radio aids are available for air navigation.

- Non-Directional radio Beacon(NDB);
- VHF Omni-directional Range(VOR);
- Distance Measuring Equipment(DME);
- Instrument Landing System(ILS);
- Radio Detection and Ranging(RADAR);
- Tactical Air Navigation(TACAN);
- Ground Controlled Approach(GCA) : Aircraft about to use GCA will receive instructions from appropriate ATC facility as to the channel to be used.

3.4 적용할 수 있는 ICAO 서류

적용할 수 있는 국제민간항공기구 표준과 권고방식 및 절차는 아래 도서내용에 포함되어 있다.

- 부속서 제10권 - 항공통신
- Doc 8400 - 약어 및 부호
- Doc 8585 - 항공업무기관 및 항공사 약어명
- Doc 7910 - 지명약어

3.4 Applicable ICAO Documents

Applicable ICAO Standards, Recommended Practices and Procedures are contained in the following documents.

- ANNEX 10 - Aeronautical Telecommunications
- Doc 8400 - ICAO Abbreviations and Codes
- Doc 8585 - Designators for Aircraft Operating Agencies, Aeronautical Authorities and Services
- Doc 7910 - Location Indicators

3.5 ATN / AFTN CIRCUIT

BEIJING COM CENTER ZBBBYFYX		SEOUL COM CENTER RKSSYFYX		FUKUOKA COM CENTER RJJJYFYX	
DOMESTIC AFTN LIST					
RKBBZSZX	KOMCC(SARSAT)	RKRRZQZF	INCHEON ACC		
RKDAYXYX	700 ATC SQ(MCRC)	RKRRZQZG	INCHEON ACC		
RKDAZQZF	DAEGU FDP SERVER ADDRESS	RKRRZQZH	INCHEON ACC AIDC		
RKDAZQZG	DAEGU FPL&MET SERVER ADDRESS	RKRRZQZX	INCHEON ACC		
RKDAZQZH	DAEGU ACC AIDC	RKSIAARX	INCHEON AAR		
RKDAZQZX	DAEGU ACC	RKSIKALO	INCHEON KAL		
RKDAYFYX	DAEGU ACC	RKSIKALX	INCHEON KAL		
RKDAYNYO	DAEGU ACC NOTAM DB	RKSISHKO	SHARP INC.		
RKDAYNYS	DAEGU ACC NOTAM	RKSIYIYA	INCHEON ATIS		
RKDAYOYX	DAEGU ACC FLT INFO CENTER	RKSIYPYX	AVIATION MET OFFICE		
RKDAYOYE	DAEGU ACC FLT INFO CENTER	RKSIZAZS	SEOUL APP		
RKDAZQZE	DAEGU ACC	RKSIZPZG	FOIS SYSTEM		
RKDAZQZS	DAEGU ACC	RKSIZPZH	FOIS SYSTEM		
RKDAYIYT	DAEGU ACC KAC	RKSIZPZI	FOIS SYSTEM		
RKDAZAZS	ATFMS	RKSIZPZN	FOIS SYSTEM		
RKDAZAZX	ATFMS	RKSIZPZX	INCHEON AIS T1		
RKDAZDZX	CTFMS	RKSIZPZB	INCHEON AIS T2		
RKDAZEZA	ATMO FSMS	RKSIYPYS	AVIATION MET OFFICE		
RKDJKHAX	HELIKOREA	RKSIZAZB	INCHEON IIAC		
RKJBIFYX	MUAN COM STN	RKSIZAZC	INCHEON IIAC		
RKJBIIYX	MUAN ATIS	RKSIZAZD	INCHEON IIAC		
RKJBZPZX	MUAN AIS	RKSIZAZX	INCHEON IIAC		
RKJBZTZX	MUAN TWR	RKSIZXFM	IIAC FIMS		
RKJJYFYX	GWANGJU COM STN	RKSLYAYX	MINISTRY OF LAND TRANSPORT		
RKJJZAZX	GWANGJU APP	RKSLYNYS	MINISTRY OF LAND, INFRASTRUCTURE AND TRANSPORT		
RKJJZPZX	GWANGJU AIS				
RKJKZPZX	GUNSAN AIS	RKSSAARO	GIMPO AAR		
RKJYZPZX	YEOSU AIS	RKSSABLO	AIR BUSAN		
RKJYIYA	YEOSU ATIS	RKSSADBS	KAC		
RKNWZPZX	WONJU AIS	RKSSASVO	GIMPO AIR SEOUL		
RKNYZPZX	YANGYANG AIS	RKSIAIHX	INCHEON AIH		
RKNYZTZX	YANGYANG TWR	RKSSESRO	EASTAR JET		
RKNYIYA	YANGYANG ATIS	RKSSESRX	EASTAR JET		
RKNYIYB	YANGYANG ATIS	RKSSFGWO	FLY GANGWON		
RKPCAARO	JEJU AAR	RKSSHGGX	HI AIR		
RKPCYFYA	JEJU COM STN	RKSSHPBX	HANHWA		
RKPCYFYX	JEJU COM STN	RKSSJJAO	JEJU AIR		
RKPCYIYX	JEJU KAC	RKSSJJAS	JEJU AIR		
RKPCZAZS	JEJU APP(ARTS)	RKSSJNAX	JIN AIR		
RKPCZAZX	JEJU APP	RKSSKAAO	K-AVIATION		
RKPCZPZA	JEJU AIS	RKSSKABO	AIR POHANG		
RKPCZPZX	JEJU AIS	RKSSKALC	GIMPO KAL		
RKPCZTZA	JEJU ATIS	RKSSKALO	GIMPO KAL		
RKPCZTZX	JEJU TWR	RKSSKALS	GIMPO KAL		
RKPDZPZX	JEONGSEOK AIS	RKSSKALX	GIMPO KAL		
RKPDZTZX	JEONGSEOK TWR	RKSSTWBX	T'WAY AIR		
RKPKAARO	GIMHAE AAR	RKSSYAYX	GIMPO CNS STN		
RKPKYFYA	GIMHAE COM STN	RKSSYEYX	FLT INSP CENTER		
RKPKYFYB	GIMHAE COM STN	RKSSYHYX	SEOUL FIRE AVIATION OFFICE		
RKPKYFYC	GIMHAE COM STN	RKSSYIYI	KAC		
RKPKYFYD	GIMHAE COM STN	RKSSYIYX	GIMPO KAC		
RKPKYFYX	GIMHAE COM STN	RKSSYOYX	GIMPO NOTAM OFFICE		
RKPKZPZX	GIMHAE AIS				
RKPKZAZC	GIMHAE ARTS				
RKPKZAZX	GIMHAE APP				
RKPKZTZX	GIMHAE TWR				
RKPSZPZX	SACHEON AIS				
RKPUZPZX	ULSAN AIS				
RKPUIYIX	ULSAN ATIS				
RKRRYFYX	INCHEON ACC				
RKRRYIYT	INCHEON KAC				
RKRRYNYS	INTL NOTAM OFFICE				
RKRRYNYX	INTL NOTAM OFFICE				

Change : Information of item number.

RKSSYQYX	AIR NAV CENTRAL MANAGEMENT	
RKSSYSYX	SEOUL RADIO	
RKSSZKPY	SEL COM CENTER	
RKSSZPZX	GIMPO AIS	
RKSSZTZR	GIMPO ASDE1	
RKSSZTZX	GIMPO ASDE2	
RKSSZZZX	SEOUL RADIO	
RKTAHSFX	TAEAN AIS	
RKTFYXYX	ROKAF MET HQ	
RKTHZPZX	POHANG GYEONGJU AIS	
RKTLZTZX	ULJIN TWR	
RKTLZPZX	ULJIN AIS	
RKTNZPZX	DAEGU AIS	
RKTUYOYX	CHEONGJU AIS	
RKTUZAZA	CHEONGJU APP	
RKTUZAZB	CHEONGJU APP	
RKTUZAZC	CHEONGJU APP	
RKTUZPZX	CHEONGJU AIS	

4. 요구사항 및 조건	4. Requirements and conditions	
NIL	NIL	
5. 추가 정보	5. Miscellaneous	
NIL	NIL	



Identification, name and lateral limits	Upper limit Lower limit (ft)	Remarks (time of activity, type of restriction, nature of hazard, risk of interception)
1	2	3
RK R75 373949N 1264824E - 373752N 1264813E - 373701N 1264754E - 373530N 1264817E - 373409N 1264824E - 372653N 1265722E - 372653N 1270338E - 373233N 1270647E - 373447N 1270930E - 373656N 1270830E - 373827N 1270800E - 374033N 1270513E - 374136N 1270317E - 374200N 1270140E - 373758N 1265259E - to the beginning	10 000 AMSL SFC	Ministry of National Defense (MCRC : Master Control Reporting Center/CDC AOC : Capital Defense Command AOC) Refer to AIP ENR 5.1-12 (R75 Restricted Area Flight Procedures)
RK R77 MACHAJIN 383300N 1282400E - 383400N 1283100E - 383200N 1283200E - 383000N 1283100E - 383100N 1282400E - to the beginning	FL 150 GND	Ground to ground high angle firing FROKA/G-3 Air by NOTAM VMC-IMC
RK R80 SEO-HAE-JUNG-BU 363200N 1245000E - 363200N 1253600E - 360501N 1253604E - 360455N 1243132E - 362356N 1243126E - to the beginning	FL 500 GND	Air to air firing ROKAF AFOC/DOT Cont VMC
RK R81 NAKDONG A circle radius 5 NM centered on 362410N 1281651E	FL 220 SFC	Air to ground firing ROKAF AFOC/DOT Cont 2100-1400UTC VMC
RK R84 SEO-HAE-NAM-BU 351457N 1243144E - 351501N 1253610E - 345000N 1253612E - 344957N 1243150E - to the beginning	FL 500 GND	Air to air firing ROKAF AFOC/DOT Cont VMC
RK R88 SEO-HAE-BUK-BU 370121N 1245000E - 370208N 1253600E - 363200N 1253600E - 363200N 1245000E - to the beginning	FL 500 GND	Air to air firing ROKAF AFOC/DOT Cont VMC
RK R89 OCHON 355610.9N 1292051.7E - 355710.9N 1292351.7E - 355710.9N 1292551.7E - 355210.9N 1291951.7E - to the beginning	1 000 GND	Ground to ground firing ROKMC 1st DIV Cont VMC-IMC
RK R90A SUSONG-A 355536.9N 1292547.6E - 355521.9N 1292717.6E - 355325.9N 1293116.6E - 355310.9N 1293101.6E - 355340.9N 1292826.7E - 355330.9N 1292634.7E - to the beginning	2 000 GND	Ground to ground firing ROKMC 1st DIV Cont VMC-IMC
RK R90B SUSONG-B 355330.9N 1292634.7E - 355340.9N 1292826.7E - 355310.9N 1293101.6E - 355036.9N 1292945.6E - 355012.9N 1292745.6E - to the beginning	5 500 GND	Ground to ground and Air to ground firing ROKMC 1st DIV Cont VMC-IMC

Identification, name and lateral limits	Upper limit Lower limit (ft)	Remarks (time of activity, type of restriction, nature of hazard, risk of interception)
1	2	3
RK R97A CHEOLMAE-A 362000N 1263100E - 361800N 1263500E - 360200N 1262400E - 361300N 1261100E - to the beginning	FL 300 GND	Surface to air firing MCRC/Gunsan APP by NOTAM VMC-IMC
RK R97B CHEOLMAE-B 362000N 1255700E - 362000N 1261000E - 362207.5N 1261443.7E - 362122.5N 1263007.6E - 361400N 1263800E - 355300N 1262200E - 361200N 1260300E - 361400N 1255700E - to the beginning	UNL GND	Surface to air firing MCRC/Gunsan APP by NOTAM VMC-IMC
RK R97C CHEOLMAE-C 362129.5N 1262254.6E - 362122.5N 1263007.6E - 361400N 1263800E - 354100N 1254400E - 355100N 1253500E - to the beginning	UNL GND	Surface to air firing MCRC/Gunsan APP by NOTAM VMC-IMC
RK R97D CHEOLMAE-D 362117.5N 1262443.7E - 362122.5N 1263007.6E - 361400N 1263800E - 355300N 1260600E - 354200N 1255200E - to the beginning	UNL GND	Surface to air firing MCRC/Gunsan APP by NOTAM VMC-IMC
RK R97E CHEOLMAE-E 361839N 1263302E - 361400N 1263800E - 360623N 1263211E - 361349N 1262500E - to the beginning	FL 300 SFC	Surface to air firing MCRC by NOTAM VMC-IMC
RK R97F CHEOLMAE-F 362000N 1263100E - 361800N 1263500E - 361207N 1263057E - 361718N 1262500E - to the beginning	FL 150 SFC	Surface to air firing MCRC by NOTAM VMC-IMC
RK R99 GEOJEDO 344104N 1284327E - 344606N 1285031E - 344644N 1285338E - 343347N 1290321E - 340913N 1284311E - 342012N 1283514E - to the beginning	FL 360 GND	Surface to surface, Surface to air and Air to surface firing ROK fleet by NOTAM
RK R100 NAMHYONGJEDO A Circle 4 NM in diameter centered at Namhyongje Do (3453N 12857E)	500 GND	Surface to surface ROK fleet cont
RK R104 MIYEODO A circle radius 5 NM centered on 353251N 1262626E	FL 150 GND	Air to ground firing Gwangju APP by NOTAM VMC
RK R105 JIKDO A circle radius 10 NM centered on 355326N 1260436E	FL 400 GND	Air to ground firing ROKAF/Osan AB by NOTAM VMC
RK R107 DONG-HAE-BUK-BU 381500N 1295100E - 381400N 1301000E - 374700N 1301000E - 374800N 1295100E - to the beginning	FL 400 GND	Air to air firing Gangneung APP Mon-Sat 2300-0800 UTC VMC

Change : Amended lateral limits for RK R97F.



ENR 5.5 AERIAL SPORTING AND RECREATIONAL ACTIVITIES

1. Ultralight vehicle flight areas

※ The entire area within Incheon FIR is designated as Ultralight vehicle flight restricted area except areas listed in the below table.

* : Unmanned Aerial Vehicles only. **: Airpark for Light aircraft and Ultralight vehicle exist.

<i>Designation and lateral limits</i>	<i>Vertical limits</i>	<i>Operator/User Tel NR.</i>	<i>Remarks and time of ACT</i>
(UA 2) GUSEONGSAN Circle with radius of 1.8 km(1.0 NM) centered on 354421N 1270027E	500 ft AGL SFC		
(UA 4) BONGHWASAN Circle with radius of 4.0 km(2.2 NM) centered on 353731N 1290532E	500 ft AGL SFC		
(UA 5) DEOKDUSAN Circle with radius of 4.5 km(2.4 NM) centered on 352441N 1273157E	500 ft AGL SFC		
(UA 6) GUMSAN Circle with radius of 2.1 km(1.1 NM) centered on 344411N 1275852E	500 ft AGL SFC		
(UA 9) YANGPYEONG 373010N 1272300E - 373010N 1273200E - 372700N 1273200E - 372700N 1272300E - to point of origin	500 ft AGL SFC		
(UA 10) GOCHANG Circle with radius of 4.0 km(2.2 NM) centered on 352311N 1264353E	500 ft AGL SFC		
(UA 14) GONGJU 363038N 1270033E - 363002N 1270713E - 362604N 1270553E - 362729N 1265750E - to the beginning	500 ft AGL SFC		
(UA 19) SIHWAHO 371751N 1264215E - 371724N 1265000E - 371430N 1265000E - 371315N 1264628E - 371245N 1264029E - 371244N 1263342E - 371414N 1263319E - to point of origin	500 ft AGL SFC		
(UA 21) BANG JANG SAN Circle with radius of 3.0 km(1.6 NM) centered on 352658N 1264417E	500 ft AGL SFC		
(UA 24) GUJOA Circle with radius of 2.8 km(1.5 NM) centered on 332841N 1264922E	500 ft AGL SFC		
(UA 25) HADONG 350147N 1274325E - 350145N 1274741E - 345915N 1274739E - 345916N 1274324E - to point of origin	500 ft AGL SFC		
(UA 26) JANG AM SAN 372338N 1282419E - 372410N 1282810E - 372153N 1282610E - 372211N 1282331E - to point of origin	500 ft AGL SFC		
(UA 28) SEOUNSAN Circle with radius of 2.0 km(1.1 NM) centered on 365550N 1271659E	500 ft AGL SFC		
(UA 29) OCHON Circle with radius of 2.0 km(1.1 NM) centered on 365711N 1271716E	500 ft AGL SFC		

Designation and lateral limits	Vertical limits	Operator/User Tel NR.	Remarks and time of ACT
(UA 30) BUKJWA Circle with radius of 2.0 km(1.1 NM) centered on 370242N 1271940E	500 ft AGL SFC		
* (UA 31) CHEONGNA 373354N 1263730E - 373400N 1263744E - 373351N 1263750E - 373345N 1263736E - to point of origin	500 ft AGL SFC		Active : SAT and SUN
* (UA 32) TOECHON Circle with radius of 0.3 km(0.2 NM) centered on 372800N 1271809E	500 ft AGL SFC		
* (UA 33) BYEONCHEON-CHEON 363904N 1272103E - 363902N 1272111E - 363850N 1272106E - 363852N 1272059E - to point of origin	500 ft AGL SFC		
* (UA 34) MIHO-CHEON 363710N 1272048E - 363705N 1272105E - 363636N 1272049E - 363650N 1272033E - to point of origin	500 ft AGL SFC		
* (UA 35) GIMHAE 352057N 1284815E - 352101N 1284825E - 352047N 1284833E - 352043N 1284823E - to point of origin	500 ft AGL SFC		
* (UA 36) MIRYANG 352801N 1284642E - 352729N 1284714E - 352717N 1284659E - 352750N 1284627E - to point of origin	500 ft AGL SFC		
* (UA 37) CHANGWON 352238N 1283856E - 352238N 1283931E - 352216N 1283931E - 352213N 1283921E - 352213N 1283856E - to point of origin	500 ft AGL SFC		
* (UA 38) ULJU 353129N 1290947E - 353128N 1290957E - 353130N 1291001E - 353126N 1291003E - 353124N 1291001E - 353125N 1290946E - to the beginning	500 ft AGL SFC		
* (UA 39) GIMJE 355435N 1265304E - 355454N 1265257E - 355458N 1265339E - 355437N 1265420E - 355420N 1265408E - 355439N 1265331E - to point of origin	500 ft AGL SFC		
* (UA 40) GORYEONG Circle with radius of 80 m(0.05 NM) centered on 355034N 1282639E	500 ft AGL SFC		
* (UA 41) DAEJEON 362754N 1272326E - 362757N 1272427E - 362710N 1272439E - 362707N 1272306E - to the beginning	500 ft AGL SFC	DAEJEON CITY TEL : 042-930-4419	Active : 0900-1600 (KST)
* (UA 42) GWANGJU Circle with radius of 50 m(0.03 NM) centered on 351318N 1265142E	100 ft AGL SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 43) YEONGWOL 371036N 1282739E - 371031N 1282745E - 371029N 1282743E - 371034N 1282737E - to the beginning	100 ft AGL SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
(UA 44) GUMAK Circle with radius of 1.5 NM centered on 332127N 1261820E	1 900 ft AMSL SFC	Jeju Paragliding Association TEL : 064-758-2676	Only for Paragliding (Recommended)
(UA 45) DANYANG Circle with radius of 3 NM centered on 365745N 1282242E	500 ft AGL SFC	Danyang-gun TEL : 043-420-2564	Only for paragliding (Recommended)
(UA 46) GYEONGGAKSAN Circle with radius of 3 NM centered on 354304N 1270836E	500 ft AGL SFC	Jeonju Paragliding Association TEL : 063-225-2625	Only for paragliding (Recommended)

Change : Information of remarks for UA 31.



<i>Designation and lateral limits</i>	<i>Vertical limits</i>	<i>Operator/User TEL NR.</i>	<i>Remarks and time of ACT</i>
* (UA 47) CHEONGYANG 362756N 1264856E - 362753N 1264859E - 362750N 1264852E - 362753N 1264850E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 48) BOEUN 362655N 1275204E - 362654N 1275208E - 362650N 1275205E - 362651N 1275202E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 49) BUYEO 361656N 1265400E - 361655N 1265404E - 361652N 1265403E - 361654N 1265359E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 50) CHUNCHEON 375154N 1274653E - 375157N 1274657E - 375153N 1274700E - 375152N 1274654E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 51) GIMHAE2 352153N 1284814E - 352152N 1284818E - 352148N 1284818E - 352149N 1284814E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 52) MUNGYEONG 363615N 1281252E - 363617N 1281255E - 363613N 1281259E - 363611N 1281256E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 53) SACHEON 350343N 1275735E - 350342N 1275740E - 350339N 1275739E - 350340N 1275734E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 54) YEONGCHEON 355814N 1285527E - 355812N 1285531E - 355807N 1285527E - 355808N 1285523E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 55) JINJU 350931N 1280943E - 350930N 1280947E - 350926N 1280945E - 350927N 1280942E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 56) JEONJU 354601N 1270604E - 354601N 1270608E - 354556N 1270608E - 354556N 1270604E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 57) JINAN 354922N 1272857E - 354922N 1272901E - 354917N 1272901E - 354917N 1272857E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 58) ULJIN 365502N 1292247E - 365502N 1292248E - 365500N 1292247E - 365501N 1292245E - to the beginning	<u>100 ft AGL</u> SFC	KOTSA TEL : 031-645-2108	Only for Unmanned Aerial Vehicle practical test Active : TUE-WED Sunrise-Sunset
* (UA 59) GOSUNG Circle with radius of 1.5 km(0.8 NM) centered on 350122N 1282257E	<u>1 500 ft AGL</u> SFC	KIAST TEL : 032-727-5755	Unmanned Aerial Vehicles demonstration project
* (UA 60) YEONGWOL2 Circle with radius of 3 NM centered on 371020N 1282807E	<u>1 500 ft AGL</u> SFC	KIAST TEL : 032-727-5755	Unmanned Aerial Vehicles demonstration project, Except UA43(YEONGWOL) Operation hours
* (UA 61) BOEUN2 Circle with radius of 3 km(1.62 NM) centered on 363415N 1274807E	<u>1 000 ft AGL</u> SFC	KIAST TEL : 032-727-5755	Unmanned Aerial Vehicles demonstration project

<i>Designation and lateral limits</i>	<i>Vertical limits</i>	<i>Operator/User TEL NR.</i>	<i>Remarks and time of ACT</i>
* (UA 62) INCHEON 373440N 1263725E - 373446N 1263739E - 373455N 1263738E - 373510N 1263758E - 373506N 1263823E - 373444N 1263848E - 373418N 1263848E - 373422N 1263947E - 373411N 1263948E - 373407N 1263917E - 373357N 1263842E - 373351N 1263807E - 373346N 1263747E - 373333N 1263730E - 373358N 1263727E - to the beginning	1 000 ft AGL SFC	KIAST TEL : 032-727-5755	Unmanned Aerial Vehicles demonstration project, Except UA31(CHEONGNA) Operation hours
* (UA 63) GIMCHEON Circle with radius of 4.5 km(2.43 NM) centered on 361208N 1280819E	1 000 ft AGL SFC	KOTSA TEL : 031-645-2108	Unmanned Aerial Vehicle practical test

Change : Information of lateral limits for UA 62.

Notice for the use of VDGS

1. VDGS service is provided to Concourse stands (total 30). Marshalling service should be provided for any of the following cases;
 - a. When VDGS or ASDE is inoperative in case of work in progress, heavy snow, etc.
 - b. When a Low Visibility Procedure is in operation.
 - c. When Aircraft types are IL62, IL76, IL96, TU204, B789, B748, A359, B781, 7M8, A339, A32N and A32Q.
2. In case the aircraft type and the stand number displaying on the PDU are different from the actual approaching aircraft type and the actual stand number, the pilot should stop his aircraft immediately and notify the Incheon Apron, and then follow the marshaller's instruction.
3. If the stand number and aircraft type are still displayed alternately on the PDU until the aircraft approaches to 10 m prior to the stop point, the pilot should stop his aircraft immediately and notify the Incheon Apron, and then follow the marshaller's instruction.
4. If the ESTOP message is displayed on the PDU, the pilot should stop his aircraft immediately and notify the Incheon Apron, and then follow the marshaller's instruction. For any of the following cases, the field operator should press the emergency stop button.
 - a. When the aircraft overruns or is expected to go more than 1 m from the stop point.
 - b. In case the pilot does not stop the aircraft immediately, although the aircraft type and the gate number displayed on the PDU differ from the actual aircraft type and gate number.
 - c. In case there is any obstacle interrupting the normal docking procedure around the docking area.
5. In case that the VDGS docking information and the marshaller's instruction are different, the pilot should follow the marshaller's instruction first.
6. When the aircraft reaches about 10 m prior to the stop point, the pilot should decrease the speed as much as the aircraft could be stopped immediately until the STOP or ESTOP message is displayed on the PDU.
7. If the aircraft approaches to the stand in excess of the speed limit in Concourse, the SLOW message should be displayed on the PDU. The pilot should reduce the speed.

General explanation of PDU(Pilot Display Unit) _ Passenger Terminal #1 and #2 (#231~#243, #245~#268)




1. It is the laser unit to detect the approaching aircraft.
2. During the docking procedure, it visually represents the guidance information such as aircraft type and remaining distance.
3. It represents the stand centre line. When the laser unit detects the approaching aircraft, this vertical bar is displayed to let the pilot know the correct course.
4. It provides the azimuth guidance information to the pilot. When the aircraft deviates from the stand centre line, this symbol is shown to correct the direction which the arrow symbol points to.
5. It is the symbol of the aircraft.


The VDGS(Visual Docking Guidance System) Docking Procedure _ Passenger Terminal #1 and #2 (#231~#243, #245~#268)




1. The docking preparation
 - a. After initializing the docking stand designation, WAIT message will be displayed and then the expected aircraft type displayed continuously on the upper LED of the PDU. At the same time, the lead-in lights installed along the stand centre line will be switched on.
 - b. When the aircraft is detected by the laser unit, floating arrow symbol will be displayed on the lower LED of the PDU.



2. The azimuth guidance information
 - a. In case the aircraft deviates from the stand centre line, the red arrow symbol will be displayed.




3. The remaining distance information
 - a. The remaining distance information will be shown numerically on the upper LED of the PDU with the graphical presentation starting from 30 m before the stop point. At the same time, the aircraft symbol will be shown along the stand centre line displaying on the lower LED of the PDU.
 - b. The remaining distance information will be displayed 30 m to 3 m by 1 m step (30, 29,..., and 3 m) and the remaining last 3.0 m will be shown by 0.1 m step (3.0, 2.9,...,0.1, and STOP). Some remaining distance information may not be displayed on the PDU according to the aircraft docking speed.



Change : Information of passenger terminal for PDU and VDGS.

	4. The STOP information - It represents that the pilot should stop his aircraft. - If the aircraft overruns more than 1 m, STOP TOO FAR message will be shown on the upper LED of the PDU. - The STOP will be displayed when the aircraft deviates too far from the stand centre line or the field operator presses the E-STOP button.
	5. The STOP_SBU/IDFAIL information - The STOP_SBU/IDFAIL(Emergency stop) will be displayed when system error or approaching aircraft is different actual aircraft type. - In case STOP_SBU/IDFAIL message is shown on the PDU, the aircraft should be stopped immediately.
	6. The docking completion information When the aircraft has reached the stop point within the tolerance, the OK message will be shown on the upper LED of the PDU.
	7. The BTIME(On block time) Information - The BTIME message and time will be displayed on the PDU right after changing from STOP to OK message. - The BTIME(On block time) will be transmitted to the IIS(Integrated Information System).
A-CDM Information on VDGS _ Passenger Terminal #1 and #2 (#231~#243, #245~#268)	
	TOBT and TSAT information is provided on VDGS for push-back waiting aircraft. (Refer to AD 2.20)
Notice for the use of VDGS - VDGS service is provided to Passenger Terminal stands NR. 1(total 44) and NR. 2(total 51). Marshalling service should be provided for any of the following cases; - When VDGS or ASDE is inoperative in case of work in progress, heavy snow, etc. - When a Low Visibility Procedure is in operation. - In case the aircraft type displaying on the PDU is different from the actual approaching aircraft type, the pilot should stop his aircraft immediately and notify the Incheon Apron, and then follow the marshaller's instruction. - If ID FAIL is displayed on the PDU between the stop point and 15 m prior to the stop point, the pilot should stop his aircraft immediately and notify the Incheon Apron, and then follow the marshaller's instruction. - If the ESTOP message is displayed on the PDU, the pilot should stop his aircraft immediately and notify the Incheon Apron, and then follow the marshaller's instruction. For any of the following cases, the field operator should press the emergency stop button. - When the aircraft overruns or is expected to go more than 1 m from the stop point. - In case the pilot does not stop the aircraft immediately, although the aircraft type and the gate number displayed on the PDU differ from the actual aircraft type and gate number. - In case there is any obstacle interrupting the normal docking procedure around the docking area. - In case that the VDGS docking information and the marshaller's instruction are different, the pilot should follow the marshaller's instruction first. - When the aircraft reaches about 10 m prior to the stop point, the pilot should decrease the speed as much as the aircraft could be stopped immediately until the STOP message is displayed on the PDU. - If the aircraft approaches to the stand in excess of the speed limit, the SLOW message should be displayed on the PDU. The pilot should reduce the speed.	

Change : Information of passenger terminal for VDGS.

General explanation of PDU(Pilot Display Unit) _ Cargo Terminal #1, #2 and Passenger Terminal #2 (#208~#222, #224~#225, #272~#291)	
	1. During the docking procedure, it visually represents the guidance information such as aircraft type and remaining distance. 2. It represents the stand centre line. When the laser unit detects the approaching aircraft, this vertical bar is displayed to let the pilot know the correct course. 3. It provides the azimuth guidance information to the pilot. When the aircraft deviates from the stand centre line, this symbol is shown to correct the direction which the arrow symbol points to. 4. It is the symbol of the aircraft. 5. It is the laser unit to detect the approaching aircraft.
The VDGS(Visual Docking Guidance System) Docking Procedure _ Cargo Terminal #1, #2 and Passenger Terminal #2 (#208~#222, #224~#225, #272~#291)	
	1. The docking preparation a. After initializing the docking stand designation, the expected aircraft type and the flight number will be alternatively displayed on the upper of the PDU. b. When the aircraft is detected by the laser unit, floating aircraft symbol will be displayed on the lower LED of the PDU.
	2. The azimuth guidance information a. In case the aircraft deviates from the stand centre line, the red arrow symbol will be displayed.
	3. The remaining distance information a. The remaining distance information will be shown numerically on the upper LED of the PDU with the graphical presentation starting from 30 m before the stop point. At the same time, the aircraft symbol will be shown along the stand centre line displaying on the lower LED of the PDU. b. The remaining distance information will be displayed 30 m to 3 m by 1 m step(30, 29, ..., and 3 m) and the remaining last 3.0 m will be shown by 0.1 m step(3.0, 2.9, ..., 0.1, and STOP). Some remaining distance information may not be displayed on the PDU according to the aircraft docking speed.
	
	4. The STOP information a. It represents that the pilot should stop his aircraft. b. If the aircraft overruns more than 1 m, TOO-FAR message will be shown on the upper LED of the PDU. c. The E-STOP will be displayed when the aircraft deviates too far from the stand centre line or the field operator presses the E-STOP button.
	5. The STOP SBU/ID-FAIL information a. The STOP SBU/ID-FAIL(Emergency stop) will be displayed when system error or approaching aircraft is different actual aircraft type. b. In STOP SBU/ID-FAIL message is shown on the PDU, the aircraft should be stopped immediately.

Change : Information of passenger terminal for PDU and VDGS.

	6. The docking completion information When the aircraft has reached the stop point within the tolerance, the OK message will be shown on the upper LED of the PDU.
	7. The On block time information - The On block time message and time will be displayed on the PDU right after changing from STOP to OK message. - The On block time will be transmitted to the IIS(Integrated Information System).
A-CDM Information on VDGS _ Cargo Terminal and Passenger Terminal #2 (#208~#222, #224~#225, #272~#291)	
	TOBT, TSAT and CTOT information is provided on VDGS for push-back waiting aircraft.
Notice for the use of VDGS - VDGS service is provided to Cargo Terminal stands NR. 1(total 32), NR. 2(total 15) and Passenger Terminal stands NR. 2(total 42). Marshalling service should be provided for any of the following cases; - When VDGS or ASDE is Inoperative In case of work In progress, heavy snow, etc. - When a Low Visibility Procedure is in operation. - In case the aircraft type and the stand number displaying on the PDU are different from the actual approaching aircraft type and the actual stand number, the pilot should stop his aircraft immediately and notify the Incheon Apron, and then follow the marshaller's instruction. - If ID FAIL is displayed on the PDU between the stop point and 15 m prior to the stop point, the pilot should stop his aircraft immediately and notify the Incheon Apron, and then follow the marshaller's instruction. - If the ESTOP message is displayed on the PDU, the pilot should stop his aircraft immediately and notify Incheon Apron, and then follow the instructions of the marshaller. For any of the following cases, the field operator should press the emergency stop button. - When the aircraft overruns or is expected to go more than 1 m from the stop point. - In case the pilot does not stop the aircraft immediately, although the aircraft type and the gate number displayed on the PDU differ from the actual aircraft type and gate number. - In case there is any obstacle interrupting the normal docking procedure around the docking area. - In case that the VDGS docking information and the marshaller's instruction are different, the pilot should follow the marshaller's instruction first. - When the aircraft reaches about 10 m prior to the stop point, the pilot should decrease the speed as much as the aircraft could be stopped immediately until the STOP message is displayed on the PDU. - If the aircraft approaches to the stand in excess of the speed limit, the SLOW message should be displayed on the PDU. The pilot should reduce the speed.	

Change : Information of passenger terminal and notice for VDGS.

RKPC AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RKPC - JEJU / Jeju International

RKPC AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	333044N 1262934E 066° / 2 641 m from THR 07
2	Direction and distance from city	300°, 3.8 km from Jeju City Hall
3	Elevation/Reference temperature	36 m / 30.4 °C
4	Geoid undulation at AD ELEV PSN	25 m
5	MAG VAR/Annual change	7° W (2020) / 0.094° increasing
6	Aerodrome Operator, Address, Telephone, FAX, AFS	Korea Airports Corporation(Jeju International Airport) 2, Gonghang-ro, Jeju, 63115, Republic of Korea TEL : +82-64-797-2408, 2446 FAX : +82-64-797-2440 AFS : RKPCZPZX
7	Type of traffic permitted(IFR/VFR)	IFR/VFR
8	Remarks	NIL

RKPC AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	H24
2	Customs and Immigration	HO
3	Health and Sanitation	HO
4	AIS Briefing Office	H24
5	ATS Reporting Office	H24
6	MET Briefing Office	H24
7	ATS	H24
8	Fuelling	HO
9	Handling	HO
10	Security	HO
11	De-icing	H24
12	Remarks	The code letter F aircraft operation time 1400 to 2130(UTC)

RKPC AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	All modern facilities handling weights up to 10 000 kg
2	Fuel/oil type	a. Fuel : Jet A-1 b. Oil : MIL-L-23699/TURBINE-ENG274
3	Fuelling facilities/capacity	a. Jet A-1 available by refueling on passenger, remote, cargo ramp, at rate of 400 gpm b. Hydrant refueling is available on aircraft stands (NR. 10, 13, 15, 17, 18, 20, 30, 31, 32, 33, 34, 35, 36, 37, 55, 56, 57, 60, 61, 62, 64, 65) at rate of 700 gpm c. 4 aircraft can be fueled simultaneously d. Total amount of storage is 3 339 000 L
4	De-icing facilities	Provide 4 de-icing pad(Refer to Aircraft Parking / Docking Chart)
5	Hanger space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	NIL

RKPC AD 2.5 PASSENGER FACILITIES

1	Hotels	In Jeju city
2	Restaurants	Light food services available at AD
3	Transportation	Bus, taxi and rental car available at AD
4	Medical Facilities	a. First aid at AD b. 1 motor ambulance at AD c. Hospitals in Jeju city
5	Bank and Post Office	Available at AD
6	Tourist Office	Available at AD
7	Remarks	https://www.airport.co.kr/jeju/main.do

RKPC AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD Category for fire fighting	CAT 9
2	Rescue equipment	a. 3 Aircraft Rescue and Fire Fighting Vehicles - Water : 34 000 L - AFFF : 4 200 L - Dry chemical : 750 kg b. 1 Supplementary Water tank Truck (12 000 L) c. 1 Ambulance d. 1 Commanding Vehicle Other Rescue equipment is available from Jeju fire station, Jeju coast guard Korea, R.O.K Navy 615 Squadron, Jeju provincial police agency; aviation unit.
3	Capability for removal of disabled aircraft	Specialized aircraft recovery equipment available for up to and including B747-400 size aircraft. 260 ton aircraft lifting bag, 120 ton hydraulic jack, 300 ton crane and other accessory equipment can be provided by airlines and agencies. Korea Airports Corporation is the co-ordinator for the removal of disabled aircraft and can be reached at Civil Engineering Team (TEL : +82-64-797-2417).
4	Remarks	NIL

RKPC AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Type of clearing equipment	a. 4 Towed Runway Jet Sweepers b. 2 Compact Runway Jet Sweepers c. 1 Dry Material Spreader d. 1 Liquid Material Spreader Vehicle e. 1 Cargo truck(sweeper & spreader) f. 1 Snow blower
2	Clearance priorities	a. First 1) RWY 07/25 2) TWY P, Rapid exit taxiways(P4, P10) 3) TWYs(P1, P2, P3, P11, P12, P13, G1, G2, G3, G4, E1, A, W) 4) Apron taxiway(R), De-icing pad b. Second 1) Rapid exit taxiways(P5, P6, P7, P8) 2) RWY 13/31 3) TWYs(B, E, E2, E3, P9) c. Other areas
3	Remarks	Snow clearance information promulgated by SNOWTAM


Change : Information of clearance priorities.

LOW
VISIBILITY
PROCEDURE

AERODROME ELEV 36 m

TWR 118.2 236.6
GND 121.675

JEJU/Intl(RKPC)
RWY 07
SMGCS - Arrival taxi route




Chnage : Withdrawal of reference point 1P.

LOW
VISIBILITY
PROCEDURE

AERODROME ELEV 36 m

TWR 118.2 236.6
GND 121.675

JEJU/Intl(RKPC)
RWY 07
SMGCS - Departure taxi route




Chnage : Withdrawal of reference point 1P.

LOW
VISIBILITY
PROCEDURE

AERODROME ELEV 36 m

TWR 118.2 236.6
GND 121.675

JEJU/Intl(RKPC)
RWY 25
SMGCS - Departure taxi route



Chnage : Withdrawal of reference point 1P.

RKPC AD 2.21 NOISE ABATEMENT PROCEDURES

1. Aircraft Operating Procedures(Except helicopter)
 - 1.1 Take off


All departing aircraft should apply ICAO PANS-OPS(Doc.8168) Volume III Noise Abatement Departure Procedure One(NADP One).

 - Thrust Reduction at 1 500 ft above Aerodrome Elevation is recommended.
 - Whenever practicable, all departing aircrafts should climb with their certified maximum climb gradient until reaching 3 000 ft AGL.
 - 1.2 Approach


Regarding noise abatement using a delayed/reduced flap, setting landing procedure is recommended.

 - After intercepting localizer course, lower gear.
 - Maintain an intermediate flap until FAF.
 - At FAF, set a flap for landing.
 - 1.3 Visual Approach RWY 07


All arriving aircrafts shall align with the final approach course outside YDM 6 DME.
 - 1.4 Exempted cases
 1. Aircrafts don't need comply with the procedures described in paragraph 1.1 and 1.2 above when they are in adverse operating conditions such as;
 - If the runway is not clear and dry. i.e. It is adversely affected by snow, slush, ice, water or other substances.
 - In conditions when the ceiling is lower than 500 ft, or when the horizontal visibility is less than 1 900 m.
 - When the cross-wind component, including gusts, exceeds 15 kt.
 - When the tailwind component, including gusts, exceeds 5 kt.
 - When the wind shear has been reported or forecast, or thunderstorms are expected to affect the approach.
 2. Aircraft unable to comply with the procedures described in paragraph 1.1 and 1.2 above for any reason shall inform ATC.
 - 1.5 Runway Operating System
 1. RWY 07 intersection take-off is recommended except in unavoidable cases for traffic flow or other reasons. RWY 07 intersection departing aircraft should enter the runway via TWY P9, P11 or P12 after receiving line-up clearance.
 2. When receiving the take-off clearance from the ATC during taxiing into the runway, it is recommended for the pilot to taxi immediately into it and begin its take-off roll without stopping the A/C except for the following conditions.
 - a. The low visibility procedure in operations
 - b. The runway contaminated by water, ice, snow, slush or other substances
 - c. Any other abnormal condition of aircraft, airport or ATC system
 - d. The cross-wind component including gust exceeding 15 kt, or
 - e. The tail-wind component including gust exceeding 5 kt
 - f. Aircraft classified as a "super" or "heavy" in aircraft classes
 - g. Otherwise instructed by the ATC
 3. RWY 31 is recommended for departure during winter season to the aircraft which wing span is less than 36 m aircraft.
 - 1.6 Operational Limitations
 1. During landing, reverse thrust other than idle thrust can not be used except for safety reasons.
 2. Engine start is permitted in the ramp areas only. However, the power setting(s) shall not exceed idle thrust.



LIGHTING AND MARKING AIDS RWY 07/25 AND EXIT TWY



LIGHTING AND MARKING AIDS RWY 13/31 AND EXIT TWY



AERODROME GROUND
MOVEMENT CHART - ICAO

APRON ELEV 27 m

TWR 118.2 236.6
GND 121.675

JEJU / Jeju Intl
RWY 07/25, RWY 31 DEPARTURE

STANDARD GROUND TAXI PROCEDURES


1. General
- a. Departing IFR flights shall contact JEJU DELIVERY(121.925 MHz) to obtain ATC clearance at least 10 minutes prior to ETD and shall obtain push-back clearance and taxi instruction from JEJU GROUND(121.675 MHz).
- b. TWY E3 not available for aircraft with a wingspan of 118 ft (36 m) or longer.
2. Radio frequency transfer point
- Aircraft shall contact 118.2 MHz(JEJU TOWER) at the following point unless otherwise instructed by ATC.

Runway in use	Radio frequency transfer point
RWY 07	Passing TWY G4
RWY 25	Runway 13/31 holding position of TWY P, E1, E2, E3
RWY 31	

Restriction of RWY 31

Aircraft operation for RWY 31 is restricted if the value of the surface friction measurements of RWY 31 is less than 0.25(Poor).

HS 1	Aircraft taxiing on TWY E1, E2, A, V do not cross the holding marking for RWY 13/31 without ATC authorization.
HS 2	Aircraft taxiing on TWY P do not cross the holding marking for RWY 13/31 without ATC authorization.
HS 3	Use caution of converging between exiting route of RWY 07 and entering route of TWY P.
HS 4	
HS 5	A location on Jeju airport movement area with a history of runway incursion.



	SURFACE	WIDTH	STRENGTH
APRON(EAST)	Asphalt		PCR 621/F/A/X/T
APRON(CARGO)	Concrete	NIL	PCR 750/R/B/W/T
APRON(WEST)			PCR 1 006/R/B/W/T
TWY P, P1, P4, P5, P8, P9, P12, P13	Asphalt	30 m	PCR 662/F/B/X/T
TWY P2		57 m	PCR 662/F/B/X/T
TWY P3, P6, P7, P10, P11, B		23 m	PCR 662/F/B/X/T
TWY G1		51 m	PCR 662/F/B/X/T
TWY G2		63 m	
TWY G3		42 m	PCR 621/F/A/X/T
TWY G4		50 m	PCR 662/F/B/X/T
TWY A		23 m	PCR 621/F/A/X/T
TWY E		45 m	PCR 621/F/A/X/T
TWY E1, E2		30 m	
TWY E3		23 m	
TWY V		30 m	PCN 43/F/C/X/T
TWY V1	Asphalt	20 m	PCN 82/F/C/Y/T
TWY V2		8 m	PCN 7.8/F/C/Y/T
TWY W		23 m	PCN 91.2/F/C/W/T
TWY R	Asphalt	NIL	PCR 621/F/A/X/T (EAST-CARGO APRON)
	Concrete		PCR 1 006/R/B/W/T (WEST APRON)

Chnage : Withdrawal of reference point 1P.


STANDARD GROUND TAXI PROCEDURES

- General
 - General aviation aircraft will be guided by the FOLLOW ME vehicle or marshallers to the parking area for small aircraft.
 - TWY E3 not available for aircraft with a wingspan of 118 ft (36 m) or longer.
 - FOLLOW ME service is available to arriving ACFT. Pilot should make the request to JEJU GROUND.
- Radio frequency transfer procedure
Aircraft shall contact JEJU TOWER(118.2 MHz) to JEJU GROUND (121.675 MHz) when vacating Runway.

Restriction of RWY 31

Aircraft operation for RWY 31 is restricted if the value of the surface friction measurements of RWY 31 is less than 0.25(Poor).

HS 1	Aircraft taxiing on TWY E1, E2, A, V do not cross the holding marking for RWY 13/31 without ATC authorization.
HS 2	Aircraft taxiing on TWY P do not cross the holding marking for RWY 13/31 without ATC authorization.
HS 3	Use caution of converging between exiting route of RWY 07 and entering route of TWY P.
HS 4	
HS 5	A location on Jeju airport movement area with a history of runway incursion.



	SURFACE	WIDTH	STRENGTH
APRON(EAST)	Asphalt		PCR 621/F/A/X/T
APRON(CARGO)		NIL	PCR 750/R/B/W/T
APRON(WEST)	Concrete		PCR 1 006/R/B/W/T
TWY P, P1, P4, P5, P8, P9, P12, P13		30 m	PCR 662/F/B/X/T
TWY P2		57 m	PCR 662/F/B/X/T
TWY P3, P6, P7, P10, P11, B		23 m	PCR 662/F/B/X/T
TWY G1		51 m	PCR 662/F/B/X/T
TWY G2		63 m	PCR 662/F/B/X/T
TWY G3		42 m	PCR 621/F/A/X/T
TWY G4		50 m	PCR 662/F/B/X/T
TWY A	Asphalt	23 m	PCR 621/F/A/X/T
TWY E		45 m	
TWY E1, E2		30 m	PCR 621/F/A/X/T
TWY E3		23 m	
TWY V		30 m	PCN 43/F/C/X/T
TWY V1		20 m	PCN 82/F/C/Y/T
TWY V2		8 m	PCN 7.8/F/C/Y/T
TWY W		23 m	PCN 91.2/F/C/W/T
TWY R	Asphalt		PCR 621/F/A/X/T (EAST-CARGO APRON)
	Concrete	NIL	PCR 1 006/R/B/W/T (WEST APRON)

RKPK AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS / POSITIONS DATA

1	Designation, Apron surface and strength	a. Area : 404 251 m ² b. Surface - International 1 and Domestic : Asphalt - International 2 : Concrete c. Strength - International 1 : PCR 662/F/B/X/T - International 2 : PCR 1 178/R/C/W/T - Domestic : PCR 621/F/A/X/T			
2	Designation, Taxiway width, surface and strength	Taxiway	Width(m)	Surface	Strength (PCR)
		P	30	Concrete	1 178 R/C/W/T
		E1, E2, E3, E4, E5	30	Concrete	1 178 R/C/W/T
				Asphalt	662 F/B/X/T
		S	30	Concrete	1 006 R/B/W/T
				Asphalt	621/F/A/X/T
		C5	30	Concrete	1 006 R/B/W/T
		C1, C2, C3, C4, C6, C7	30	Concrete	1 006 R/B/W/T
				Asphalt	621 F/A/X/T
		G7	23	Concrete	1 178 R/C/W/T
		G8	45	Concrete	1 178 R/C/W/T
		G9	78	Concrete	1 178 R/C/W/T
		W2	N/A (Military maintenance taxiway)		
		W3			
		G10	44	Asphalt	496 F/B/X/T
				Concrete	1 178 R/C/W/T
		G11	44	Asphalt	496 F/B/X/T
				Concrete	1 178 R/C/W/T
W1, G1, G2, G3, G4, G5, G6	N/A (Military use taxiway)				
3	Altimeter checkpoint location and elevation	All Aprons / 2 m (8 ft)			
4	VOR checkpoints	VOR : NIL			
5	INS checkpoints	INS : Every specified aircraft stands (Refer to Aircraft Parking/Docking Chart)			
6	Remarks	Military Run-up area exits on TWY E1 and E5			

Change : Information of surface and strength for TWY S.

RKPK AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS


1	Use of aircraft stand ID signs, TWY guide lines and visual docking/parking guidance system of aircraft stands	a. Taxiing guidance signs are the intersections of all TWY and RWY and holding positions b. Guide lines at apron c. Nose-in guidance at aircraft stands
2	Use of Mode S transponder on the ground	
2.1	General	This system using Mode S transponder improves the accuracy and the reliability of the ground movement monitoring system.
2.2	ACFT equipped with Mode S transponder	ACFT operators shall ensure that Mode S transponders are able to operate when ACFT is on the ground.
2.2.1	Departing ACFT	Prior to push-back or taxiing from a parking stand whichever comes first : - Enter, using either FMS mode or transponder control unit, the flight identification as specified in item 7 of the ICAO flight plan(ex : KAL123, AAR 456) or enter in the absence of flight identification, the ACFT registration. - Select XPNDR or its equivalent in relation to specifications on the installed model. - If function is available, select AUTO mode. - Do not select Off or SDBY functions. - Set Mode A code assigned by ATC. Lining up - Select TA/RA.
2.2.2	Arriving ACFT	After landing and until the ACFT is stationary at parking stand : - Maintain XPNDR or its equivalent in relation of specification of the installed model. - Do not select OFF and SDBY functions. - Maintain Mode A code assigned by ATC. When ACFT is stationary at the parking stand, select OFF or SDBY.
2.2.3	Other cases of taxiing ACFT	- Select XPNDR or its equivalent in relation to specifications of the installed model. - If function is available, select AUTO mode. - Do not select the OFF and SDBY function. - Set Mode A code to 2000.
2.3	ACFT not equipped with Mode S transponder or with an unserviceable Mode S transponder	Departing ACFT : - Maintain Mode A+C transponder in the ON position until lining up. Arriving ACFT : - Maintain Mode A+C transponder in the ON position and Mode A code assigned by ATC until parking stand. Other cases of taxiing ACFT : - Select A+C transponder in the ON position or its equivalent in relation to specifications of the installed model. - Do not select the OFF and SDBY function. - Set Mode A code to 2000. Fully parked on stand - Select OFF or SDBY position.
3	RWY and TWY markings and LGT	a. RWY 1) Lights RWY 18R : Edge(HIRL), CL, THR, END, RTIL RWY 36L : Edge(HIRL), CL, THR, END, TDZ RWY 18L : Edge(HIRL), CL, THR, END RWY 36R : Edge(HIRL), CL, THR, END, TDZ 2) Marking RWY 18R : Designation, Aiming Point, Side Strip, CL, TDZ, Displaced THR RWY 36L : Designation, Aiming Point, Side Strip, CL, TDZ, THR RWY 18L : Designation, Aiming Point, Side Strip, CL, TDZ, THR RWY 36R : Designation, Aiming Point, Side Strip, CL, TDZ, THR b. TWY 1) Lights Edge : All TWY CL : All TWY EXC W1, W2, W3 2) Marking Edge : All TWY CL : All TWY Holding Position : All RWY/TWY intersection
4	Stop bars	Refer to Aerodrome Ground Movement Chart (AD Chart 2-5/2-6)
5	Remarks	NIL

AIRCRAFT PARKING
DOCKING CHART - ICAO

APRON ELEV
8 ft

TWR	118.1	118.450
	233.3	236.6
GND	121.9	275.8
APRON	121.65	317.450

BUSAN/Gimhae INTL



INS COORDINATES FOR AIRCRAFT STANDS(WGS-84)				TAXIWAY INFORMATION			AIRCRAFT STANDS	
				TAXIWAY	WIDTH(m)	STRENGTH(PCR)		
1	35°10'25.69"N	128°56'44.55"E	58	35°10'41.49"N	128°56'43.51"E	1 178 R/C/W/T	1, 53	B747-400, A340-600
4	35°10'22.90"N	128°56'44.89"E	58L	35°10'40.71"N	128°56'43.08"E	1 178 R/C/W/T		
5	35°10'20.12"N	128°56'45.24"E	58R	35°10'41.49"N	128°56'44.56"E	662 F/B/X/T	4, 12, 51, 54, 55	B747-400
8	35°10'18.30"N	128°56'45.10"E	931	35°10'38.86"N	128°56'42.15"E	1 006 R/B/W/T	5, 37	A350-900
9	35°10'16.92"N	128°56'45.43"E	932	35°10'39.47"N	128°56'41.69"E	621 F/A/X/T	31	B777-200
10	35°10'15.69"N	128°56'45.62"E	933	35°10'40.07"N	128°56'41.22"E	1 006 R/B/W/T		
11	35°10'14.25"N	128°56'46.11"E				1 006 R/B/W/T	58	A350-900, B787-10
12	35°10'13.59"N	128°56'48.90"E				621 F/A/X/T	45	B767-300ERW
19	35°10'17.50"N	128°56'37.69"E				1 178 R/C/W/T	43	B767-300
20	35°10'18.98"N	128°56'37.50"E				1 178 R/C/W/T		
21	35°10'20.46"N	128°56'37.31"E				1 178 R/C/W/T		
22	35°10'21.95"N	128°56'37.12"E				1 178 R/C/W/T		
23	35°10'23.43"N	128°56'36.93"E				N/A		
24	35°10'24.92"N	128°56'36.74"E				(Military maintenance taxiway)		
25	35°10'26.40"N	128°56'36.54"E				496 F/B/X/T		
26	35°10'31.10"N	128°56'36.39"E				1 178 R/C/W/T		
27	35°10'32.55"N	128°56'36.20"E				496 F/B/X/T		
28	35°10'34.00"N	128°56'36.01"E				1 178 R/C/W/T		
29	35°10'35.46"N	128°56'35.82"E						
31	35°10'12.79"N	128°56'51.56"E				N/A		
32	35°10'11.61"N	128°56'53.51"E				(Military use taxiway)		
34	35°10'10.92"N	128°56'55.39"E						
36	35°10'10.21"N	128°56'57.21"E						
37	35°10'09.69"N	128°56'59.68"E						
38	35°10'08.34"N	128°57'01.60"E						
41	35°10'02.85"N	128°56'59.81"E						
42	35°10'03.30"N	128°56'58.18"E						
43	35°10'03.83"N	128°56'56.31"E						
44	35°10'04.56"N	128°56'54.32"E						
45	35°10'05.29"N	128°56'52.33"E						
46	35°10'06.01"N	128°56'50.37"E						
47	35°10'06.62"N	128°56'48.62"E						
48	35°10'07.15"N	128°56'47.17"E						
51	35°10'43.74"N	128°56'50.99"E						
51L	35°10'44.10"N	128°56'49.58"E						
51R	35°10'42.55"N	128°56'50.77"E						
52	35°10'41.51"N	128°56'52.08"E						
53	35°10'39.81"N	128°56'54.00"E						
53L	35°10'40.03"N	128°56'52.71"E						
53R	35°10'38.83"N	128°56'53.63"E						
54	35°10'35.46"N	128°56'48.11"E						
54L	35°10'36.65"N	128°56'48.25"E						
54R	35°10'35.87"N	128°56'46.74"E						
55	35°10'33.92"N	128°56'45.12"E						
55L	35°10'35.10"N	128°56'45.24"E						
55R	35°10'34.33"N	128°56'43.74"E						
57	35°10'32.82"N	128°56'43.03"E						

APRON INFORMATION		
APRON	STRENGTH(PCR)	
INTERNATIONAL 1	662 F/B/X/T	
DOMESTIC	621 F/A/X/T	
INTERNATIONAL 2	1 178 R/C/W/T	


STAND Number	AIRCRAFT Classification	Dimensions(m)*	REMARKS
931, 932, 933	Helicopter	16 x 16	AS-365, EC-155, AW-139, S-76C, KA-32

* Dimensions means overall length x width.

DEICING PAD		
INS COORDINATES FOR AIRCRAFT STANDS		
	WGS-84	ELEV(AMSL)
G8	35°10'28.65"N	128°56'35.67"E 8 ft
G9	35°10'14.68"N	128°56'37.42"E 8 ft
26	35°10'31.10"N	128°56'36.39"E -
27	35°10'32.55"N	128°56'36.20"E -

※ ISOLATED STAND : E1


Change : Information of strength for TWY 3.

AERODROME GROUND
MOVEMENT CHART - ICAO APRON ELEV 8 ftTWR 118.1 118.450 233.3 236.6
GND 121.9 275.8
APRON 121.65 317.45BUSAN/Gimhae Intl
RWY 36L/R, 18L/R DEPARTURE

AERODROME GROUND
MOVEMENT CHART - ICAO

APRON ELEV 8 ft

TWR	118.1	118.450	233.3	236.6
GND	121.9	275.8		
APRON	121.65	317.45		

BUSAN/Gimhae Intl
RWY 36L/R, 18L/R ARRIVAL

Change : Information of strength for TWY S.

MUAN/Muan Intl(RKJB)
RNP RWY 01

FAS DATA BLOCK INFORMATION

INPUT DATA

Parameters	Values
Operation Type	0
SBAS Provider	6 (KASS)
Airport Identifier	RKJB
Runway	01
Runway Letter	0 (None)
Approach Performance Designator	0
Route Indicator	
Reference Path Data Selector	0
Reference Path Identifier	K01A
LTP/FTP Latitude	345843.6370N
LTP/FTP Longitude	1262258.4515E
LTP/FTP Ellipsoidal Height (metres)	+00336(+33.6m)
FPAP Latitude	350014.4945N
Delta FPAP Latitude (seconds)	90.8575
FPAP Longitude	1262257.8165E
Delta FPAP Longitude (seconds)	-0.6350
Threshold Crossing Height (TCH)	50.0(feet) / 15.2(m)
TCH Units Selector (Feet)	0
Glidepath Angle (GPA, degrees)	3.00
Course Width (metres)	105.00
Length Offset (metres)	0
Horizontal Alert Limit (HAL, (meters)	40.0
Vertical Alert Limit (VAL, (meters)	50.0

OUTPUT DATA

Data Block	60 02 0A 0B 12 01 00 00 01 31 30 0B 6A E2 02 0F 27 D7 3C 36 50 15 D3 C5 02 0A FB FF F4 01 2C 01 64 00 C8 FA F7 D9 C7 7B
Calculated CRC Value	F7D9C77B

Change : Information of FAS data block information.

INTENTIONALLY

LEFT

BLANK



RKJK AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RKJK - GUNSAN / Domestic

RKJK AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	355414N 1263657E 177°/1 358 m from THR 18
2	Direction and distance from city	245°, 13 km from Gunsan city hall
3	Elevation/Reference temperature	9 m (29 ft) / 31 °C
4	Geoid undulation at AD ELEV PSN	NIL
5	MAG VAR/Annual change	8° W (2020) / 0.094° increasing
6	Aerodrome Operator, Address, Telephone, Telefax, AFS	USAF Gunsan Airport Branch Office (Seoul Regional Office of Aviation) 2, Sandong-gil, Okseo-myeon, Gunsan-si, Jeollabuk-do, 54168 Republic of Korea TEL : +82-63-471-5820 Telefax : +82-63-471-5830 AFS : RKJKZPX
7	Type of traffic permitted(IFR/VFR)	IFR / VFR
8	Remarks	NIL

RKJK AD 2.3 OPERATIONAL HOURS

1	Aerodrome Operator	0000-0900 UTC*
2	Customs and Immigration	-
3	Health and Sanitation	-
4	AIS Briefing Office	HO
5	ATS Reporting Office	HO
6	MET Briefing Office	H24
7	ATS	H24
8	Fuelling	HO
9	Handling	HO
10	Security	HO
11	De-icing	HO
12	Remarks	*Outside these hours services are available on request (passengers flights only)

RKJK AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo handling facilities	NIL
2	Fuel/oil type	JP8
3	Fuelling facilities/capacity	NIL
4	De-icing facilities	Available. See AD chart for location (ACFT stand NR. 1).
5	Hanger space for visiting aircraft	NIL
6	Repair facilities for visiting aircraft	NIL
7	Remarks	-

RKJK AD 2.5 PASSENGER FACILITIES

1	Hotels	In Gunsan city
2	Restaurants	In Gunsan city
3	Transportation	Buses, Taxis, & rental cars from the AD
4	Medical Facilities	First aid emergency medical centre(USAF) in airport ambulance service available Hospital in Gunsan city, 15 km
5	Bank and Post Office	Only Automated Teller Machine is available at airport.
6	Tourist Office	Available at airport
7	Remarks	www.airport.co.kr/mbs/gunsan/

RKJK AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD Category for fire fighting	Category 8
2	Rescue equipment	a. 4 chemical crash rescue & fire fighting trucks (total capacity : 26 510 liter water, 2 380 liter aqueous film forming foam and 482 kg dry chemical) b. 1 ambulance car c. 1 rescue truck
3	Capability for removal of disable aircraft	a. Specialized aircraft recovery equipment available for up to and including B737-900 size aircraft. b. 80 ton hydraulic recovery jack, 100 ton crane and other accessory equipment can be provided by airlines and agencies. c. Korea Airports Corporation is the coordinator for the removal of disabled aircraft and can be reached at Airport Duty Manager. (Tel: +82-63-469-8313)
4	Remarks	NIL

RKJK AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Type of clearing equipment	a. 1 Multipurpose snow removal truck b. 1 Tractor c. 1 Snow Plough d. 1 Urea spreader
2	Clearance priorities	1. RWY 36/18 2. Parallel TWY 3. TWY A and E 4. Apron and Other area
3	Remarks	NIL

RKJK AD 2.8 APRON, TAXIWAYS AND CHECK LOCATIONS/POSITIONS DATA

1	Designation, Apron surface and strength	Surface : Asphalt* Strength : PCR 410/F/B/X/T* * Civil Passenger ramp
2	Designation, Taxiway width, surface and strength	Width : 23 m Surface : Concrete (Asphalt**) Strength : PCN 44/R/B/W/T(PCR 410/F/B/X/T**) ** Civil TWY(BTN TWY E and Civil Passenger Ramp)
3	Altimeter checkpoint location and elevation	THR RWY 36 : 9 m (29 ft) THR RWY 18 : 6 m (20 ft)
4	VOR checkpoints	NIL
5	INS checkpoints	NIL
6	Remarks	NIL

Change : Information of strength(PCN → PCR) for apron and TWY.


**STANDARD ARRIVAL CHART
INSTRUMENT(STAR) - ICAO**

TRANSITION ALT 14 000
TRANSITION LVL FL 140

SACHEON APP 135.4
YEOSU TWR 122.5
240.9

YEOSU/Yeosu(RKJY)
RWY 35
RNAV TEDAN 3C
RNAV NISAV 1C

Note : Arrival under ICAO flight procedures.



YEOSU/Yeosu(RKJY)

RWY 35

RNAV TEDAN 3C, RNAV NISAV 1C

HOLDING PROCEDURE

AERONAUTICAL DATA TABULATION

Standard Instrument Arrival Procedure Coding Tables

RNAV TEDAN 3C

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ RDH	Navigation specification	Remarks
001	IF	TEDAN	-	-	-	-	-	-	35°07'43.8"N 127°18'52.1"E	-	RNAV 1	-
002	TF	ISRV	-	165(157.2)	14.7	-	@9 000	-	34°54'10.0"N 127°25'48.0"E	-	RNAV 1	-
003	TF	SEHEE	-	165(157.3)	10.3	-	+8 000	-	34°44'37.0"N 127°30'39.0"E	-	RNAV 1	-
004	TF	MENIV	-	165(157.3)	9.6	-	@5 000	-	34°35'46.2"N 127°35'07.9"E	-	RNAV 1	-
005	TF	SOONA	-	075(067.3)	7.0	-	+4 000	-	34°38'27.5"N 127°42'56.0"E	-	RNAV 1	IAF

RNAV NISAV 1C

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ RDH	Navigation specification	Remarks
001	IF	NISAV	-	-	-	-	-	-	34°15'19.1"N 127°58'35.0"E	-	RNAV 1	-
002	TF	JY752	-	339(330.8)	9.4	-	-6 000	-	34°23'33.2"N 127°53'02.0"E	-	RNAV 1	-
003	TF	SOONA	-	339(330.8)	17.1	-	+4 000	-	34°38'27.5"N 127°42'56.0"E	-	RNAV 1	IAF

HOLDING PROCEDURE

Holding Identification	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Time (min)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ RDH	Navigation specification	Remarks
RNAV TEDAN 3C	HM	SOONA	Y	346(338.5)	1	L	+4 000 -5 000	-200	34°38'27.5"N 127°42'56.0"E	-	RNAV 1	-
RNAV NISAV 1C	HM	SOONA	Y	346(338.5)	1	L	+4 000 -5 000	-200	34°38'27.5"N 127°42'56.0"E	-	RNAV 1	-

Change : Amended ALT restriction for holding procedure.

ULSAN/Ulsan(RKPU)
RNP RWY 36

FAS DATA BLOCK INFORMATION

INPUT DATA

Parameters	Values
Operation Type	0
SBAS Provider	6 (KASS)
Airport Identifier	RKPU
Runway	36
Runway Letter	0 (None)
Approach Performance Designator	0
Route Indicator	
Reference Path Data Selector	0
Reference Path Identifier	K36A
LTP/FTP Latitude	353504.1470N
LTP/FTP Longitude	1292108.9500E
LTP/FTP Ellipsoidal Height (meters)	+00383(+38.3m)
FPAP Latitude	353608.8905N
Delta FPAP Latitude (seconds)	64.7435
FPAP Longitude	1292103.5405E
Delta FPAP Longitude (seconds)	-5.4095
Threshold Crossing Height (TCH)	50.0(feet) / 15.2(m)
TCH Units Selector (Feet)	0
Glidepath Angle (GPA, degrees)	3.00
Course Width (metres)	105.00
Length Offset (metres)	0
Horizontal Alert Limit (HAL, meters)	40.0
Vertical Alert Limit (VAL, meters)	50.0

OUTPUT DATA

Data Block	60 15 10 0B 12 24 00 00 01 36 33 0B A6 6D 45 0F AC 16 83 37 7F 15 CF F9 01 BD D5 FF F4 01 2C 01 64 00 C8 FA 10 38 07 E6
Calculated CRC Value	103807E6

INTENTIONALLY

LEFT

BLANK

**INSTRUMENT
APPROACH
CHART - ICAO**


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 17 - ELEV 175 ft

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ULJIN/ULjin(RKTL)

RNP RWY 17



TRANSITION ALT 14 000
TRANSITION LVL FL 140

MISSSED APPROACH

Climb to 6 000 ft on track of 171° to TL045, then turn left on track of 110° to BANYA. Hold as published.

OCA (H)

A

B

C

D

LNNAV/VNAV

720 (545)

LNNAV

950 (775)

Knots

60

90

120

150

180

Rate of
descent

V/V
fpm

362

543

724

905

1 087

* Timing NOT authorized for defining the MAPt.

* Circling not authorized.

Straight-in
Approach

AERONAUTICAL DATA TABULATION

Instrument approach Procedure Coding Tables

RNP RWY 17 - via ALDON(IAF) to BANYA(MAHF)												
Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ TCH	Navigation specification	Remarks
001	IF	ALDON	-	-	-	-	+6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	IAF
002	TF	TL041	-	295(286.8)	4.7	-	+4 500	-	36°58'07.9"N 129°29'46.5"E	-	RNP APCH	SDF
003	TF	UMNAE	-	261(252.7)	5.0	-	+3 200	-220	36°56'38.6"N 129°23'49.1"E	-	RNP APCH	IF
004	TF	TL043	-	171(162.7)	5.1	-	+2 000	-	36°51'46.1"N 129°25'42.7"E	-	RNP APCH	FAF
005	TF	RW170	Y	171(162.7)	4.9	-	+950	-	36°47'05.09"N 129°27'31.62"E	-3.41/50	RNP APCH	MAPt
006	TF	TL045	-	171(162.7)	5.5	-	-	-	36°41'52.3"N 129°29'32.6"E	-	RNP APCH	-
007	TF	BANYA	-	110(101.0)	8.7	-	@6 000	-	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	-
008	HM	BANYA	-	311(302.0)	-	L	@6 000	-230	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	1 MIN (outbound timing)


HOLDING PROCEDURE

Holding Identification	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track over M(T)	Time (min)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/TCH	Navigation specification	Remarks
RNP RWY 17	HM	ALDON	Y	221(182.0)	1.0	L	@6 000	-230	36°56'46.3"N 129°35'23.0"E	-	RNAV 1	-

Change : Information of resolution for THR coordinates.

VOR RWY 17

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45



						Knots	60	90	120	150	180
OCA (H)	A	B	C	D	Rate of descent	V/V fpm	323	484	646	807	968
Straight-in Approach	930 (755)				* Timing NOT authorized for defining the MAPt.						
					* Circling not authorized.						

ULJIN/Uijin(RCTL)
VOR RWY 17

AERONAUTICAL DATA TABULATION

VOR Approach to RWY 17 from ALDON(IAF)		
	Fix/Point	Coordinates
ALDON(IAF)	R 041 UJN / 12.00 NM UJN	36°56'46.3"N 129°35'23.0"E
D12.0 UJN(IF)	BRG 181.00° / 12.00 NM UJN	36°58'29.8"N 129°25'28.5"E
D6.0 UJN(FAF)	BRG 181.00° / 6.00 NM UJN	36°52'32.5"N 129°26'27.8"E
D4.0 UJN(SDF)	BRG 181.00° / 4.00 NM UJN	36°50'33.4"N 129°26'47.5"E
D2.2 UJN(MAPt)	BRG 181.00° / 2.20 NM UJN	36°48'46.2"N 129°27'05.3"E
THR RWY 17	Final approach descent angle (LOC ONLY) 3.01°(FAF-SDF) / 3.06°(SDF-THR)	36°47'05.09"N 129°27'31.62"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D3 UJN	R 170 UJN/ 3.00 NM UJN	36°43'44.3"N 129°28'38.3"E
BANYA	R 131 UJN/ 12.00 NM UJN	36°40'12.4"N 129°40'05.8"E

Change : Information of resolution for THR coordinates.

INSTRUMENT
APPROACH
CHART - ICAO


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV 158 ft

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45


ULJIN/ULjin(RKTL)

ILS Z or LOC Z RWY 35



RECOMMENDED PROFILE(LOC ONLY)	DME IUJN	5	4	3	2	1.3
Final Approach Gradient 5.31%, 323 ft/NM	ALT(HGT)	1 778 (1 620)	1 455 (1 297)	1 133 (975)	810 (652)	584 (426)

MISSED APPROACH

Climb straight ahead until TL056,
then turn right on track of 048° to ALDON
and hold at 6 000 ft.TRANSITION ALT 14 000
TRANSITION LVL FL 140

ULJIN/Uljin(RKTL)
ILS Z or LOC Z RWY 35

AERONAUTICAL DATA TABULATION

ILS Z / LOC Z Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 131 UJN/12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
TL051(SDF)	BRG 351.29°	36°37'30.8"N 129°37'21.1"E
HUPHO(IF)	BRG 351.28°/10.65 NM UJN	36°36'07.0"N 129°31'45.8"E
D5.1 IUJN (FAF LOC Only)	BRG 351.28°/5.08 NM IUJN	36°41'26.4"N 129°29'42.5"E
D1.3 IUJN (MAPt LOC Only)	BRG 351.29°/1.30 NM IUJN	36°45'03.3"N 129°28'18.7"E
THR RWY 35	Final approach descent angle 3.04°(LOC ONLY)	36°46'09.33"N 129°27'53.20"E
TL056		36°48'33.0"N 129°26'57.6"E
ALDON	R 041 UJN/12.00 NM UJN	36°56'46.3"N 129°35'23.0"E

Change : Information of resolution for THR coordinates.

**INSTRUMENT
APPROACH
CHART - ICAO**


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO
THR RWY 35 - ELEV 158 ft

ULJN	ARR	120.875
		317.65
ULJN	TWR	118.55
		317.45

ULJIN/ULjin(RKTL)

ILS Y or LOC Y RWY 35




RECOMMENDED PROFILE(LOC ONLY)	DME IUJN	5	4	3	2	1.3
Final Approach Gradient 5.32%, 323 ft/NM	ALT(HGT)	1 781 (1 623)	1 458 (1 300)	1 135 (977)	973 (815)	586 (428)

MISSED APPROACH

Climb straight ahead until UJN D2, then turn right to ALDON and hold at 6 000 ft.

TRANSITION ALT 14 000
TRANSITION LVL FL 140



OCA (H)		A	B	C	D							
Straight-in Approach	CAT-I (CG 2.5%)	545 (387)				Rate of descent	Knots	60	90	120	150	180
	CAT-I (CG 4.0%)	358 (200)					V/V fpm	318	478	637	795	955
	LOC	590 (432)					* Timing NOT authorized for defining the MAPt. * Circling not authorized.					

ULJIN/Uijin(RKTL)
ILS Y or LOC Y RWY 35


AERONAUTICAL DATA TABULATION

ILS Y / LOC Y Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 131 UJN/12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
D11.6 IUJN(IF)	BRG 350.99°/11.63 NM IUJN	36°35'10.6"N 129°32'07.5"E
D5.1 IUJN(FAF LOC Only)	BRG 351.28°/5.08 NM IUJN	36°41'26.4"N 129°29'42.5"E
D1.3 IUJN(MAPt LOC Only)	BRG 351.29°/1.30 NM IUJN	36°45'03.3"N 129°28'18.7"E
THR RWY 35	Final approach descent angle 3.05°(LOC ONLY)	36°46'09.33"N 129°27'53.20"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D2 UJN	R 357 UJN/2.00 NM UJN	36°48'33.0"N 129°26'57.6"E
ALDON	R 041 UJN/12.00 NM UJN	36°56'46.3"N 129°35'23.0"E

Change : Information of resolution for THR coordinates.


ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

RNP RWY 35



1. Missed approach 6.4% CG required to 6 000 ft for ATC purpose.

TRANSITION ALT	14 000
TRANSITION LVL	FL 140



Climb to 6 000 ft on track of 351° to TL055, then turn right on track of 064° to ALDON. Hold as published.

OCA (H)		A	B	C	D	Climb to 6 000 ft on track of 351° to TL055, then turn right on track of 064° to ALDON. Hold as published.						
Straight-in Approach	LNAV/VNAV	700 (542)										
	LNAV(CG 2.5%)	950 (792)				Rate of descent	V/V fpm	318	478	637	796	955
	LNAV(CG 4.0%)	770 (612)				* Timing NOT authorized for defining the MAPt.						
						* Circling not authorized.						

AERONAUTICAL DATA TABULATION

Instrument approach Procedure Coding Tables

RNP RWY 35 - via BANYA(IAF) to ALDON(IAF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ TCH	Navigation specification	Remarks
001	IF	BANYA	-	-	-	-	+6 000	-	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	IAF
002	TF	TL051	-	228(219.3)	3.5	-	+5 000	-	36°37'30.8"N 129°37'21.1"E	-	RNP APCH	SDF
003	TF	HUPHO	-	261(252.7)	4.7	-	+3 400	-	36°36'07.0"N 129°31'45.8"E	-	RNP APCH	IF
004	TF	TL053	-	351(342.7)	5.5	-	+1 800	-	36°41'22.5"N 129°29'44.1"E	-	RNP APCH	FAF
005	TF	RW350	Y	351(342.7)	5.0	-	+950	-	36°46'09.33"N 129°27'53.20"E	-3.00/50	RNP APCH	MAPt
006	TF	TL055	-	351(342.7)	5.5	-	-	-	36°51'25.4"N 129°25'50.7"E	-	RNP APCH	-
007	TF	ALDON	-	064(055.1)	9.3	-	@6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	-
008	HM	ALDON	Y	221(182.0)	-	L	@6 000	-230	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1 min (outbound timing)
009	HM	BANYA	Y	311(302.0)	-	L	@6 000	-230	36°40'12.4"N 129°40'05.8"E	-	RNP APCH	1 min (outbound timing)

RNP RWY 35 - via LIDPA(IAF) to ALDON(IAF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ TCH	Navigation specification	Remarks
001	IF	LIDPA	-	-	-	-	+5 000	-	36°31'13.6"N 129°33'38.6"E	-	RNP APCH	IAF
002	TF	HUPHO	-	351(342.7)	5.1	-	+3 400	-	36°36'07.0"N 129°31'45.8"E	-	RNP APCH	IF
003	TF	TL053	-	351(342.7)	5.5	-	+1 800	-	36°41'22.5"N 129°29'44.1"E	-	RNP APCH	FAF
004	TF	RW350	Y	351(342.7)	5.0	-	+950	-	36°46'09.33"N 129°27'53.20"E	-3.00/50	RNP APCH	MAPt
005	TF	TL055	-	351(342.7)	5.5	-	-	-	36°51'25.4"N 129°25'50.7"E	-	RNP APCH	-
006	TF	ALDON	Y	064(055.1)	9.3	-	@6 000	-	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1 min (outbound timing)
007	HM	ALDON	Y	221(182.0)	-	L	@6 000	-230	36°56'46.3"N 129°35'23.0"E	-	RNP APCH	1 min (outbound timing)

Change : Information of resolution for THR coordinates.

INSTRUMENT APPROACH CHART - ICAO


Note : Approach under ICAO Flight Procedures.

AERODROME ELEV 175 ft
HEIGHTS RELATED TO AD ELEV

ULJIN	ARR	120.875
		317.65
ULJIN	TWR	118.55
		317.45

ULJIN/Uljin(RKTL)

VOR RWY 35




RECOMMENDED PROFILE	DME UJN	5	4	3	2
Final Approach Gradient 5.30%, 322 ft/NM	ALT(HGT)	1 639 (1 481)	1 317 (1 159)	995 (873)	673 (515)

MISSED APPROACH

Climb on R 163 UJN to UJN and R 357 UJN to 2 DME,
then turn right to ALDON and hold at 6 000 ft.

TRANSITION ALT	14 000
TRANSITION LVL	FL 140



					Knots	60	90	120	150	180
OCA (H)	A	B	C	D	Rate of descent V/V fpm	322	483	644	805	966
Straight-in Approach	730 (572)				* Timing NOT authorized for defining the MAPt.					
					* Circling not authorized.					

ULJIN/Uljin(RKTl)
VOR RWY 35

AERONAUTICAL DATA TABULATION

VOR Approach to RWY 35 from BANYA(IAF)		
	Fix/Point	Coordinates
BANYA(IAF)	R 131 UJN / 12.00 NM UJN	36°40'12.4"N 129°40'05.8"E
D12.0 UJN(IF)	BRG 343.00° / 12.00 NM UJN	36°35'44.7"N 129°33'52.9"E
D5.5 UJN(FAF)	BRG 343.00°/5.50 NM UJN	36°41'37.1"N 129°30'24.1"E
D2.0 UJN(MAPt)	BRG 343.00°/2.00 NM UJN	36°44'46.8"N 129°28'31.4"E
THR RWY 35	Final approach descent angle 3.04°	36°46'09.33"N 129°27'53.20"E
UJN VOR/DME		36°46'35.2"N 129°27'26.9"E
D2 UJN	R 357 UJN/2.00 NM UJN	36°48'32.9"N 129°26'56.9"E
ALDON	R 041 UJN/12.00 NM UJN	36°56'46.3"N 129°35'23.0"E

Change : Information of resolution for THR coordinates.

STANDARD ARRIVAL CHART
INSTRUMENT (STAR) - ICAO

TRANSITION ALT 14 000
TRANSITION LVL FL 140


JEJU APP 121.2
124.05
JEONGSEOK TWR 124.35

JEJU/Jeongseok(RKPD)

RWY 01

GAEBI 1A

TOTAL 1A



GENERAL INFORMATION

1. Within JEJU TMA, maximum 250 kt IAS below 10 000 ft.
2. Maximum holding speed 210 kt IAS at TENUL.

DESIGNATOR	FROM	ROUTE	DESCENT ALTITUDE
GAEBI ONE ALPHA (GEB 1A) ARRIVAL	B576	GAEBI - JDG - TENUL	Cross JDG at 10 000 ft, TENUL at or above 6 000 ft.
TOTAL ONE ALPHA (TDL 1A) ARRIVAL	A586	TOTAL - JDG - TENUL	Cross JDG at 10 000 ft, TENUL at or above 6 000 ft.

Change : Amended designator for STAR.

INTENTIONALLY

LEFT

BLANK

**INSTRUMENT
APPROACH
CHART - ICAO**


AERODROME ELEV 1 174 ft
HEIGHTS RELATED TO
THR RWY 01 - ELEV 1 102 ft

JEJU	APP	121.2
JEONGSEOK	TWR	124.35

JEJU/Jeongseok(RKPD)

LOC RWY 01

Note : Approach under ICAO Flight Procedures.



126°30'E

127°0'E

RECOMMENDED PROFILE

Final Approach Gradient 5.32%, 323 ft/NM

DME IJDG

ALT(HGT)

5

4

3

2

1.7

2 700

2 393

2 070

1 747

1 660

(1 598)

(1 291)

(968)

(645)

(558)

TRANSITION ALT 14 000

TRANSITION LVL FL 140

IAF TENUL

R 140 JDG/D14

6 000

(4 898)

LR 178

LR 196

IF BIGTU

IJDG D13.6

3 800

(2 698)

IAF EGOMI

R 225 JDG/D14

5 000

(3 898)

JDG D14 ARC

1 660

007°

FAF IJDG D5.0

2 700

(1 598)

5.32%(3.0°)

007°

MAPt IJDG D1.7

1 660

(558)

VOR/DME JDG LOC

1 174

(558)

JDG D2.0

TENUL

180°

THR ELEV 1 102

(THR RWY 01)

11

9

7

5

3

1

NM TO/FROM THR RWY 01

OCA (H)

A

B

C

D

Straight-in Approach

LOC (CG 4.0%)

LOC (CG 2.5%)

1 660 (558)

1 720 (618)

*Circling

1 920 (746)

2 020 (846)

Rate of descent (FAF - THR)

knots

60

90

120

150

180

V/V fpm

315

473

630

788

945

* Timing Not authorized for defining MAPt.

* Circling Not authorized west of RWY 01-19.

Change : Amended recommended profile(5.31% → 5.32%).

JEJU/Jeongseok(RKPD)
LOC RWY 01

AERONAUTICAL DATA TABULATION

LOC approach to RWY 01 from TENUL, EGOMI		
Fix/point		Coordinates
TENUL(IAF)	R 140 JDG/14.00 NM	33°14'01.6"N 126°55'08.7"E
EGOMI(IAF)	R 225 JDG/14.00 NM	33°12'24.7"N 126°32'40.7"E
BIGTU(IF)	BRG 187.12°/13.60 NM IJDG	33°09'30.3"N 126°42'46.3"E
D5.0 IJDG (FAF)	BRG 187.12°/4.95 NM IJDG	33°18'10.2"N 126°42'43.3"E
D1.7 IJDG (MAPt)	BRG 187.12°/1.70 NM IJDG	33°21'25.6"N 126°42'42.2"E
THR RWY01		33°22'58.36"N 126°42'41.71"E
IJDG LOC		33°24'22.7"N 126°42'41.2"E
IJDG DME		33°23'07.8"N 126°42'46.5"E
D2.0 JDG(MATF)	2.00 NM JDG	33°25'31.7"N 126°42'40.8"E
TENUL(MAHF)	R 140 JDG/14.00 NM	33°14'01.6"N 126°55'08.7"E

**INSTRUMENT
APPROACH
CHART - ICAO**



AERODROME ELEV 1 174 ft
HEIGHTS RELATED TO
THR RWY 01 - ELEV 1 102 ft

JEJU APP 121.2
124.05
JEONGSEOK TWR 124.35

JEJU/Jeongseok(RKPD)

Note : Approach under ICAO Flight Procedures.

RNP RWY 01



Change : Amended radial for no circling area(001° → 002°).

AERONAUTICAL DATA TABULATION

Instrument Approach Procedure Coding Tables

RNP RWY01 - via TENUL to PD501(IF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ RDH	Navigation specification	Remarks
001	IF	TENUL	-	-	-	-	+6 000	-	33°14'01.6"N 126°55'08.7"E	-	RNP APCH	IAF
002	TF	PD501	-	277(269.6)	10.4	-	+3 800	-	33°13'56.3"N 126°42'44.8"E	-	RNP APCH	IF

RNP RWY01 - via MUPAS to PD501(IF)

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ RDH	Navigation specification	Remarks
001	IF	MUPAS	-	-	-	-	+6 000	-	33°10'49.1"N 126°30'51.5"E	-	RNP APCH	IAF
002	TF	PD501	-	080(072.6)	10.4	-	+3 800	-	33°13'56.3"N 126°42'44.8"E	-	RNP APCH	IF

RNP RWY01 - via PD501(IF) to MAHF

Serial Number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track M(°T)	Distance (NM)	Turn direction	Altitude (ft)	Speed (kt)	Coordinates	VPA/ RDH	Navigation specification	Remarks
002	TF	PD501	-	-	-	-	+3 800	-	33°13'56.3"N 126°42'44.8"E	-	RNP APCH	IF
003	TF	PD502	-	007(359.7)	4.2	-	+2 700	-	33°18'06.1"N 126°42'43.4"E	-	RNP APCH	FAF
004	TF	RWY01	Y	007(359.7)	4.9	-	+1 830	-	33°22'58.4"N 126°42'41.7"E	3.00/50	RNP APCH	MAPt
005	TF	PD515	Y	007(359.7)	2.6	-	-	-210	33°25'31.7"N 126°42'40.8"E	-	RNP APCH	-
006	DF	PD516	-	-	-	R	-	-210	33°22'55.2"N 126°50'37.5"E	-	RNP APCH	-
007	TF	TENUL	Y	164(156.9)	9.7	-	-	-210	33°14'01.6"N 126°55'08.7"E	-	RNP APCH	Outbound time 1min
008	HM	TENUL	Y	320(312.7)	-	R	-7 000 +6 000	-210	33°14'01.6"N 126°55'08.7"E	-	RNP APCH	