


STANDARD ARRIVAL CHART  
INSTRUMENT(STAR) - ICAO

TRANSITION ALT 14 000  
TRANSITION LVL FL 140

|       |     |         |
|-------|-----|---------|
| ULJIN | ARR | 120.875 |
| ULJIN | TWR | 317.65  |
|       |     | 118.55  |
|       |     | 317.45  |

ULJIN/ULjin(RKTL)  
RWY 17  
RNAV NOBUT 1J  
RNAV LOSTO 1J

Note : Arrival under ICAO flight Procedures.



Change : Information of NOBUT and LOSTO(reporting requirement).

AERONAUTICAL DATA TABULATION

Standard Instrument Arrival Procedure Coding Tables

| RNAV NOBUT 1J |                 |                     |          |                        |               |                |               |            |                            |         |                          |         |
|---------------|-----------------|---------------------|----------|------------------------|---------------|----------------|---------------|------------|----------------------------|---------|--------------------------|---------|
| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track<br>°M(°T) | Distance (NM) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates                | VPA/TCH | Navigation specification | Remarks |
| 001           | IF              | NOBUT               | -        | -                      | -             | -              | -             | -          | 37°07'15.1"N 129°19'56.6"E | -       | RNAV 1                   | -       |
| 002           | TF              | TL001               | -        | 172(163.8)             | 5.5           | -              | @10 000       | -          | 37°01'57.9"N 129°21'52.1"E | -       | RNAV 1                   | -       |
| 003           | TF              | ALDON               | -        | 124(115.6)             | 12.0          | -              | +6 000        | -          | 36°56'46.3"N 129°35'23.0"E | -       | RNAV 1                   | IAF     |

| RNAV LOSTO 1J |                 |                     |          |                        |               |                |               |            |                            |         |                          |         |
|---------------|-----------------|---------------------|----------|------------------------|---------------|----------------|---------------|------------|----------------------------|---------|--------------------------|---------|
| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track<br>°M(°T) | Distance (NM) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates                | VPA/TCH | Navigation specification | Remarks |
| 001           | IF              | LOSTO               | -        | -                      | -             | -              | -             | -          | 36°20'15.8"N 129°25'48.3"E | -       | RNAV 1                   | -       |
| 002           | TF              | TL011               | -        | 039(030.0)             | 10.0          | -              | @9 000        | -          | 36°28'56.0"N 129°32'00.2"E | -       | RNAV 1                   | -       |
| 003           | TF              | TL012               | -        | 039(030.0)             | 7.7           | -              | +8 000        | -          | 36°35'34.5"N 129°36'46.2"E | -       | RNAV 1                   | -       |
| 004           | TF              | TL013               | -        | 005(356.9)             | 11.2          | -              | +7 000        | -          | 36°46'46.3"N 129°36'02.3"E | -       | RNAV 1                   | -       |
| 005           | TF              | ALDON               | -        | 005(356.9)             | 10.0          | -              | +6 000        | -          | 36°56'46.3"N 129°35'23.0"E | -       | RNAV 1                   | IAF     |

HOLDING PROCEDURE

| Holding Identification         | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track<br>°M(°T) | Time (min) | Turn direction | Altitude (ft) | Speed (kt) | Coordinates                | VPA/TCH | Navigation specification | Remarks |
|--------------------------------|-----------------|---------------------|----------|------------------------|------------|----------------|---------------|------------|----------------------------|---------|--------------------------|---------|
| RNAV NOBUT 1J<br>RNAV LOSTO 1J | HM              | ALDON               | Y        | 041(032.0)             | 1.0        | L              | @6 000        | -230       | 36°56'46.3"N 129°35'23.0"E | -       | RNAV 1                   | -       |


STANDARD ARRIVAL CHART  
INSTRUMENT(STAR) - ICAO

TRANSITION ALT 14 000  
TRANSITION LVL FL 140

|       |     |         |
|-------|-----|---------|
| ULJIN | ARR | 120.875 |
| ULJIN | TWR | 317.65  |
| ULJIN | TWR | 118.55  |
| ULJIN | TWR | 317.45  |

ULJIN/ULjin(RKTL)  
RWY 17  
NOBUT 2D  
LOSTO 2D

Note : Arrival under ICAO flight Procedures.



Change : Information of NOBUT and LOSTO(reporting requirement).

**INTENTIONALLY**

**LEFT**

**BLANK**


STANDARD ARRIVAL CHART  
INSTRUMENT(STAR) - ICAO

TRANSITION ALT 14 000  
TRANSITION LVL FL 140

|       |     |         |
|-------|-----|---------|
| ULJIN | ARR | 120.875 |
| ULJIN | TWR | 317.65  |
|       |     | 118.55  |
|       |     | 317.45  |

ULJIN/ULjin(RKTL)  
RWY 35  
RNAV NOBUT 2H  
RNAV LOSTO 1H

Note : Arrival under ICAO flight Procedures.



Change : Information of NOBUT and LOSTO(reporting requirement).

AERONAUTICAL DATA TABULATION

Standard Instrument Arrival Procedure Coding Tables

RNAV NOBUT 2H

| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track<br>°M(°T) | Distance<br>(NM) | Turn direction | Altitude<br>(ft) | Speed<br>(kt) | Coordinates                | VPA/<br>TCH | Navigation specification | Remarks |
|---------------|-----------------|---------------------|----------|------------------------|------------------|----------------|------------------|---------------|----------------------------|-------------|--------------------------|---------|
| 001           | IF              | NOBUT               | -        | -                      | -                | -              | -                | -             | 37°07'15.1"N 129°19'56.6"E | -           | RNAV 1                   | -       |
| 002           | TF              | TL001               | -        | 172(163.8)             | 5.5              | -              | @10 000          | -             | 37°01'57.9"N 129°21'52.1"E | -           | RNAV 1                   | -       |
| 003           | TF              | TL002               | -        | 142(133.8)             | 7.8              | -              | +9 500           | -             | 36°56'33.3"N 129°28'54.3"E | -           | RNAV 1                   | -       |
| 004           | TF              | TL003               | -        | 142(133.8)             | 5.0              | -              | +8 000           | -             | 36°53'05.2"N 129°33'24.1"E | -           | RNAV 1                   | -       |
| 005           | TF              | TL004               | -        | 142(133.8)             | 5.5              | -              | +6 000           | -             | 36°49'15.2"N 129°38'21.7"E | -           | RNAV 1                   | -       |
| 006           | TF              | BANYA               | -        | 180(171.1)             | 9.1              | -              | +6 000           | -             | 36°40'12.4"N 129°40'05.8"E | -           | RNAV 1                   | IAF     |

RNAV LOSTO 1H

| Serial Number | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track<br>°M(°T) | Distance<br>(NM) | Turn direction | Altitude<br>(ft) | Speed<br>(kt) | Coordinates                | VPA/<br>TCH | Navigation specification | Remarks |
|---------------|-----------------|---------------------|----------|------------------------|------------------|----------------|------------------|---------------|----------------------------|-------------|--------------------------|---------|
| 001           | IF              | LOSTO               | -        | -                      | -                | -              | -                | -             | 36°20'15.8"N 129°25'48.3"E | -           | RNAV 1                   | -       |
| 002           | TF              | TL011               | -        | 039(030.0)             | 10.0             | -              | @9 000           | -             | 36°28'56.0"N 129°32'00.2"E | -           | RNAV 1                   | -       |
| 003           | HM              | BANYA               | -        | 039(030.0)             | 13.0             | -              | +6 000           | -             | 36°40'12.4"N 129°40'05.8"E | -           | RNAV 1                   | IAF     |

HOLDING PROCEDURE

| Holding Identification         | Path Descriptor | Waypoint Identifier | Fly-over | Course/Track<br>°M(°T) | Time<br>(min) | Turn direction | Altitude<br>(ft) | Speed<br>(kt) | Coordinates                | VPA/<br>TCH | Navigation specification | Remarks |
|--------------------------------|-----------------|---------------------|----------|------------------------|---------------|----------------|------------------|---------------|----------------------------|-------------|--------------------------|---------|
| RNAV NOBUT 2H<br>RNAV LOSTO 1H | HM              | BANYA               | Y        | 131(122.0)             | 1.0           | L              | @6 000           | -230          | 36°40'12.4"N 129°40'05.8"E | -           | RNAV 1                   | -       |

STANDARD ARRIVAL CHART  
INSTRUMENT(STAR) - ICAO


TRANSITION ALT 14 000  
TRANSITION LVL FL 140

|       |     |         |
|-------|-----|---------|
| ULJIN | ARR | 120.875 |
|       |     | 317.65  |
| ULJIN | TWR | 118.55  |
|       |     | 317.45  |

ULJIN/ULjin(RKTL)  
RWY 35  
NOBUT 2C  
LOSTO 2C

Note : Arrival under ICAO flight Procedures.

129°30'E



Change : Information of NOBUT and LOSTO(reporting requirement).

**INTENTIONALLY**

**LEFT**

**BLANK**