


AIRCRAFT PARKING /
DOCKING CHART - ICAO

APRON ELEV
105 ft

TWR 126.2
GND 121.95

DAEGU/Daegu INTL

ELEVATIONS IN FEET
DIMENSION IN METERS
BEARINGS ARE MAGNETIC



ANNUAL RATE OF CHANGE
2' W
VAR 9° W 2025

LEGEND	
AIRCRAFT STAND	1 5
TAXIWAY LIGHT	●
SLIDING GATE	—

STANDS NR	INS COORDINATES FOR AIRCRAFT STANDS (WGS-84)	
1	35°54'03.85"N	128°38'14.77"E
2	35°54'03.03"N	128°38'16.24"E
3	35°54'02.22"N	128°38'17.71"E
4	35°54'01.13"N	128°38'19.17"E
5	35°53'59.13"N	128°38'20.38"E
6	35°53'58.38"N	128°38'21.74"E
7	35°53'57.62"N	128°38'23.11"E
8	35°53'56.86"N	128°38'24.48"E
9	35°53'56.10"N	128°38'25.85"E
10	35°53'55.37"N	128°38'27.19"E
31	35°54'06.23"N	128°38'15.57"E



APRON		BEARING STRENGTH
NORTH APRON (STAND NR. 1, 2, 3, 4)		PCR 633/R/B/W/T CONCRETE
SOUTH APRON (STAND NR. 5, 6, 7, 8, 9, 10)		PCR 587/R/B/W/T CONCRETE
DE-ICING PAD (STAND NR. 31)		PCR 559/F/B/X/T ASPHALT
TWY F1	WIDTH 23 m	PCR 633/R/B/X/T ASPHALT CONCRETE

STAND NR	STAND AVAILABILITY
4	Available for "C" and "D" (See note)
1 to 3	Available for "C"
5 to 10	Available for "C"

Note
Code "C" and "D" : Refer to Annex 14
Table 1-1 Aerodrome reference code

Code letter	Wing span
C	24 m up to but not including 36 m
D	36 m up to but not including 52 m

* Due to inadequate safety margin between the taxiway center line and the rear of the parked aircraft "D", aircraft "D" is only available for entering or parking on stand.



FUEL

INTERNATIONAL
TERMINAL

DOMESTIC
TERMINAL

Change : Information of MAG VAR(8° W 2020 → 9° W 2025) and annual rate of change(5' W → 2' W).

INTENTIONALLY

LEFT

BLANK